




Alphabetical Catalogue
of Plants

Sq 39

15

La Mortola 1897

169



Eliot. CALZOLARI e FERRARIO - Milano.

VIEW FROM THE GARDEN LOOKING TOWARDS VENTIMIGLIA.

Alphabetical Catalogue of Plants

growing in the open air in the garden

of

Thomas Hanbury F. L. S.

Knight of the Order

of St. Maurice and St. Lazarus, and Knight Commander of the Cross of the Crown of Italy

Palazzo Orenco, La Mortola

near Ventimiglia, Italy

Compiled by

K. DINTER

1897

Genoa. - Printed by Wasen Brothers.

1845-1846

1847-1848

1849-1850

1851-1852

1853-1854

1855

	Author.	Reference.	Family.	Time of flowering.	Native country.
Abelia chinensis h	R. Br.	D. C. IV. 339	Caprifoliaceae	March-May	China.
<i>syn. rupestris</i>	Lindl.		"		
" triflora h	R. Br.	D. C. IV. 339	"	Mar.-May	Northern India.
Aberia caffra h	Harv.	et Sond. Fl. Cap. II. Add. 584	Bixineae	Mar.-May, Dec.	South Africa.
Abies balsamea h	Mill.	D. C. XVI 2. 423	Coniferae		North America.
" cilicica h	Carr.	D. C. XVI 2. 422	"		Asia minor.
" grandis h	Lindl.	D. C. XVI 2. 427	"	June	California.
" pectinata h	D. C.	D. C. XVI 2. 421	"	April	Europe.
" Pinsapo h	Boiss.	D. C. XVI 2. 423	"	April	South Spain.
" Smithiana h	Lindl.	D. C. XVI 2. 416	"	April	Eastern Himalaya.
Abrus praecatorius h	Lin.	D. C. II. 381	Legum.-Papilionaceae		India. Trop. Afr. & Am.
Abutilon Darwini h	Hook.	B. M. 5917	Malvaceae	All the year	Brazil.
" megapotamicum h	St. Hil.	Nich. Dict. of gardening	"	"	Rio Grande.
<i>syn. vexillarium</i>	E. Morr	B. M. 5717	"	"	
" striatum h	Dicks.	Nich. Dict. of gardening	"	"	Brazil.
" venosum h	Lem.	Hortic. Univ. Misc. 1884	"	"	Mexico.
Acacia acanthocarpa h	Willd.	D. C. II. 463	Legum.-Mimoseae	Febr.-Aug.	Guatemala, Mexico.
" acinacea h	Lindl.	Benth. Fl. Austr. II. 353	"	Mar.-Apr.	Victoria, S. Australia.
" angustifolia h	Wendl.	Benth. Fl. Austr. II. 369	"		New South Wales.
" armata h	R. Br.	Benth. Fl. Austr. II. 347, B. M. 1653	"	Febr.-Apr.	Victoria.
" var. tristis h	R. Grah.	Benth. Fl. II. 348, B. M. 3420	"		
" brachybotrya h	Benth.	" " II. 373, B. M. 4384	"	Mar.-May	New South Wales.
" calamifolia h	Sweet.	" " II. 339	"	Febr.-Apr.	N. S. Wales, Victoria.
" Cavenia h	Hook. Arn.	Müll. Select. extr.-trp. pl.	"	May-June	Chili.
" congesta h	Benth.	Benth. Flora Austr. II. 346	"	April	West Australia.
" cultriformis h	Hook.	" " II. 395	"	Apr.-June	New South Wales.
" cyanophylla h	Lindl.	" " II. 364	"	Apr.-June	West Australia.
" Cyclops h	A. Cunn.	" " II. 388	"	May-July	West Australia.
" dealbata h	Link.	" " II. 373	"	Febr.-Apr.	N. S. Wal, Vict., Tasm.
" decipiens h	R. Br.	" " II. 351, B. M. 1745, 3244	"	Mar.-May	West Australia.
" decurrens h	Willd.	Benth. Fl. Austr. II. 414	"	May	Queensland.
" Dietrichiana h	F. M.	Austr. Spec. of Acacia	"		Australia.
" dodonaeifolia h	Willd.	Benth. Fl. Austr. II. 359	"	Mar.-June	Queensl., N. S. Wales.
" eburnea h	Willd.	D. C. II. 461	"	June-Aug.	India.
" extensa h	Lindl.	Benth II. 340	"	Mar.-June	West Australia.
" falcata h	Willd.	" II. 361, Lodd. 1115	"		Queensl., N. S. Wales.
" farinosa h	Lindl.	" II. 386	"	May-June	Victoria, S. Australia.
" Farnesiana h	Willd.	" II. 419	"	Nov.-May	Tropics.
" flexicaulis h	Benth.	in Hook. Journ. Bot. (1842)	"		Texas.
" glaucescens h	Willd.	Benth. Fl. Austr. II. 406	"	May-June	Queensl., N. S. Wales.
" Gnidium h	Benth.	" " II. 360	"	April	Queensland.
" harpophylla h	F. M.	Benth. II. 389	"	July	Queensland.
" heterophylla h	Willd.	D. C. II. 452	"	Mar.-Apr.	Bourbon.
" holosericea h	A. Cunn.	Benth. II. 411	"		North Austr., Queensl.
" homatopylla h	A. Cunn.	" II. 383	"		N. S. Wales, Victoria.
" horrida h	Willd.	Jacq. Hort. Schoenb. 393	"	July	Arabia, South Africa.
" juncifolia h	Benth.	Benth. II. 339	"	Febr.-Apr.	Australia
" juniperina h	Willd.	" II. 331, Lodd. 398	"	May-July	Queensl., N. S. Wales.
" lanigera h	A. Cunn.	" II. 324, B. M. 2922	"		New South Wales.
" latifolia h	Benth.	" II. 411	"	Mar.-May	North Australia.
" leprosa h	Sieb.	" II. 358	"		N. S. Wales, Victoria.
" Lindheimerii h	hort. rom.		"		
" linearis h	Sims.	" II. 399, B. M. 2156	"	Nov.-July	N. S. Wales, Tasmania.
" linifolia h	Willd.	" II. 371	"		Queensl., N. S. Wales.
" longifolia h	Willd.	" II. 397	"	Mar.-Apr.	Queensl., N. S. Wales.
" var. mucronata h	F. M.	" II. 398, B. M. 2747	"	Mar.-Apr.	Victoria, Tasmania.
" var. Sophorae h	F. M.	" II. 398, Lodd. 1351	"	Mar.-Apr.	N. S. Wal, Vict., Tasm.
" lunata h	Sieb.	" II. 373	"		Queensl., N. S. Wales.
" Martii h	Benth.	Hook. Lond. Journ. Bot. I. (1842) 519	"		Brazil.
" Meissneri h	Lehm.	Benth. II. 354	"		West Australia.
" melanoxydon h	R. Br.	" II. 388, B. M. 1659	"	Mar.-June	N. S. Wales, Victoria.
" microbotrya h	Benth.	" II. 363	"	Nov.-Dec.	South Australia.

	Author.	Reference.	Family.	Time of flowering.	Native country.
Acacia modesta h	Wall.	Pl. As. Rar. II. 27	Legum.-Mimoseae		East India.
„ montana h	Benth.	Benth. II. 357	„		N. S. Wales, Victoria.
„ myrtifolia h			„		
„ var. angustifolia h	Willd.	„ II. 377	„		Australia.
„ notabilis h	F. M.	„ II. 365	„		N. S. Wal., South Aust.
„ obliqua h	A. Cunn.	„ II. 353, B. M. 4041	„	Mar.-May	N. S. Wales, Victoria.
„ cbtusata h	Sieb.	„ II. 366	„		N. S. Wales.
„ Oswaldi h	F. M.	„ II. 384	„		Australia.
„ Oxycedrus h	Sieb.	„ II. 334	„		Queensl., N. S. Wales.
„ portoricensis h . . .	Willd.	D. C. II. 467	„	Okt.-Dec.	Porto Rico.
„ prominens h	A. Cunn.	Benth. II. 371, B. M. 3502	„		N. S. Wales.
„ pubescens h	R. Br.	„ II. 416, B. M. 1263	„		New South Wales.
„ pulchella h	R. Br.	„ II. 416	„		West Australia.
„ pycnantha h	Benth.	„ II. 365	„		Victoria, South Austr.
„ pycnophylla h	Benth.	„ II. 368	„		West Australia.
„ retinodes h	Schlcht.	„ II. 362	„	All the year	South Australia.
„ saligna h	Wendl.	„ II. 364	„		West Australia.
„ Sentis h	F. M.	„ II. 360	„		Queensl., N. S. Wales.
„ stenophylla h	A. Cunn.	„ II. 385	„		Australia.
„ suaveolens h	Willd.	„ II. 369	„		Queensl., N. S. Wales.
„ uncinella h	Benth.	„ II. 341	„		West Australia.
„ verniciflua h	A. Cunn.	„ II. 358, B. M. 3279	„		Australia.
		3266.			
„ verticillata h	Willd.	Benth. II. 334, B. M. 110	„	Mar.-May	Tasmania, Victoria.
„ var. latifolia h . . .		„ II. 334, B. M. 3195	„	Mar.-May	Tasmania.
Acaena myriophylla 2l . .	Lindl.	Bot. Reg. tab. 1271	Rosaceae	May-July	Argentina.
„ ovalifolia 2l	Rz. Pav.	Fl. Per. I. 67	„	May-July	South America.
„ pinnatifida 2l	Rz. & Pav.	D. C. II. 592	„		Chili.
„ Sanguisorbae 2l . . .	Vahl.	D. C. II. 592	„		New Zealand.
„ sericea 2l	Jacq.	D. C. II. 592	„		New Spain.
Acanthus longifolius 2l .	Poir.	D. C. XI. 270	Acanthaceae		Dalmatia.
„ mollis 2l	Lin.	D. C. XI. 270	„	Apr.-June	Italy, Sicily, S. France.
„ var. lusitanicus 2l . .	Hort.	Nich. Dict. of gard.	„	Apr.-June	Portugal.
„ spinosus 2l	Lin.	D. C. XI. 271	„		Asia minor.
Acer macrophyllum h . . .	Pursh.	D. C. I. 594	Sapindaceae		North America.
„ oblongum h	Wall.	D. C. I. 593	„	Apr.-May	Nepal.
„ villosum h	Wall.	Pl. As. Rar. II. 4	„		Himalaya region.
Aceras anthropophora 2l .	R. Br.	Barla, Orch. de Nice	Orchideae	May-June	S. Europe, N. Africa.
Achania Malvaviscus h . .	Swartz.	D. C. I. 445, B. M. 2305	Malvaceae	All the year	Jamaica.
Achillea Ageratum 2l . . .	Lin.	D. C. VI. 27	Compositae	June-July	Southern Europe.
„ alpina 2l	Lin.	D. C. VI. 22	„		Switzerland Siberia.
„ Herba-rota 2l	All.	D. C. VI. 22	„		Southern Europe.
Aconitum Lycoctonum 2l .	Lin.	D. C. I. 57	Ranunculaceae	June-July	Europe.
Acorus Calamus 2l	Lin.	Kunth III. 86	Aroideae		North. Temp. regions.
Adenocalymna comosum h .	D. C.	D. C. IX. 210	Bignoniaceae		Brazil.
Adenocarpus foliolosus h .	D. C.	D. C. II. 158	Legum.-Papilionaceae		Canary Islands.
„ intermedius h	D. C.	D. C. II. 158	„		Portug., Spain, S. Italy.
Adenophora communis 2l .	Fisch.	D. C. VII, 492, Jacq. Hort.	Campanulaceae		Eastern Eur., Siberia.
		Schoenbr. 335			
Adonis autumnalis (••) . .	Lin.	D. C. I. 23	Ranunculaceae	April-May	Europe.
„ Walziana 2l	Simk.	Cat. Horti Claudiopolit. 1895	„		Hungaria.
Adiantum chilense 2l . . .	Kaulf.	Hook. Syn. Fil. 123	Filices		Chili.
„ Farleyense 2l	Moore.	Hook. Syn. Fil. 124	„		Garden origin? (Hook).
„ capillus-Veneris 2l . .	Lin.	Hook. Syn. Fil. 123	„		Afr., Eur., Asia, Amer.
Aeonium (Sempervivum) h .					
„ arboreum h	Webb. Berth	Phyt. Canar. I. 185	Crassulaceae	Dec.-Mar.	Spain, Port., Canar. Isl.
„ balsamiferum h	Webb. Berth	Phyt. Canar. I. 192	„		Canary Islands.
„ Berthelotianum h . . .	Bolle	in Bonplandia (1859) 239	„		Canary Islands.
„ canariense h	Webb. Berth	Phyt. Canar. I. 196	„		Canary Islands.
„ ciliatum h	Webb. Berth	Phyt. Canar. I. 195	„		Canary Islands.
„ cruentum h	Webb. Berth	Phyt. Canar. I. 186	„		Canary Islands.
„ cuneatum h	Webb. Berth	Phyt. Canar. I. 197	„		Canary Islands.
„ Doramae h	H. Kew.		„		Canary Islands.
„ giganteum h	Hort.	D.	„		Canary Islands.
„ glutinosum h	Webb. Berth	Phyt. Canar. I. 185	„		Canary Islands.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Aeonium Haworthii</i> h . . .	Webb. Berth.	Phyt. Canar. I. 193	Crassulaceae	May-June	Canary Islands.
" <i>strepsicladum</i> h . . .	Webb. Berth.	Phyt. Canar. I. 187	"		Canary Islands.
" <i>tabulaeforme</i> h . . .	Webb. Berth.	Phyt. Canar. I. 185	"		Canary Islands.
" <i>urbicum</i> h	Webb. Berth.	Phyt. Canar. I. 194	"		Canary Islands.
" <i>Youngianum</i> h . . .	Webb. Berth.	Phyt. Canar. I. 197	"		Canary Islands.
<i>Aeschynanthus grandiflora</i> 2	G. Don.	D. C. IX. 261, B. M. 3843	"	July-Nov.	Bengal.
<i>Aethionema coridifolium</i> (••)	D. C.	D. C. I. 209	Cruciferae	April-June	Lebanon.
" <i>saxatile</i> 2	R. Br.	D. C. I. 209	"	April-July	South Europe.
<i>Agapanthus umbellatus</i> 2	L'Herit.	Kunth. IV. 479	Liliaceae	June-Aug.	Cape.
<i>Agathaea coelestis</i>	Cass.	D. C. V. 225	Compositae	All the year	Cape.
<i>Agave albicans</i>	Jacobi.	Baker Amaryllideae 191	Amaryllideae		Mexico.
" <i>americana</i>	Lin.	" " 180, B.M. 3654	"	June-Aug.	Trop. America.
" <i>applanata</i>	Lem.	" " 173	"	June-Aug.	Mexico.
" <i>asperrima</i>	Jac.	" " 173	"		Mexico, Texas.
" <i>attenuata</i>	S. Dyck.	" " 193	"		Mexico.
" <i>Bouchei</i>	Jacobi.	" " 191	"		Probably, Mexico.
" <i>chloracantha</i>	S. Dyck.	" " 192	"		Mexico.
" <i>coccinea</i>	Roezl.	" " 179	"		Mexico.
" <i>dasyliroides</i>	Jac.	" " 185, B.M. 5716	"		Mexico.
" <i>densiflora</i>	Hook.	" " 183, B.M. 5006	"		Mexico.
" <i>Deserti</i>	Engelm.	" " 172	"		South California.
" <i>Ellemeetiana</i>	C. Koch.	" " 193	"	June-July	Mexico.
" <i>Engelmannii</i>	Trelease	3. Ann. Rep. Miss. ri Bot. Gard.	"		Origin unknown.
" <i>ferox</i>	C. Koch.	Baker Amaryllideae 176	"	July	Mexico.
" <i>filifera</i>	S. Dyck.	" " 166	"	July	Mexico.
" var. <i>densa</i>			"	July	
" <i>Franzosini</i>	Nissen	Ricas. Utilità dei Giardini d'Acclimazione	"		Mexico.
" <i>geminiflora</i>	Ker-Gawl.	Baker Amaryllideae 186	"	June-July	Mexico, Peru.
" <i>Ghiesbrechtii</i>	C. Koch.	" " 172	"	June	Mexico.
" <i>Goeppertiana</i>	Jacobi.	" " 188	"		Mexico.
" <i>Henriquesii</i>	Baker.	" " 170	"		Mexico.
" <i>heteracantha</i>	Zuccar.	" " 168	"		Texas, North-Mexico.
" <i>Hookeri</i>	Jacobi?	" " 173, B.M. 6589	"		Mexico.
" <i>horrida</i>	Lem.	" " 171, B.M. 6511	"		Mexico.
" var. <i>micracantha</i>	Baker.	" " 171	"		Mexico.
" <i>Karatto</i>	Mill.	" " 167	"		W. Indies, St. Kitts Isld.
" <i>Kerchovei</i>	Lem.	" " 169	"		Mexico.
" <i>lophantha</i>	Schiede.	" " 167	"	June-July	Mexico.
" var. <i>coerulescens</i>	S. Dyck.	" " 167	"		Mexico.
" <i>lurida</i>	Ait.	" " 183, B.M. 1522	"	July-Aug.	Mexico.
" <i>Maximowiczii</i>			"		
" <i>mexicana</i>	Lam.	" " 180	"	July-Aug.	Mexico.
" <i>micracantha</i>	S. Dyck.	" " 191	"	June-July	Mexico.
" <i>miradorensis</i>	Jacobi.	" " 182	"		Mexico.
" <i>mitis</i>	S. Dyck.	" " 191	"		Mexico.
" <i>Morrisii</i>	Baker.	" " 184	"		Jamaica.
" <i>multiflora</i>	Tod.		"		
" <i>Nissonii</i>	Baker.	" " 169	"		Mexico.
" <i>Palmeri</i>	Engelm.	" " 178	"		Southern Arizona.
" <i>polyacantha</i>	Haw.	" " 183	"	June-Aug.	Mexico.
" <i>pulcherrima</i>	Otto.		"		Mexico.
" <i>Pringlei</i>			"		
" <i>rigida</i>	Mill.	" " 181, B.M. 5893	"	June-Aug.	South Mexico.
" var. <i>sisalana</i>	Engelm.	" " 181	"		South Mexico.
" var. <i>elongata</i>	Jacobi.	" " 181	"		Mexico.
" <i>Rovelliana</i>			"		
" <i>A. Salmiana</i>	Otto.	" " 174	"	June-Aug.	Mexico.
" var. <i>latissima</i>	Jacobi.	" " 174	"		Mexico.
" <i>Sartori</i>	K. Koch.	" " 189, H. Pan. t. 8	"		Mexico, Guatemala.
" <i>schidigera</i>	Lem.	" " 166	"		Mexico.
" <i>Schottii</i>	Engelm.	" " 160	"		South Arizona.
" <i>Sebastiani</i>			"		Mexico.
" <i>Scolymus</i>	Karw.	" " 176	"	Aug.-Sept.	Mexico.
" <i>Shawii</i>	Engelm.	" " 172	"		California.

	Author.	Reference.	Family.	Time of flowering.	Native country.
Agave sobolifera	S. Dyck.	Baker Amaryllideae 194	Amaryllideae		West Indies.
" striata	Zuccar.	" " 184	"	July-Aug.	Mexico.
" var. stricta	S. Dyck.	" " 184	"		Mexico.
" Toneliana	Baker.	" " 173	"		Mexico.
" Verschaffeltii	Lem.	" " 177	"		Mexico.
" Victoriae reginae	T. Moore	" " 169	"		Mexico.
" Villae	Pirotta.	Bull. Soc. Tosc. Ortic.	"		
" vivipara	Lin.	Baker Amaryllideae 194	"		Mexico, Honduras.
" Wildingii	Todaro.	Hort. Bot. Panorm. 32	"		Mexico.
" xylonacantha	S. Dyck.	Bak. Amaryll. 168, B.M. 5660	"		Mexico.
" yuccaefolia	D. C.	" " 195, B.M. 5213	"		Mexico.
" sp.?			"		Turks-Island.
Ageratum coelestinum 2	Sims.	D. C. V. 108, B. M. 1730	Compositae	All the year	Mexico.
Agonis flesuosa h	Lindl.	D. C. III. 226	Myrtaceae	July	Australia.
Agrimonia Eupatoria 2	Lin.	D. C. II. 587	Rosaceae	June-Okt.	Europe.
Ailanthus glandulosa h	Desf.	D. C. II. 89	Simarubeae	June-July	China.
Aizoon canariense 2	Lin.	D. C. III. 453	Ficoideae		Canary, Islds, N. Africa.
Ajuga Chamaepitys ①	Schreb.	D. C. XII. 601	Labiatae	May-Okt.	Europe, Orient.
" Iva 2	Schreb.	D. C. XII. 600	"	March-Sept.	South Eur., N. Africa.
" reptans 2	Lin.	D. C. XII. 595	"	March-Sept.	Europe, N. Asia.
Akebia quinata h §	Decne.	B. M. 4864	Berberideae	March-May	China, Japan.
Albizzia Julibrissin h	Durazz.	D. C. II. 469	Legum.-Mimosac.	June	Asia, Trop. Africa.
" Lebbek h	Benth.	in Hook. Lond. Journ. Bot. III. 87	"		Tropics.
" lophantha h	Benth.	" " " " III. 86	"	Dec.-Apr.	Australia.
" moluccana h	Miq.	Fl. Ind. Bat. I. 26	"		Molucca Islands.
" procera h	Benth.	Benth. II. 422	"		Trop. Asia, Australia.
" stipulata h	Boiv.	D. C. II. 469	"		Bengal.
Albuca major 2	Lin.	B. M. 804	Liliaceae	Aug.-Okt.	Cape.
Alchemilla alpina 2	Lin.	D. C. II. 589	Rosaceae	June-July	Europe, North Amer.
Alisma natans 2	Lin.	Wagner Flora von Deutschld	Alismaceae	July-Aug.	Europe, Siberia, N. Am.
" Plantago 2	Lin.	Wagner Flora von Deutschld	"	May-July	Europe, Asia, America.
Allium Macleanii 2	Bak.	B. M. 6707	Liliaceae		Affghanistan.
" Macnabianum 2	Hort.	Rgl. Gartenflora (1873) 261	"	June-July	?
" neapolitanum 2	Cyr.	Kunth IV. 439	"	March-May	South Europe.
" paniculatum 2	Lin.	Kunth IV. 406	"	June-July	South Europe.
" polyphyllum 2	Kar. Kir.	Kunth IV. 685	"		North China.
" roseum 2	Lin.	Kunth IV. 438, B. M. 978	"	May-June	South Europe, N. Afric.
" subhirsutum 2	Lin.	Kunth IV. 440, Lodd. 943	"	June	South Europe, Cape.
" trifoliatum 2	Cyr.	Pl. Rar. Neap. Fasc. II. 11	"	May-June	Europe, Orient.
" triquetrum 2	Lin.	B. M. 869, Kunth IV. 436	"	May-June	Europe, North Africa.
Aloe africana h	Mill.	Bak. Al. Yucc. 180, B.M. 2517	"	April-June	Cape.
" agavefolia 2	Tod.	Hort. Bot. Panorm. I. 85	"		Tropical Africa.
" arborescens h	Mill.	Bak. Al. Yucc. 175, B.M. 1306	"	April-June	Cape.
" var. frutescens h	S. Dyck.	Bak. Al. Yucc. 175	"	April-June	Cape.
" aristata 2	Haw.	Bak. Al. Yucc. 156	"	May-Nov.	Cape, Natal.
" aurantiaca h	Baker.		"	July-Nov.	Cape.
" Bainesii h	Dyer.	Bak. Al. Yucc. 178, B.M. 6848	"		Natal, Kaffraria.
" brevifolia. 2	Mill.	Bak. Al. Yucc. 160	"	May-June	Cape.
" var. depressa 2	Haw.	Bak. Al. Yucc. 160, B.M. 1332	"	May-June	Cape.
" ciliaris h	Haw.	Bak. Al. Yucc. 169	"	Nov.-June	Cape.
" cernua 2	Tod.	Hort. Bot. Panorm. t. 26	"		Madagascar.
" echinata 2	Willd.	Bak. Al. Yucc. 157, Jacq. H. Sch. 420	"	May-July	Cape.
" var. incurva 2	Haw.	Bak. Al. Yucc. 157, B.M. 828	"	May-July	Cape.
" var. subtuberculata 2	Haw.	Bak. Al. Yucc. 157	"	May-July	Cape.
" elegans 2	Tod.	Hort. Bot. Panorm. t. 29	"		Abyssinia.
" ferox h	Mill.	Bak. Al. Yucc. 179, B.M. 1975	"	April-June	Cape.
" Hanburiana 2	Naud.	in Rev. Hort. (1875) 165	"	April-June	Cape.
" heteracantha 2	Baker.	Bak. Al. Yucc. 161, B.M. 6863	"	May	?
" latifolia 2	Haw.	Bak. Al. Yucc. 164, B.M. 1346	"		Cape.
" macrocarpa 2	Tod.	Hort. Bort. Panorm. t. 36	"	April-May	Abyssinia.
" mitriformis h	Mill.	Bak. Al. Yucc. 171, B.M. 1270	"	May-July	Cape.
" var. Commelyni h	Willd.	Bak. Al. Yucc. 171	"	May-July	Cape.
" obscura 2	Mill.	Bak. Al. Yucc. 165, B.M. 1323	"	May-June	Cape.
" plicatilis h	Mill.	Bak. Al. Yucc. 181, B.M. 457	"	May-Aug.	Cape.
" pluridens h	Haw.	Bak. Al. Yucc. 176	"	July	Cape.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Aloe pratensis</i> 2	Baker.	Bak. Al. Yucc. 156, B. M. 6705	Liliaceae	May-July	Cape.
" <i>purpurascens</i> 2	Haw.	Bak. Al. Yucc. 174, B. M. 1474	"	Dec.-Febr.	Cape.
" <i>Rossii</i> 2	Tod.	Hort. Panorm. t. XI.	"		Madagascar.
" <i>Saponaria</i> 2	Haw.	Bak. Al. Yucc. 164, B. M. 1460	"	June-Aug.	Cape.
" <i>Schimperi</i> 2	Tod.	Bak. Al. Yucc. 159, H. B. Pan. 16	"		Abyssinia.
" <i>Schweinfurthii</i> 2	Baker.	Bak. Al. Yucc. 175	"	Dec.-Jan.	Niam-niam-land.
" <i>Serra</i> 2	D. C.	Bak. Al. Yucc. 160	"		Cape.
" <i>supralaevis</i> h	Haw.	Bak. Al. Yucc. 180	"	Febr.-May	Cape.
" <i>striata</i> 2	Haw.	Bak. Al. Yucc. 162	"	April-June	Cape.
" <i>tricolor</i> 2	Baker.	Bak. Al. Yucc. 166, B. M. 6324	"		Cape?
" <i>variegata</i> 2	Lin.	Bak. Al. Yucc. 179, B. M. 513	"	May-June	Cape.
<i>Alonsoa acutifolia</i> 2	Rz. Pav.	D. C. X. 250	Scrophularineae	Oct.-March.	Peru.
" <i>caulialata</i> 2	Rz. Pav.	D. C. X. 250	"	March.-May	Caracas, Mexico.
" <i>incisifolia</i> 2	Rz. Pav.	D. C. X. 250, B. M. 417	"	March.-June	Chili.
<i>Aloysia citriodora</i> h	Ortega.	B. M. 367	Verbenaceae	Oct.-Febr.	South America.
<i>Alpinia nutans</i> 2	Roxb.	B. M. 1903	Scitamineae	July-Sept.	East India.
" <i>vittata</i> 2		Nich. Dict. of gardening	"		South sea Islands.
<i>Alstroemeria Pelegrina</i> 2	Lin.	B. M. 139	Amaryllideae	July-Aug.	Peru, Chili.
<i>Althaea armeniaca</i> 2	Ten.	Ind. Sem. Hort. Neap. 1837	Malvaceae		Orient.
" <i>ficifolia</i> 2	Cav.	D. C. I. 434, B. M. 7237	"	July-Aug.	Siberia.
" <i>hirsuta</i> 2	Lin.	D. C. I. 437	"	May-July	South Europe, Orient.
" <i>narbonensis</i> 2	Pourr.	D. C. I. 436	"	June-July	South France, Spain.
" <i>rosea</i> 2	Cav.	D. C. I. 437	"	July-Aug.	Orient.
<i>Alyssum argenteum</i> 2	Wittm.	D. C. I. 160	Cruciferae	April-June	North Italy.
" <i>maritimum</i> 2	Lam.	D. C. I. 164	"	All the year	Mediterranean region.
" <i>rostratum</i> 2	Stev.	D. C. I. 162	"	May-June	Bessarabia, Tauria.
" <i>saxatile</i> 2	Lin.	D. C. I. 160, B. M. 159	"	April-May	Europe.
<i>Amaryllis Belladonna</i> 2	Lin.	Kunth V. 691, B. M. 733	Amaryllideae		South Africa.
" <i>formosissima</i> 2	Lin.	Kunth V. 507, B. M. 47	"	May-June	South America.
<i>Amicia Zygomis</i> h	D. C.	D. C. II. 315, B. M. 4008	Legum.-Papilion.	May-June	Mexico.
<i>Amomum Cardamon</i> 2	Lin.		Scitamineae		East India, Malaya.
<i>Amorpha elata</i> h	Bouche.	Linnaca XXIV (1851) 687	Leguminosae-Papil.		?
" <i>fruticosa</i> h	Lin.	D. C. II. 256	"		Carolina, Florida.
<i>Amsonia Tabernaemontana</i> 2	Walt.	D. C. VIII. 385, B. M. 1873	Apocynaceae		North America.
<i>Amygdalus communis</i> h	Lin.	D. C. II. 530	Rosaceae	April-May	North Africa.
" <i>Persica</i> h	Lin.	D. C. II. 531	"	March.-Apr.	Persia.
<i>Anacampseros arachnoides</i> 2	Sims.	D. C. III. 355, B. M. 1358	Portulaceae	May	Cape.
" <i>filamentosa</i> 2	Sims.	D. C. III. 356, B. M. 1367	"	May-June	Cape.
" <i>ustulata</i> 2	E. May.	Harvey, Fl. Cap. II. 383	"		Cape.
<i>Anacyclus Pyrethrum</i> 2	D. C.	D. C. VI. 15	Compositae	March.-Apr.	Algeria, Arabia.
<i>Anagallis arvensis</i> 2	Lin.	D. C. VIII. 69	Primulaceae	All the year	Eur., Am., Afr., Austr.
" var. <i>cocrulea</i> 2	Auct.	D. C. VIII. 70	"	Nov.-Aug.	Eur., Am., Afr., Austr.
" <i>tenella</i> 2	Lin.	D. C. VIII. 71	"	June-July	Europe.
<i>Anagyris foetida</i> h	Lin.	D. C. II. 99, Lodd. 740	Legum.-Papilion.	Nov.-Febr.	South Europe.
<i>Anchusa italica</i> 2	Retz.	D. C. X. 47, B. M. 2197	Boragineae	May-Aug.	Mediterranean region.
<i>Andropogon distachyos</i> 2	Lin.	Kunth I. 491	Gramineae	April-Sept.	South Eur., North Afr.
" <i>pubescens</i> 2	Vis.	Kunth. 492	"	April-Sept.	Italy, Dalmatia.
<i>Androsace bryoides</i> 2	D. C.	D. C. VIII. 47	Primulaceae		European Alps.
" <i>elongata</i> 2	Lin.	D. C. VIII. 53	"		Europe, Caucasus.
" <i>lanuginosa</i> 2	Wall.	B. M. 4005	"		Himalaya region.
" <i>sarmentosa</i> 2	Wall.	B. M. 6210	"		Himalaya region.
<i>Anemone alpina</i> 2	Lin.	D. C. I. 17	Ranunculaceae		Alps of Europe.
" <i>coronaria</i> 2	Lin.	D. C. I. 18, B. M. 841	"	Jan.-April	South Europe.
" <i>hortensis</i> 2	Lin.	D. C. I. 18, B. M. 123	"	Jan.-April	South Europe.
" var. <i>pavonina</i> 2	D. C.	D. C. I. 18	"	Jan.-April	South France.
" <i>japonica</i> 2	Sieb. Zucc.	B. M. 4341	"	Sept.-Okt.	Japan.
" <i>montana</i> 2	Hoppe.	Sturm Deutschl. Flora	"		Europe, Caucasus.
" <i>palmata</i> 2	Lin.	D. C. I. 19	"	June-July	Algier, Portugal, Spain.
" <i>patens</i> 2	Lin.	D. C. I. 16	"		Europe, North Amer.
" <i>Pulsatilla</i> 2	Lin.	D. C. I. 17	"	March.-Apr.	Europe, North Amer.
" <i>rivularis</i> 2	Buch-Ham.	D. C. I. 21	"		Nepaul.
" <i>trifolia</i> 2	Lin.	D. C. I. 20	"	April-May	Central Europe, Siberia
" <i>vernalis</i> 2	Lin.	D. C. I. 16	"		Europe.
" <i>virginiana</i> 2	Lin.	D. C. I. 21	"	May-July	North America.

	Author.	Reference.	Family.	Time of flowering.	Native country.
Anigozanthos flavida 2	D. C.	B. M. 1151	Haemadoraceae	July-Aug.	Australia.
Anomatheca cruenta 2	Lindl.	Bot. Reg. 1369	Irideae	May	South Africa.
Anona Cherimolia h . . .	Mill.	D. C. I. 85, B. M. 2011	Anonaceae		Peru., New Granada
" muricata h	Lin.	D. C. I. 84	"		Caribbee Islands.
" squamosa h	Lin.	D. C. I. 85, B. M. 3095	"		India.
Anthemis nobilis 2	Lin.	D. C. VI. 6.	Compositae	June-Aug.	West and South Eur.
Anthocercis littorea h . .	Labill.	Benth. Fl. Austr. IV. 476, B. M. 4200	Solanaceae	May-June	West Australia.
" viscosa h	R. Br.	Benth. Fl. Austr. IV, 475, B. M. 2961	"	May-June	West Australia
Antholyza aethiopica 2 .	Lin.	B. M. 561	Irideae	Febr.-April	South Africa.
" Schweinfurthii 2 . .	Baker.	Dammann Catalog 1895	"		Abyssinia.
Anthyllis Barba Jovis h .	Lin.	D. C. II. 169, B. M. 1927	Legum.-Papilion.	Mar.-May	South Europe.
" cytisoides h	Lin.	D. C. II. 169	"		Spain, S. France.
" montana 2	Lin.	D. C. II. 170, Lodd. 578	"	May-June	Europe.
" tetraphylla 2	Lin.	D. C. II. 171, B. M. 108	"	March-May	South Europe.
Antirrhinum latifolium 2 .	Mill.	D. C. X. 291	Scrophularineae	April-Sept.	Spain, Italy.
" majus 2	Lin.	D. C. X. 291	"	April-Nov.	South Eur., North Afr.
" Orontium 2	Lin.	D. C. X. 290	"	May-Nov.	Europe.
Aphelandra cristata h . .	H. B. K.	D. C. XI. 298, B. M. 1578	Acanthaceae	March	Mexico.
Apicra aspera 2	Willd.	Bak. Al. Yucc. 218	Liliaceae	June-Aug.	Cape.
" foliolosa 2	Willd.	Bak. Al. Yucc. 218	"	June-Aug.	Cape.
" deltoidea 2	Bak.	Bak. Al. Yucc. 217, B. M. 6071	"	June-Aug.	Cape.
" pentagona 2	Willd.	Bak. Al. Yucc. 217, B. M. 1338	"	June-Aug.	Cape.
" var. Willdenowii 2	Baker.	Bak. Al. Yucc. 217	"	June-Aug.	Cape.
Apios tuberosa h 2	Moench.	D. C. II. 390, B. M. 1198	Legum.-Papilion.		Pennsylvania, Carolina
Apocynum androsaemifolium h	Lin.	C. C. VIII. 439, B. M. 280	Apocynaceae	Aug.-Sept.	North America
" hypericifolium h . .	Ait.	D. C. VIII. 440	"	Aug.-Sept.	North America
Aponogeton distachyum 2	Thnbg.	B. M. 1293	Najadeae	All the year	South Africa
Aquilegia alpina 2	Lin.	D. C. I. 50	Ranunculaceae		Europ. Alps.
" canadensis 2	Lin.	D. C. I. 50, B. M. 246	"	May-June	North America,
" chrysantha 2	A. Gray.	B. M. 6073	"	May-June	Mexico, Arizona.
" flabellata 2	Sieb. Zucc.	Abh. Akad. Muench 1846	"		Japan.
" leptoceras 2	F. et M.	Ind. Sem. Hort. Petrop. IV. 33	"	May-July	Siberia.
" pyrenaica 2	D. C.	D. C. I. 50	"		Pyrenees, Apennins.
" sibirica 2	Lam.	D. C. I. 50, B. M. 1221	"	May-July	North Asia.
" Skinneri 2	Hook.	B. M. 3919	"		Mexico.
" viridiflora 2	Pall.	D. C. I. 50	"		Siberia.
" viscosa 2	Gouan.	D. C. I. 50	"		Mediterranean region
" vulgaris 2	Lin.	D. C. I. 50	"	June-July	Europe.
Arabis albida 2	Stev.	D. C. I. 142	Cruciferae	April-May	Asia minor, Caucasus.
" blepharophylla 2 . .	Hook.	B. M. 6087	"		California.
" Holboellii 2	Hornem.	Flora Dan. t. 1879	"		North America.
" pendula 2	Lin.	D. C. I. 147	"		Siberia, N. America.
" rosea 2	D. C.	D. C. I. 142	"	May-June	Calabria.
" verna 2	R. Br.	D. C. I. 142	"	April-July	Southern Europe.
Aralia cachemirica h . . .	Decne.	in Jacquem. Voy. Bot. 72	Araliaceae		Himalaya.
" quinquefolia h . . .	Dec. Pl.	Rev. Hort. (1854) 105	"	Jan.-Febr.	North America.
" racemosa 2	Lin.	D. C. IV. 258	"		North America.
" Schefflera h	Spr.	D. C. IV. 258	"		New Zealand.
" spinosa	Lin.	D. C. IV. 259	"		North America.
" Veitchii h	Hort.	T. Moore in Fl. & Pom. (1874)	"		?
Araucaria Bidwilli h . . .	Hook.	D. C. XVI. 2. 371	Coniferae	May-June	West Australia
" brasiliana h	A. Rich.	Dict. Class. Hist. Nat. I. 512	"		Brazil.
" var. Ridolfiana h	Savi.	Atti, Firenze (1841) 458	"		
" Cunninghamii h . .	Sweet.	D. C. XVI. 2. 371	"	May-June	Queensl., N. S. Wales.
" excelsa h	R. Br.	D. C. XVI. 2. 372	"	May-June	Norfolk Isld., Australia.
" imbricata h	Pav.	D. C. XVI. 2. 370	"		Chile.
Arbutus Andrachne h . .	Lin.	D. C. VII. 582, B. M. 2024	Ericaceae	Jan.-March	Creta, Greece.
" Unedo h	Lin.	D. C. VII. 581, Lodd. 123	"	Nov.-March	South Europe.
Arctostaphylos tomentosa h	Lindl.	D. C. VI. 385	"		California, Mexico.
Arctotis arborescens h . .	Jacq.	D. C. VI. 488, B. M. 6528	Compositae	All the year	Cape.
Arctotis speciosa 2 . . .	Jacq.	Harv. Fl. Cap. III. 450, B. M. 2182	Compositae	April-June Okt.-Jan.	Cape.
Ardisia crenata h	Sims.	D. C. VIII. 134, B. M. 1950	Myrsineae	Okt.-May	China.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Ardisia latifolia</i> h	Sieber.	D. C. VIII. 108	Myrsineae	May	Dominica Islands.
„ <i>solanacea</i> h	Roxb.	D. C. VIII. 129, B. M. 1677	„	May-June	Mauritius.
<i>Areca Baueri</i> h	Hook.	B. M. 5735	Palmae		Norfolk Islands.
„ <i>rubra</i> h	Hort.	H. Wendl. in Kerch. Palm. 232	„		?
„ <i>sapida</i> h	Soland.	Hook. Handb. N.-Zeal. Fl. 288	„		New Zealand.
<i>Arenaria capillaris</i> 2 . . .	Poir.	D. C. I. 412	Caryophylleae	May-July	Balearic Islands.
„ <i>purpurascens</i> 2 . .	Ramond.	D. C. I. 410	„		Pyrenees.
„ <i>verna</i> 2	Lin.	D. C. I. 405	„		Europe.
<i>Argania Sideroxylon</i> h .	Roem. Sch.	D. C. VIII. 187	Sapotaceae	June, Nov.-Dec.	Marocco.
<i>Argemone mexicana</i> ☉ .	Lin.	D. C. I. 120, B. M. 243	Papaveraceae	June-Okt.	Mexico.
<i>Argyrolobium Linnacanthum</i> 2	Walp.	D. C. II. 156 (sub Cyt. argent.)	Legum.-Papilion.	April-May	South Europe.
<i>Ariopsis peltata</i> 2	J. Grah.	B. M. 4222	Aroideae		Himalaya region.
<i>Arisaema neglectum</i> 2 . .	Schott.	in Bonplandia VII. (1859). 26	„		Ceylon.
<i>Arisarum proboscideum</i> 2	Savi.	B. M. 6634, Kunth III, 15	„		Italy.
„ <i>vulgare</i> 2	Targ. Tazz.	B. M. 6023, Kunth III, 15	„	Okt.-April	Mediterranean region.
<i>Aristea capitata</i> 2	Ker-Gawl.	B. M. 605	Irideae		South Africa.
„ <i>Eckloni</i> 2	Bak.	Journ. Lin. Soc. (1878) 112	„		South Africa.
<i>Aristolochia altissima</i> 2 §	Desf.	B. M. 6586	Aristolochiaceae		Eastern Mediterr. reg.
„ <i>arborea</i> h	Linden.	B. M. 5295, D. C. XVI. 1. 477	„		Mexico (Chiapas).
„ <i>fimbriata</i> 2	Cham.	D. C. XV. 1. 454, B. M. 3756	„	May-June	Brazil.
„ <i>sempervirens</i> 2 § . .	Lin.	D. C. XV. 1. 489, B. M. 1116	„	April-Dec.	Creta.
„ <i>Thwaitesii</i> h	Hook.	D. C. XV. 1. 437, B. M. 4918	„	Febr.-March	Ceylon.
<i>Aristotelia Macqui</i> h . . .	l' Hérít.	D. C. II. 56	Tiliaceae		Chili.
<i>Armeniaca vulgaris</i> h . .	Lam.	D. C. II. 532	Rosaceae	March-Apr.	Armenia.
<i>Armeria alpina</i> 2	Willd.	D. C. XII. 680	Plumbagineae	April-July	Alps, Pyrenees.
„ <i>purpurea</i> 2	Koch.	D. C. XII. 681	„	April-June	Central Europe.
„ <i>Welwitschii</i> 2	Boiss.	D. C. XII. 676	„		Spain.
<i>Artemisia arborescens</i> h .	Lin.	D. C. VI. 121	Compositae	July-Sept.	Eur., Asia min., N. Afr.
„ <i>Absinthium</i> 2	Lin.	D. C. VI. 121	„	July-Sept.	Europe.
„ <i>lanata</i> 2	Balb.	D. C. VI. 123	„	July	Pedemonte, Spain.
<i>Arthropodium paniculatum</i> 2	R. Br.	B. M. 1421	Liliaceae	June-July	New South Wales.
<i>Arum hygrophilum</i> 2 . .	Boiss.	Diagn. Sér. VIII. 8	Aroideae	March-May	Syria.
„ <i>italicum</i> 2	Mill.	B. M. 2432, Kunth III. 24	„	May-June	South Eur., N. Africa.
„ <i>maculatum</i> 2	Lin.	Kunth III. 23	„		Europe.
„ <i>palaestinum</i> 2	Boiss.	B. M. 5509	„	April-May	Syria, Palaestina.
<i>Arundinaria falcata</i> h . .	Nees.	in Linnaca (1834). 478	Gramineae		India.
„ <i>khasiana</i> h	Munro.	in Trans. Lin. Soc. (1868). 28	„		Himalayas.
<i>Arundo Donax</i> 2	Lin.	Kunth I. 189	„	Aug.-Okt.	South Eur., N. Africa.
„ <i>var. fol. variegatis</i> 2			„		
<i>Asarum europaeum</i> 2 . .	Lin.	D. C. XV. 1. 423	Aristolochiaceae	March-May	Europe, Asia minor.
<i>Asclepias consanguinea</i> 2	Kze.	in Linnaca (1847). 26	Asclepiadeae		?
„ <i>curassavica</i> 2	Lin.	D. C. VIII. 565, Lodd. 349	„	June-Febr.	Antilles Islands.
„ <i>incarnata</i> 2	Lin.	D. C. VIII. 567	„		North America.
„ <i>syriaca</i> 2	Lin.	D. C. VIII. 564	„	June-Aug.	Virginia.
„ <i>tuberosa</i> 2	Lin.	D. C. VIII. 567	„		North America.
<i>Asparagus acutifolius</i> h .	Lin.	Kunth V. 65	Liliaceae	July-Okt.	Mediterranean region.
„ <i>caspicus</i> 2	Hort. Vind.	Kunth V. 64	„		Caspi Sea.
„ <i>decumbens</i> 2	Jacq.	Hort. Schoenbr. 51, Kunth V. 77.	„	June-July	Cape.
„ <i>davuricus</i> 2	Fisch.	Kunth, Enumeratio V. 64	„		Dahuria.
„ <i>lucidus</i> h	Lindl.	Kunth V. 72	„	May-June	Macao, Japan.
„ <i>longifolius</i> 2	Fisch.	Steudel, Nomenclator	„		Siberia.
„ <i>maritimus</i> 2	Pall.	Kunth V. 63	„		Russia, Cauc., Persia.
„ <i>officinalis</i> 2	Lin.	Kunth V. 60	„	May-June	Europe, Cauc., Siberia.
„ <i>plumosus</i> 2	Baker.	Journ. Lin. Soc. (1875). 613	„	June	South Africa.
„ <i>retrofractus</i> 2	Forsk.	Kunth V. 89	„		Cape.
„ <i>Sprengeri</i> 2	Rgl.	Dammann Cat. 1895	„		Southern Africa.
„ <i>scaber</i> 2	Brign.	Kunth, Enumeratio, V. 62.	„		South Eur., N. Africa.
„ <i>verticillatus</i> 2	Lin.	Kunth V. 68	„		Asia minor.
<i>Asphodelus albus</i> 2	Willd.	Kunth IV. 555	„	May-July	Sea Alps, Spain, Port., N. Afr.
„ <i>cerasifer</i> 2	A. Gay.	in Bull. Soc. bot. France (1857). 610	„	May-July	West Mediterr. region.
„ <i>fistulosus</i> 2	Lin.	Kunth IV. 557, B. M. 984	„	March-May	S. Eur., N. Afr., Arabia.
<i>Asphodelus microcarpus</i> 2	Viv.	Kunth IV. 556	„	April-May	Mediterr. reg., Can. Isld.
<i>Asphodeline liburnica</i> 2 .	Rehb.	Kunth IV. 562, B. M. 2626	„		Southern Europe.

	Author.	Reference.	Family.	Time of flowering.	Native country.
Asphodeline lutea 2l . . .	Rchb.	Kunth IV. 561, B. M. 773	Liliaceae		Mediterranean region.
Aspidistra elatior 2l . . .	Blume.	Hoev. u. Vriese, Tijdschr. (1834). 76	"		Japan.
Aspidium lobatum 2l . . .	Sw.	Hook. Syn. Filicum. 252	Filices		Throughout the world.
" Sieboldii 2l	v. Houtte	Lowe Ferns. VI. 34	"		China, Japan.
" violascens 2l	Link.	Hook. Syn. Filicum. 293	"		Trop. Am., Him., Aust.
Asplenium Adiantum-nigrum 2l	Lin.	Hook. Syn. Filicum. 214	"		Af., Eur., N. As., N. Am.
" fraxinifolium 2l . . .	Wall.	Hook. Syn. Filicum. 231	"		Himalayas, East Ind.
" lucidum 2l	Forst.	Hook. Syn. Filicum. 207	"		New Zeal., Peru, Chili.
" Halleri 2l	D. C.	Arduino, Fl. Alp. maritim.	"		Europe.
" marinum 2l	Lin.	Hook. Syn. Filicum. 207	"		Coasts of W. Europe.
" Petrarchae 2l	D. C.	Arduino, Fl. d. Alp. marit.	"		Betw., Ment. and Antib.
" Ruta muraria 2l . . .	Lin.	Hook. Syn. Filicum. 213	"		Eur., Cash., Tib., Cape.
" Trichomanes 2l . . .	Lin.	Arduino, Fl. d. Alp. marit.	"		Eur., Cent. Asia, N. Am.
Astelia Banksii 2l	A. Cunn.	in Hook. Comp. B. M. II. 374	Liliaceae		New Zealand.
Aster alpinus 2l	Lin.	D. C. V. 227, B. M. 199	Compositae		Europe, Siberia.
" cyaneus 2l	Hoffm.	D. C. V. 246	"	July-Dec.	North America.
" Novi-Belgii 2l	Nees.	D. C. V. 238	"		North America.
" sagittifolius 2l	Willd.	D. C. V. 234	"		North America.
Astilbe japonica 2l	A. Gray.	B. M. 3821	Saxifragaceae		Japan.
Astragalus Cicer 2l	Lin.	D. C. II. 293	Legum.-Papilion.	May-July	Europe.
" glycyphyllos 2l	Lin.	D. C. II. 292	"	June-July	Europe, Siberia.
" galegiformis 2l	Lin.	D. C. II. 294	"	June-Aug.	Asia minor.
" monspessulanus 2l . . .	Lin.	D. C. II. 304, Lodd. 981	"	April-June	South Europe.
" narbonensis 2l	Gouan.	D. C. II. 294	"		South France, Spain.
" purpureus 2l	Lam.	D. C. II. 293	"	May-July	Sea Alps.
" ponticus 2l	Pall.	D. C. II. 295	"		Caucasus region.
" sesameus 2l	Lin.	D. C. II. 288	"		Mediterranean region.
Astrapaea Wallichii h . . .	Lindl.	D. C. I. 500, Lodd. 1445	Sterculiaceae		Madagascar.
Athamantia Matthioli 2l . .	Wulf.	D. C. IV. 155	Umbelliferae		South Europe.
Atriplex Halimus h	Lin.	D. C. XIII. 2. 100.	Chenopodiaceae	July-Nov.	N. and S. Afr., S. Eur.
" semibaccata h	R. Br.	Benth Fl. Austr. V. 175	"		Australia.
" nummularia h	Lindl.	D. C. XIII. 2. 460	"		New South Wales.
Aubrietia Columnae 2l . . .	Guss.	Pl. Rar. 266	Cruciferae	April-June	Italy.
" deltoidea 2l	D. C.	D. C. I. 158	"	April-May	Italy, Greece, Asia m.
" erubescens 2l	Grieseb.	Spicil. Fl. Rumel. I. 268	"	March-May	Greece.
" gracilis 2l	Sprun.	Boiss. Diagn. Sér. I. 1. 74	"	April-June	Greece.
" olympica 2l	Boiss.	Fl. Orient. I. 251	"		Bithynia.
" Pinardi 2l	Boiss.	Diagn. Sér. II. 1. 37	"		Asia minor.
Aucuba japonica h	Thunbg.	D. C. IV. 274, B. M. 1197	Cornaceae	March-Apr.	Japan.
Avena barbata 2l	Brot.	Kunth I. 302	Gramineae	April-June	South Europe, Tauria.
Azalea indica h	Lin.	D. C. VII. 726	Ericaceae	Febr.-April	Java.
" amoena h	Paxton.	B. M. 4728	"	March-Apr.	Shanghai.
Azara Gilliesii h	Hook. Arn.	B. M. 5178	Bixineae	Dec.-Febr.	Chili.
" microphylla h	Hook.	Fl. Antarct. 244	"	Dec.-Jan.	Chili.
Babiana villosa 2l	Ker-Gawl.	B. M. 583	Irideae	April-May	South Africa.
Baccharis rosmarinifolia h	Hook & Ar.	D. C. V. 419	Compositae		Chili.
" trinervis h	Pers.	D. C. V. 399	"	May-July	Brazil.
" xalapensis h	H. B. K.	D. C. V. 411	"	March-May	Mexico.
Bambusa arundinacea h . . .	Willd.	Kunth I. 431	Gramineae		India.
" aurea h	Siebold.	An. Mus. Bot. Lug. Bat. II. 285	"		Japan.
" Metake h	Siebold.	" " " " " II. 284	"		Japan.
" mitis h	Poir.	Kunth I. 432	"		China, Cochinchina.
" nana 2l	Roxb.	Hort. Bengal. 25	"		Japan.
" nigra h	Lodd.	Lond. Hort. Brit. 124	"		China, Japan.
" pygmaea 2l	Mig.	Ann. Mus. Botan. Lugd. Bat. II. 286	"		Japan.
" quadrangularis h	Fenzi.	Bull. Soc. Tosc. Ort. V. 401	"		Japan.
" scriptoria h	Dennst.	Kunth I. 434	"		India.
" Simoni h	Carr.	B. M. 7146	"	June-July	China, Japan.
" verticillata h	R. Br.	Kunth I. 432	"	Febr.-March	India.
Banhsia grandis h	Willd.	D. C. XIV. 464	Proteaceae	March	West Australia.
" marcescens h	R. Br.	D. C. XIV. 461, B. M. 2803	"	Aug.-April	West Australia.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Banksia marginata</i> h . .	R. Br.	D. C. XIV. 455	Proteaceae	Okt.-March	West Australia.
" <i>verticillata</i> h	R. Br.	D. C. XIV. 457	"	Dec.-Febr.	West Australia.
<i>Barleria cristata</i> 2	Lin.	B. M. 1615	Acanthaceae	Sept.-Okt.	East India, Burma.
<i>Bauhinia bryoniaefolia</i> h .	Hort. par.		Legum.-Caesalp.	Aug.-Okt.	
" <i>candida</i> h	Ait.	D. C. II. 513, B. M. 6818	"	June-July	Java, India.
" <i>diphylla</i> h	Symes	D. C. II. 517	"	July-Aug.	East India.
" <i>monandra</i> h	Kurz	Journ. As. Soc. Beng. (1873) II. 73	"		Burma.
<i>Beaucarnea</i> (see <i>Nolina</i>) .					
<i>Beaufortia decussata</i> h .	R. Br.	D. C. III. 211, B. M. 1733	Myrtaceae		West Australia.
<i>Begonia argyrostigma</i> 2 .	Fisch.	D. C. XV. 1. 318	Begoniaceae	Nov.-March	Brazil.
" <i>boliviensis</i> 2	D. C.	D. C. XV. 1. 287, B. M. 5657	"	Aug.-Okt.	Bolivia.
" <i>discolor</i> 2	R. Br.	Ait. Hort. Kew. ed. II. V. 184	"	All the year	Japan, China.
" <i>fagifolia</i> 2	Fisch.	D. C. XV. 1. 361	"	All the year	Brazil.
" <i>Froebelii</i> 2	A. DC.	Gard. Chron. VI. 530	"	Aug.-Jan.	Ecuador.
" <i>fuchsioides</i> 2	Hook.	D. C. XV. 1. 291, B. M. 4281	"	Okt.-May	New Granada.
" <i>Lyncheana</i> 2	Hook.	B. M. 6758	"	March-May	New Granada.
" <i>macrophylla</i> 2	Dryand.	D. C. XV. 1. 294	"	Sept.-Nov.	San Domingo.
" <i>metallica</i> 2	L. Sm.	in Floral Mag. (1876) t. 197	"	Okt.-Nov.	Mexico.
" <i>Rex</i> 2	Putz.	D. C. XV. 1. 350, B. M. 5101	"		India.
" <i>Richardsoniana</i> 2 . .	Houll.	in Rev. Hort. (1872) 333	"		?
" <i>semperflorens</i> 2 . . .	Lk. Otto.	D. C. XV. 1. 293	"	All the year	South Brazil.
" <i>tuberosa</i> 2	Lam.	D. C. XV. 1. 323	"	March-Okt.	Molucca Islands.
" <i>weltoniensis</i> 2 X . .	Hort.	Gard. Chron. VIII. 86	"		Garden origine.
" <i>xanthina</i> 2	Hook.	D. C. XV. 1. 347, B. M. 4683	"	Okt.-Dec.	India.
<i>Belemcanda punctata</i> 2 .	Moench	B. M. 171, Lodd. 187	Irideae	July-Aug.	China.
<i>Bellis perennis</i> 2	L. fil.	D. C. V. 304	Compositae	All the year	Europe.
" <i>rotundifolia</i> 2	Boiss. & Reut	B. M. 6015	"	July-Aug.	Marocco.
" <i>sylvestris</i> 2	Cyr.	D. C. V. 305	"	Okt.-April	Italy.
<i>Berberis Aquifolium</i> h . .	Pursh	D. C. I. 108	Berberideae	Febr.-Apr.	North America.
" <i>aristata</i> h	D. C.	D. C. I. 106, B. M. 2549	"	April-June	Nepal.
" <i>asiatica</i> h	Roxb.	D. C. I. 107	"	April-June	India.
" <i>Bealei</i> h	Fort.	B. M. 4852, D. C. I. 109	"	Feb.-March	Japan.
" <i>syn. japonica</i> h . .	Lindl.		"		
" <i>crataegina</i> h	D. C.	D. C. I. 106	"	May	Asia minor.
" <i>cretica</i> h	Lin.	D. C. I. 106	"		Creta, Greece.
" <i>dealbata</i> h	Lindl.	Bot. Reg. 1760	"		Mexico.
" <i>Fortunei</i> h	Lindl.	Journ. Hort. Soc. (1846) 231	"	Febr.-March	China.
" <i>glauc</i> h	D. C.	D. C. I. 106	"		La Plata.
" <i>Knightii</i> h	Hort.	C. Koch, Dendrologie	"		Japan.
" <i>Lycium</i> h	Royle	Illustr. Bot. Himal. 64	"		Himalaya.
" <i>lucida</i> h	Schrad.	Linnaea XII. 363	"		Spain, Portugal.
" <i>nepalensis</i> h	Spr.	Syst. II. 120	"		Himalaya.
" <i>spathulata</i> h	Schrad.	in Linnaea (1838) 376	"		North America.
" <i>valdiviana</i> h	Phil.	in Linnaea (1856) 609	"		Chili.
" <i>virescens</i> h	Hook. f. et Thoms.	Flor. Ind. 229, B. M. 7116	"		Sikkim Himalaya.
" <i>Wallichiana</i> h	D. C.	B. M. 4656, D. C. I. 107	"		Himalaya.
<i>Beschorneria tubiflora</i> 2 .	Kunth	B. M. 4624	Amarylloideae	June-Sept.	Mexico.
<i>Betonica officinalis</i> 2 . .	Lin.	D. C. XII. 460	Labiatae	June-July	Europe, Caucasus.
<i>Betula nana</i> h	Lin.	D. C. XVI. 2. 171	Cupuliferae		Northern regions.
<i>Biancaea scandens</i> h . . .	Tod.		Legum.-Caesalp.		
" <i>see Caesalpinia sepiaria</i>	Roxb.				
<i>Bignonia australis</i> h § . .	Ait.	D. C. IX. 171, 225, B. M. 865	Bignoniaceae	Mar.-Apr.	New South Wales.
" <i>capreolata</i> h §	Lin.	D. C. IX. 146, B. M. 864	"	June-Aug.	Carolina, Virginia.
" <i>Chamberlainii</i> h § . .	Sims.	D. C. IX. 155, B. M. 2148	"	July-Aug.	Brazil.
" <i>floribunda</i> h §	H. B. K.	D. C. IX. 150	"	Febr.-May	Mexico.
" <i>jasminoides</i> h §	A. Cunn.	D. C. IX. 225, B. M. 4004	"	June-Nov.	Queensland.
" <i>speciosa</i> h §	R. Grah.	D. C. IX. 147, B. M. 3888	"	May-June	Buenos Ayres.
" <i>Squalus</i> h §	Vell.	D. C. IX. 174, 194	"	June-July	Brazil.
" <i>Tweediana</i> h §	Lindl.	D. C. IX. 146	"	June-July	Buenos Ayres.
" <i>venusta</i> h §	Ker-Gawl.	D. C. IX. 158, B. M. 2050	"	Sept.-Jan.	Brazil.
<i>Billardiera cymosa</i> h § . .	F. M.	Benth. I. 119, Ref. bot. I. 25	Pittosporeae		West Australia.
<i>Billbergia pyramidalis</i> 2 .	Lindl.	Bot. Reg. 1068	Bromeliaceae		Brazil.
" <i>speciosa</i> 2	Thunbg.	Dec. Pl. Bras. III. 20	"		Brazil.
" <i>thyrsoidea</i> 2	Mart.	B. M. 4756	"		Brazil.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Bixa Orellana</i> h	Lin.	D. C. I. 259, B. M. 1456	Bixineae		Tropical America.
<i>Bletia hyacinthina</i> 2l . . .	R. Br.	Ait. Hort. Kew.	Orchideae	March.-Apr.	China, Japan.
<i>Bocconia cordata</i> 2l . . .	Willd.	D. C. I. 121, B. M. 1905	Papaveraceae	July-Aug.	China, Japan.
<i>Boltonia latisquama</i> 2l . .	A. Gray	Am. Journ. Sc. Ser. II (1862) 238	Compositae		North America.
<i>Bossiaea cinerea</i> h	R. Br.	Benth. Fl. Austr. II. 160, B. M. 3895	Legum.-Papilion.		N. S. Wal., Vict., Tasm.
<i>Boehmeria nivea</i> h	Gaudich.	D. C. XVI. 1. 206	Urticaceae		India.
<i>Boenninghausenia albiflora</i> 2l	Reichb.	Lodd. Bot. Cab. 1352	Rutaceae	May-Okt.	Nepal.
<i>Bomarea oligantha</i> 2l . .	Bak.	Amaryllideae 151	"	April-June	Andes of Peru.
<i>Bosea Amherstiana</i>	Hook.	D. C. XIII, 2. 323	Amarantaceae		Himalaya region.
<i>Bontia daphnoides</i> h	Lin.	D. C. XI. 716	Myoporineae		West Indies.
<i>Borago officinalis</i> 2l	Lin.	D. C. X. 35	Boragineae	April-Aug.	South Europe.
<i>Bossiaea heterophylla</i> h . .	Vent.	D. C. II. 117	Legum.-Papilion.	March-May	Queensl., N. S. Wales.
" <i>rufa</i> h	R. Br.	D. C. II. 117, Lodd. 1119	"	March-June	South Australia.
<i>Botrychium Lunaria</i> 2l . .	Sw.	Hook. Syn. Filicum 447	Filices		Eur., Him., Austr., Am.
<i>Boucerosia Gussoniana</i> 2l	Hook.	B. M. 5087	Asclepiadeae	March-May	Algeria, Lamped. Isld.
syn. <i>Apteranthes</i>	Mikan	D. C. VIII. 649	"		Oran, Almeria.
<i>Gussoniana</i> .					
" <i>Stapelia europaea</i> .	Guss.		"		
" <i>Simonis</i> 2l					
<i>Bougainvillaea glabra</i> h §	Choisy	D. C. XIII. 2. 437	Nyctagineae	May-Okt.	Brazil.
" <i>Sonderiana</i> h			"	Okt.-Nov.	
" <i>spectabilis</i> h §	Willd.	D. C. XIII. 2. 437, B. M. 4811	"	April-June	Brazil.
<i>Bouvardia Houtteana</i> h . .	Schlecht.	Fl. des Serres (1854-55) 149	Rubiaceae	All the year	Mexico.
" <i>leiantha</i> h	Benth.	Rev. Hort. Sér. III. V. 81	"	"	Guatemala, Mexico.
" <i>triphylla</i> h	Salisb.	Parad. Lond. t. 88	"	"	Mexico.
" <i>umbellata</i> h	Hort.	Gard. Chron. (1873) 714	"	May	?
<i>Boussingaultia baseloides</i> h §	H. B. K.	B. M. 3620, D. C. XIII. 2. 228	Chenopodiaceae	July-Sept.	Quito, Buenos Ayres.
<i>Bowiea volubilis</i> 2l	Haw.	B. M. 5619	Liliaceae	April-June	South Africa.
<i>Brachypodium distachyum</i> 2l	Beauv.	Kunth I. 447	Gramineae	May-July	South Eur., North Afr.
" <i>pinnatum</i> 2l	Beauv.	Kunth I. 446	"	May-July	Mediterr. reg., Europe.
" <i>ramosum</i> 2l	R. et Sch.	Kunth I. 446	"	June-July	Mediterranean region.
" <i>sylvaticum</i> 2l	Beauv.	Kunth I. 445	"	May-July	Europe, Orient.
<i>Brachysema subcordatum</i> h	Benth.	Fl. Austr. II. 11	Leguminosae-Papil.		Australia.
<i>Brahea Roezli</i> h	Linden	Illustr. Hort. (1881) 38	Palmae		Arizona.
<i>Bravoa geminiflora</i> 2l . .	Lex.	B. M. 4741	Amaryllideae		Mexico.
<i>Bromus macrostachys</i> 2l	Desf.	Kunth I. 415	Gramineae	June	Mediterranean region.
<i>Brunsvigia</i> sp.			Amaryllideae	Sept.	Abyssinia.
<i>Bryonia dioica</i> h §	Jacq.	D. C. III. 307	Cucurbitaceae	July-Aug.	Europe.
<i>Buddleia americana</i> h . .	Lin.	D. C. X. 438	Loganiaceae	March-May	Jamaica, Mexico.
" <i>auriculata</i> h	Benth.	D. C. X. 445	"	Sept.-Dec.	South Africa.
" <i>curviflora</i> h	Hook.	D. C. X. 445	"	Okt.-Febr.	China.
" <i>globosa</i> h	Hope	D. C. X. 440, B. M. 174	"	Febr.-March	Peru, Chili.
" <i>intermedia</i> h	H. B. K.	Nov. Gen. et. Sp. II. 350	"	Apr.-June	Mexico.
" <i>Lindleyana</i> h	Fortune.	D. C. X. 446	"		China.
" <i>madagascariensis</i> h	Lam.	D. C. X. 447, B. M. 2842	"	May-July	Madagascar, Maurit.
<i>Brunfelsia americana</i> h . .	Lin.	D. C. X. 200, B. M. 393	Solanaceae	March-May	Trop. America.
<i>Bulbine frutescens</i> h	Willd.	Kunth IV. 564, B. M. 816	Liliaceae	Okt.-Jan.	Cape.
" <i>pugioniformis</i> 2l	Link	Kunth IV. 564, B. M. 1454	"	July-Aug.	Cape.
<i>Bumelia tenax</i> h	Willd.	D. C. VIII. 189	Sapotaceae	April	Carolina, Louisiana.
<i>Bupleurum fruticosum</i> h . .	Lin.	D. C. IV. 133	Umbelliferac	May-July	South Europe, N. Afric.
" <i>protractum</i> 2l	Lin.	D. C. IV. 129	"	May	South Europe, Egypt.
<i>Buphthalmum speciosum</i> 2l	Schreb.	D. C. V. 585	Compositae		Europe, Persia.
<i>Burchellia capensis</i> h . . .	R. Br.	D. C. IV. 367, B. M. 2339	Rubiaceae	Febr.-June	Cape.
<i>Bursaria spinosa</i> h	Cav.	D. C. I. 347, B. M. 1767	Pittosporae	June-Aug.	Australia.
<i>Buxus balearica</i> h	Lam.	D. C. XVI. 1. 18	Euphorbiaceae	Febr.	Balearic Islands.
" <i>sempervirens</i> h	Lin.	D. C. XVI. 1. 19	"	Febr.	Europe.
" <i>var. arborescens</i> h	Lin.	D. C. XVI. 1. 19	"	Febr.	Portugal.
<i>Cadia purpurea</i> h	Forsk.	D. C. II. 486	Legum.-Papilion.	March-May	Arabia.
<i>Caesalpinia Cacalaco</i> h . .	H. B.	D. C. II. 482	"		Mexico.
" <i>coriaria</i> h	Willd.	D. C. II. 483	"		Tropical America.
" <i>echinata</i> h	Lam.	D. C. II. 483	"	Dec.-March	Brazil.
" <i>Gilliesii</i> h	Wall.	B. M. 4006	"		South America.

	Author.	Reference.	Family.	Time of flowering.	Native country.
Caesalpinia Sappan h . .	Lin.	D. C. II. 482	Legum.-Papilion.		East India.
" sepiaria h	Roxb.	Hort. Beng. 32	"	April-July	Tropical Asia.
syn. <i>Biancaca scandens</i>					
" tinctoria h	Domb.	D. C. II. 481	"		New Granada.
" tortuosa h	Roxb.	Hort. Beng. 32	"		Burma, Malaya, Sum.
Cakile maritima ⊙	Scop.	D. C. I. 185	Cruciferae	May-Sept.	Eur., N. Afr., N. Am.
Calendula arvensis ⊙ . .	Lin.	D. C. VI. 452	Compositae	All the year	Europe, Orient.
Callicarpa purpurea h . .	Juss.	D. C. XI. 645	Verbenaceae	May-June	China, Japan.
" tomentosa h	Willd.	D. C. XI. 647, B. M. 2107	"	June-July	China.
Callistemon brachyandrus h	Lindl.	Benth. Fl. Austr. III. 122	Myrtaceae	July-Aug.	N. S. Wales, Victoria.
" coccineus h	F. M.	Benth. Fl. Austr. 120	"	June-Aug.	South America.
" lanceolatus h	Sweet	Benth. III. 120, B. M. 260	"		Queensl., N. S. Wales.
" microphyllus h	Mackay		"	June-Aug.	
" pendulus h	Rgl.	Gartenflora (1859) 288	"		Australia.
" phoeniceus h	Lindl.	Benth. III. 119	"	June-Aug.	West Australia.
" rigidus h	R. Br.	Benth. III. 121	"	June-Aug.	New South Wales.
Callitris quadrivalvis h . .	Vent.	D. C. XVI. 2. 452	Coniferae	Okt.-Nov.	Atlas, Marocco.
" robusta h	R. Br.	D. C. XVI. 2. 450	"		Australia.
" rhomboidea h	R. Br.	D. C. XVI. 2. 447	"		Australia.
Calodendron capense h . .	Thunbg.	D. C. I. 712	Rutaceae		Cape.
Calothamnus quadrifidus h	R. Br.	Benth. III. 179, 180	Myrtaceae	June-Aug.	West Australia.
" var. normalis h . . .	Benth.		"		
Calycanthus floridus h . .	Lin.	D. C. III. 2. B. M. 503	Calycanthaceae	Jan.-April	Carolina.
" occidentalis h	Hook. Arn.	Botanical Beech. Voy. 340, B. M. 4808	"		California.
Calycotome spinosa h . . .	Link	D. C. II. 152	Legum.-Papilion.	Apr.-June	Mediterranean region.
Camellia japonica h	Lin.	D. C. I. 529, B. M. 42	Ternstroemiaceae	Dec.-May	Japan.
" Sasanqua h	Thnbg.	D. C. I. 529, B. M. 2080	"	March-Apr.	Japan.
Campanula barbata ♀ . . .	Lin.	D. C. VII. 465, B. M. 1258, Lodd. 788	Campanulaceae	June-July	Alps.
" bononiensis ♀	Lin.	D. C. VII. 469	"	July-Aug.	S. Eur., Cauc., Siberia.
" Medium ⊙	Lin.	D. C. VII. 460	"	June-Aug.	South Europe.
" persicifolia ♀	Lin.	D. C. VII. 479	"	June-July	Centr. and S. Europe.
" var. eriocalyx ♀			"		
" punctata ♀	Lam.	D. C. VII. 465	"		Siberia, Dahuria, Jap.
" pyramidalis ♀	Lin.	D. C. VII. 477	"	July-Aug.	Istria, Dalmatia.
" sarmatica ♀	Ker.	D. C. VII. 464, B. M. 2019, Lodd. 581	"		Caucasus.
" serpyllifolia ♀	Visiani	D. C. VII. 449	"		Dalmatia.
" sibirica	Lin.	D. C. VII. 465, B. M. 659	"		N. As., Cauc., East. Eur.
" Trachelium ♀	Lin.	D. C. VII. 469	"	July-Nov.	Europe, North Asia.
" thyrsoides ♀	Lin.	D. C. VII. 468, B. M. 1290	"		Alps, Jura.
" Vidalii h	H. C. Wats.	B. M. 4778	"	July-Sept.	Azores Islands.
Camptosema rubieundum h §	Hook. Arn.	B. M. 4608	Legum.-Papilion.	Aug.-Dec.	Brazil.
Canarina campanulata ♀ .	Lin.	D. C. VII. 422, B. M. 444	Campanulaceae	Jan.-April	Canary Islands.
Canna indica ♀	Lin.	B. M. 454	Scitamineae	Aug.-Sept.	West India.
" iridiflora ♀	Rz. Pav.	B. M. 1968	"	May-Aug.	Peru.
Cantua bicolor h	Lem.	B. M. 4729	Polemoniaceae	Sept.-Nov.	Peru.
" dependens h	Pers.	D. C. IX. 321, B. M. 4582	"	April-May	Peru.
" pyrifolia h	Juss.	D. C. IX. 320, B. M. 4386	"	Febr.-April Aug.-Okt.	Peru.
Capparis spinosa h	Lin.	D. C. I. 245, B. M. 291	Capparideae	May-Sept.	Med. reg., India, Orient.
" var. rupestris h	Sibt. Sm.	D. C. I. 245	"		Creta, Riviera.
Capsicum annuum ⊙	Lin.	D. C. XIII. 1. 412	Solanaceae	July-Aug.	South America, India.
" frutescens h	Lin.	D. C. XIII. 1. 413	"		East India, Trop. Am.
" Hamiltonii h	G. Don	D. C. XIII. 1. 429	"	Sept.-Okt.	Nevisia.
Caragana tragacanthoides h	Jacq.	D. C. II. 269	Legum.-Papilion.		Siberia.
Carduncellus coeruleus ♀ .	Less.	D. C. VI. 615	Compositae	June-Aug.	Spain, Algier, Corsica.
" Monspelisium ♀	All.	D. C. VI. 614	"		South. France, Spain.
Carica atrovioleacea h . .			Passifloreae	Okt.	
" cundinamarcensis h . .	I. Linden	B. M. 6198	"	June-July	Ecuador.
" Papaya h	Lin.	B. M. 2898	"		Tropical America.
Carissa grandiflora h . . .	A. DC.	D. C. VIII. 835	Apocynaceae	May-July	South Africa.
Carlina acanthifolia ♀ . . .	All.	D. C. VI. 545	Compositae	July-Sept.	Mediterranean region.
Carmichaelia australis h . .	R. Br.	Hook. New Zeal. Fl. 50	Legum.-Papilion.		New Zealand.
Carpenteria californica h .	Torr.	B. M. 6911	Saxifrageae	June-July	California.
Casimiroa edulis h	La Llave	Treas. of Bot. Naud. & Müll.	Rutaceae	April	Mexico.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Cassia bicapsularis</i> h . .	Lin.	D. C. II. 494	Legum.-Caesalp.	Aug.-Okt.	Tropical America.
" <i>floribunda</i> h	Cav.	D. C. II. 491	"	June-Sept.	Mexico.
" <i>hirsuta</i> h	Lin.	D. C. II. 497, Jacq. H. Sch. 270	"	Sept.-Okt.	Tropical America.
" <i>Sophora</i> h	Lin.	D. C. II. 492	"	July-Sept.	Tropical regions.
" <i>tomentosa</i> h	Lam.	D. C. II. 496	"	Sept.-Nov.	South America.
" var. <i>albida</i> h . . .	Ort.	D. C. II. 496	"	Sept.-Nov.	New Spain.
<i>Cassine Maurocenia</i> h . .	Lin.	D. C. II. 11.	Celastrineae	March.	Abyssinia.
<i>Casuarina Decaisneana</i> h	F. M.	Benth. VI. 201	Casuarineae		North Australia.
" <i>equisetifolia</i> h . . .	Forst.	Benth. VI. 197	"	Nov.-Dec.	N. Australia, Queensl.
" <i>stricta</i> h	Dryand.	Benth. VI. 195	"	Nov.-Dec.	Tasm., N.-S.-W., Vict.
" <i>suberosa</i> h	Otto Dietr.	Benth. VI. 197	"		Australia.
" <i>torulosa</i> h	Dryand.	Benth. VI. 200	"	Nov.-Dec.	N. S. W., Quee., S. Aust.
<i>Catalpa bignonioides</i> h .	Walt.	D. C. IX. 226, B. M. 1094	Bignoniaceae		Florida, Carol., Louis.
" <i>Bungei</i> h	C. A. M.	D. C. IX. 226	"		China.
" <i>Kaempferi</i> h	Thunbg.	D. C. IX. 226, B. M. 6611	"	June-Aug.	Japan.
<i>Catha edulis</i> h	Forsk.	D. C. II. 6	Celastrineae	Dec.-Jan.	Arabia.
<i>Cattleya citrina</i> ♀	Lindl.	B. M. 3742	Orchideae		Mexico.
<i>Ceanothus africanus</i> h . .	Lin.	D. C. II. 32	Rhamneae	April-June	Cape.
" <i>americanus</i> h	Lin.	D. C. II. 31, B. M. 1479	"		North America.
" <i>azureus</i> h	Desf.	D. C. II. 31	"	April-June	Mexico.
" <i>cuneatus</i> h	Nutt.	Torr. & Gr. Fl. N. Am. I. 267	"		California.
" <i>ovatus</i> h	Desf.	D. C. II. 31	"		North America.
" <i>thyrsiflorus</i> h	Eschw.	in Mém. Acad. Petersb. Sér. VI. X.	"		California.
<i>Cedrela sinensis</i> h	Juss.	in Mém. Mus. Par. XIX. 255	Meliaceae		China.
<i>Cedrus Libani</i> h	Barrel.	D. C. XVI. 2. 408	Coniferae	Okt.	Lebanon.
" var. <i>atlantica</i> h	Manetti	D. C. XVI. 2. 408	"	Okt.	Atlas mts.
" " <i>Deodara</i> h	Loud.	D. C. XVI. 2. 408	"	Okt.	Kashmer, Bhotan.
<i>Celastrus arbutifolius</i> h .	Hochst.	A. Rich. Tent. Fl. Abyss. I. 133	Celastrineae		Abyssinia.
" <i>articulatus</i> h	Thunbg.	D. C. II. 17	"		Japan.
" <i>punctatus</i> h	Thunbg.	D. C. II. 6	"	March-May	Japan, China.
" <i>scandens</i> h §	Lin.	D. C. II. 6	"		Canada, Virginia.
" <i>stylosus</i> h	Wall.	in Roxb. Fl. Ind. II. 401	"	March-May	Himalaya.
<i>Celsia cretica</i> ♂	Lin.	D. C. X. 244, B. M. 964	Scrophularineae	May	Mediterranean region.
<i>Celtis australis</i> h	Lin.	D. C. XVII. 169	Urticaceae	April	South Europe, Orient.
<i>Centaurea austriaca</i> ♀ . .	Willd.	D. C. VI. 573	Compositae	July-Aug.	Austria, Switzerland.
" <i>aspera</i> ♀	Lin.	D. C. VI. 599	"	May-Nov.	South Europe.
" <i>axillaris</i> ♀	Willd.	D. C. VI. 579	"	May-June	Europe, Orient.
" <i>babylonica</i> ♀	Lin.	D. C. VI. 567	"	May-July	Palaest., Central Asia.
" <i>Clementii</i> ♀	Boiss.	D. C. VII. 303	"	May-June	Spain.
" <i>dealbata</i> ♀	Willd.	D. C. VI. 576	"	July-Aug.	Caucasus, Persia.
" <i>gymnocarpa</i> ♀	Moris	Arcangeli, Flora italica.	"	June-July	Italy.
" <i>macrocephala</i> ♀ . . .	Puschk.	D. C. VI. 568, B. M. 1248	"	June-Aug.	Armenia.
" <i>montana</i> ♀	Lin.	D. C. VI. 578, B. M. 77	"	June-July	Central and S. Europe.
" var. <i>albida</i> ♀		D. C. VI. 579	"	June-July	Caucasus, Persia.
" <i>ragusina</i> ♀	Lin.	D. C. VI. 589, B. M. 494	"	May-Aug.	Dalmatia, Creta.
" <i>Scabiosa</i> ♀	Lin.	D. C. VI. 580	"	June-July	Europe.
" <i>sphaerocephala</i> h . . .	Lin.	D. C. VI. 599, B. M. 2551	"	June-Aug.	South Europe.
" sp. <i>californica</i> ♂ . . .			"	May-July	California.
<i>Centranthus ruber</i> ♀ . . .	D. C.	D. C. IV. 632	Valerianeae	April-Okt.	S. Europe, N. Africa.
<i>Cephalanthera ensifolia</i> ♀	C. L. Rich.	Barla, Orch. de Nice	Orchideae	April-May	Eur., N. Afr., Temp. As.
<i>Cerastium arvense</i> ♀ . . .	Lin.	D. C. I. 419	Caryophylleae	May-Aug.	Europe.
" <i>tomentosum</i> ♀	Lin.	D. C. I. 418.	"	May-July	South France, Italy.
<i>Ceratonia Siliqua</i> h . . .	Lin.	D. C. I. 486	Legum.-Caesalp.	Aug.-Nov.-Dec.	South Europe, Orient.
<i>Cercis canadensis</i> h . . .	Lin.	D. C. II. 518	"		North America.
" <i>Siliquastrum</i> h	Lin.	D. C. II. 518, B. M. 1138	"	April-May	South Europe.
<i>Cereus acutangulus</i> h . . .	Hort. berol.	Pfeiff. Enum. Diagn. Cact. 107	Cacteae		Mexico.
" <i>Baumannii</i> h	Lem.	Hortic. Univ. (1844) 126, 315	"		Peru.
" <i>Bonplandii</i> h	Parm.	Pfeiff. Enum. Diagn. Cact. 108	"		Brazil.
" <i>brachiatus</i> h	Gal.	Salm Dyck, Cact. Hort. Dyck.	"		Mexico.
" <i>Bridgesii</i> h	S. Dyck	Salm Dyck, Cact. Hort. Dyck.	"		Bolivia.
" <i>Columna-Trajani</i> h . .	Karw.	Pfeiff. Enum. Diagn. Cact. 76	"		Mexico.
" <i>chiloënsis</i> h	Colla	D. C. III. 465	"		Chiloë Islands.
" <i>coerulescens</i> h	S. Dyck	B. M. 3922	"		Brazil.
" <i>Ehrenbergii</i> h	Pfeiff.	Otto u. Dietr. Allg. Gart. 1840	"		Mexico.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Cereus flagelliformis</i> h . .	Mill.	Gard. Dict. ed. VIII, n. 12	Cacteae		South America
" <i>Forbesii</i> h	Hort berol.	Foerst. Handb. d. Cact. ed. I. 398	"	May	?
" <i>geometrizans</i> h . .	Mart.	Pfeiff. Enum. Diagn. Cact. 90	"	May	Mexico.
" <i>gladiatus</i> h	Lem.	Cact. Aliq. Nov. Descr. 28	"		Chili.
" <i>grandiflorus</i> h	Mill.	D. C. III. 468, B. M. 3381	"		Caribbee Islands.
" <i>hypogaeus</i> h	Weber	Rgl. Gartenfl. 1882	"	July-Aug.	?
" <i>Jamacaru</i> h	S. Dyck	D. C. III. 467	"		Brazil.
" <i>longispinus</i> h	S. Dyck	O. u. D. Allg. Gart. (1845) 354	"		Bolivia.
" <i>marginatus</i> h	D. C.	in Mém. Mus. Par. (1828) 116	"		Mexico.
" <i>Martianus</i> h	Zuccar.	B. M. 3765	"		Mexico.
" <i>Martini</i> h	Lab.		"		
" <i>Napoleonis</i> h	R. Grah.	B. M. 3458	"		West Indies.
" <i>pectiniferus</i> h	Labour.	Monogr. Cact. 320	"	June	Texas.
" <i>peruvianus</i> h	Mill.	D. C. III. 464	"	June-Aug.	Peru.
" var. <i>monstrosus</i> h	D. C.	D. C. III. 464	"	Sept.	Peru.
" <i>polystichus</i> h	Lem.	Cact. Gen. Nov. et Spec. 56	"		?
" <i>pruinosis</i> h	S. Dyck	Cact. Hort. Dyck. II. 47	"		Mexico.
" <i>rostratus</i> h	Lem.	Cact. Aliq. Nov. Descr. 29	"	July	Antigua Islands.
" <i>Royeni</i> h	Mill.	Gard. Dict. ed. VIII, n. 7	"		South America.
" <i>Seidelii</i> h	Lehm.		"		
" var. <i>affinis</i> h . . .		Cact. Hort. Dyck. ed. II. 200	"		?
" <i>serpentinus</i> h	D. C.	D. C. III. 467, B. M. 3566	"		Mexico.
" <i>Spachianus</i> h	Lem.	Hortic. Univ. I. 225	"		Mexico.
" <i>splendens</i> h	Paxt.	Steud. Nomencl. bot.	"		Mexico.
" <i>stellatus</i> h	Pfeiff.	O. u. D. Allg. Gart. (1836) 258	"		Mexico.
" <i>tephracanthus</i> h . . .	Lk. Otto	Steud. Nomencl. bot.	"	July	South America.
" <i>tortuosus</i> h	Forbes	O. u. D. Allg. Gart. (1838) 35	"		Argentina.
" <i>tuberosus</i> h	Pfeiff.	Enum. Diagn. Cact. 102	"	May-June	Mexico.
" <i>validus</i> h	Haw.	Phil. Mag. (1831) 414	"		South America.
" <i>xanthochaetus</i> h . . .	Rehb.	Tersch. Suppl. Cact. Verz.	"		?
<i>Cerinthe alpina</i> 2	Kit.	D. C. X. 3	Borragineae		Europe, Asia minor.
<i>Cestrum aurantiacum</i> h .	Lindl.	D. C. XIII. 1. 603	Solanaceae	Febr.-March	Guatemala.
" <i>Benthami</i> h	Miers	D. C. XIII. 1. 601	"		Mexico.
" <i>confertum</i> h	Rz. Pav.	D. C. XIII. 1. 622	"		Peru.
" <i>diurnum</i> h	Lin.	D. C. XIII. 1. 604	"		Cuba.
" <i>elegans</i> h	Schlecht.	D. C. XIII. 1. 600, B. M. 5659	"		Mexico.
" <i>fasciculatum</i> h	Miers	D. C. XIII. 1. 599, B. M. 4183	"		Mexico.
" <i>fastigiatum</i> h	Jacq.	D. C. XIII. 1. 606, Jacq. H. Sch. 330	"	Aug.-Sept.	West Indies.
" <i>Parqui</i> h	l' Hérit.	D. C. XIII. 1. 616, B. M. 1770	"	April-June Sept.-Jan.	Chili, Buenos Ayres.
" <i>suberosum</i> h	Jacq.	D. C. XIII. 1. 612, Jacq. H. Sch. 452	"		?
" <i>vespertinum</i> h	Lin.	D. C. XIII. 1. 661	"	All the year	West Indies.
" <i>Warscewiczii</i> h . . .	Klotsch	O. u. D. Allg. Gart. XIX. 362	"	Febr.-April	South America.
<i>Ceterach officinarum</i> 2 .	Willd.	Hook. Syn. Filicum. 245	Filices		Europe, Himal., Cauc.
<i>Chamaepeuce gnaphalodes</i> h	D. C.	D. C. X. 658	Compositae	May-June	South Italy.
<i>Chamaerops humilis</i> h . .	Lin.	Kunth III. 249, B. M. 2152	Palmae	June-July	Mediterranean region.
" var. <i>elegans</i>			"		
<i>Cheilanthes odora</i> 2 . . .	Sw.	Hook. Syn. Filicum 134	Filices		Medit. reg., Himalaya.
<i>Cheiranthus Cheiri</i> 2 . . .	Lin.	D. C. I. 135	Cruciferae	March-May	Europe.
" <i>mutabilis</i> h	l' Hérit.	D. C. I. 136, B. M. 195	"	Dec.-April	Madeira.
<i>Chilianthus oleaceus</i> h . .	Burch.	D. C. X. 435	Loganiaceae		South Africa.
<i>Chimonanthus fragrans</i> h	Lindl.	D. C. III. 2, B. M. 466	Calycanthaceae	Dec.-Febr.	Japan.
<i>Chionodoxa sardoa</i> 2 . .	Barr.	Damm. Cat. 1895 (sardensis)	Liliaceae		Sardinia?
<i>Chironia exigua</i> 2	Oliv.		Gentianeae	July-Okt.	South Africa.
<i>Chlora perfoliata</i> 2	Lin.	D. C. IX. 69	"	June-Aug.	Central and S. Europe.
<i>Chlorophytum elatum</i> 2 .	R. Br.	Ref. bot. 216	Liliaceae	May-Aug.	Cape.
" <i>nepalense</i> 2	Bak.	Journ. Lin. Soc. (1876) 330	"		Himalaya.
<i>Choisya ternata</i> h	H. B. K.	D. C. I. 724	Rutaceae	May-Nov.	Mexico.
<i>Chorizema cordatum</i> h . .	Lindl.	Benth. Fl. Austr. II. 28	Legum.-Papilion.	Jan.-May	West Australia.
" <i>ilicifolium</i> h	Labill.	Benth. Flora Austr. II, 28, B. M. 1032	"	Jan.-May	West Australia.
" <i>varium</i> h	Benth.	Benth. Fl. Austr. II. 28	"	Jan.-May	West Australia.
<i>Chrozophora tinctoria</i> 2 .	A. Juss.	D. C. XV. 2. 749	Euphorbiaceae	July-Sept.	S. Eur., Orient, N. Afr.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Chrysanthemum frutescens</i> h	Lin.	D. C. VI. 66	Compositae	Nov.-July	Canary Islands.
" <i>indicum</i> 2	Lin.	D. C. VI. 62	"	Nov.-March	China, Japan.
" <i>segetum</i> ☉	Lin.	D. C. VI. 64	"	July-Nov.	Central and South Eur.
<i>Chrysocoma Coma-aurea</i> 2	Lin.	D. C. V. 353, B. M. 1972	"	April-Okt.	Cape.
<i>Cimicifuga foetida</i> 2	Lin.	D. C. I. 64	Ranunculaceae		Galizia, Siberia.
<i>Cineraria maritima</i> 2 . . .	Lin.	D. C. VI. 355	Compositae	June-Aug.	Mediterranean shores.
<i>Cinnamomum dulce</i> h . . .	Nees	D. C. XV. 1. 16	Laurineae		China, Japan.
<i>Cissus Veitchii</i> h §	Carr.	Rev. Hort. (1877) 176	Ampelideae	July-Aug.	?
<i>Cistus acutifolius</i> h . . .	Sweet	Cist. 78	Cistineae		Europe.
" <i>albidus</i> h	Lin.	D. C. I. 264, Sweet Cist. 31	"	May-June	South. Europe.
" <i>corbariensis</i> h	Pourr.	D. C. I. 265	"	May-June	South. France, Spain.
" <i>creticus</i> h	Lin.	D. C. I. 264, Sweet Cist. 112	"	May-June	Creta, Syria.
" <i>crispus</i> h	Lin.	D. C. I. 264, Sweet Cist. 22	"	April-May	South. Europe.
" <i>cyprius</i> h	Lam.	D. C. I. 266, Sweet Cist. 39	"	April-May	Cyprus.
" <i>hirsutus</i> h	Lam.	D. C. I. 265, Sweet Cist. 19	"	May	Spain, South France.
" <i>incanus</i> h	Lin.	D. C. I. 264, Sweet Cist. 44	"	April	South. Europe.
" <i>ladaniferus</i> h	Lin.	D. C. I. 265, B. M. 112	"	April-May	Portugal, Spain.
" <i>laurifolius</i> h	Lin.	D. C. I. 266, Sweet Cist. 52	"	May-June	Spain, South. France.
" <i>monspeliensis</i> h	Lin.	D. C. I. 265, Sweet Cist. 27	"	April-May	Spain, Portugal, Italy.
" <i>parviflorus</i> h	Lam.	D. C. I. 264, Sweet Cist. 14	"	May-June	Creta.
" <i>platysepalus</i> h	Sweet	Sweet Cistineae. 47	"		Creta.
" <i>purpureus</i> h	Lam.	D. C. I. 264, Sweet Cist. 17	"		Orient.
" <i>salvifolius</i> h	Lin.	D. C. I. 265, Sweet Cist. 54	"	May-June	South. Europe.
" <i>tauricus</i> h	I. et C. Presl.				
" <i>vaginatus</i> h	Dryand.	D. C. I. 265, Jacq. H. Sch. 282	"	May-June	Teneriffa.
" <i>villosus</i> h	Lin.	D. C. I. 264, Sweet Cist. 35	"	May-June	S. Europe, N. Africa.
<i>Citrus Aurantium</i> h	Lin.	D. C. I. 539	Rutaceae	March-June	Tropical Asia.
" var. <i>Bergamia</i>	Risso	D. C. I. 539, B. M. 7194	"	March-May	Tropical Asia.
" " <i>Bigaradia</i>	Loisel.	D. C. I. 539	"	March-May	Tropical Asia.
" " <i>confertifolia</i>			"		Garden origin.
" " <i>foetifera</i>			"		"
" " <i>salicifolia</i>			"		"
" " <i>sulcata</i>			"		"
" forma <i>Buddha fingers</i> . .			"		
" var. <i>nobilis</i>	Lour.	D. C. I. 539	"	May	China, Cochinchina.
" forma <i>Santa Sabina</i> . . .			"		
" forma <i>taitensis</i>			"		
" <i>australasica</i> h	F. Muell.		"		Australia.
" <i>decumana</i> h	Murr.	D. C. I. 539	"	March-May	India.
" form. <i>Amoy Pommeloe</i> . .			"	March-May	
" forma <i>Pampelmous</i> . . .			"	March-May	
" <i>humilis</i> h	Poir.	Lam. Encycl. IX. 580	"	Jan.-Febr.	India.
" <i>japonica</i> h	Thunbg.	B. M. 6128	"		Cultiv. in China and Jap.
" <i>Medica</i> h	Lin.	D. C. I. 539	"	Febr.-March	Tropical Asia.
" var. <i>pyriformis</i>			"		Garden origin.
" " <i>acida</i>	Brandis	B. M. 1745	"		
" " <i>Limetta</i>	Risso	Hist. Nat. des Orang.	"		
" " <i>Limonum</i>	Risso	Hist. Nat. des Orang.	"		
" " <i>Lumia</i>	Risso	Mand. and Müll. Manuel	"		
" " <i>cedrata</i>	Rafin.		"		
" <i>myrtifolia</i> h	Rafin.	Sylva Tellur. 141	"		?
" <i>trifoliata</i> h	Lin.	Rev. hort. belge 1886. 121	"		China.
" <i>syn. Aeglesepiaria</i> . . .					
<i>Clematis alpina</i> h	Mill.	D. C. I. 10, B. M. 530	Ranunculaceae		Europe, N. America.
" <i>syn. Atragene</i>					
" <i>cirrhusa</i> h §	Lin.	D. C. I. 9, B. M. 1070, Lodd. 1806	"	Dec.-Jan.	Italy, Balearic Islds.
" <i>coccinea</i> h §	Engelm.	B. M. 6594	"	June-July	Texas.
" <i>crispa</i> h §	Lin.	D. C. I. 9, B. M. 1892	"		North America.
" <i>Flammula</i> h §	Lin.	D. C. I. 2	"	June-July	South. Europe.
" <i>integrifolia</i> 2	Lin.	D. C. I. 8, B. M. 65	"	June-July	Hungary, North-Asia.
" <i>recta</i> 2	Lin.	D. C. I. 2	"	May-June	South. Europe.
" <i>lasiantha</i> h §	Nutt.	Torr. & Gray, Fl. N. Am. I. 9	"		California.
<i>Clematis trifoliata</i> h § . . .	Thunbg.	Trans. Lin. Soc. II. 337	"		Japan.
" <i>virginiana</i> h §	Lin.	D. C. I. 4	"		North America.
" <i>Viticella</i> h §	Lin.	D. C. I. 9, B. M. 565	"	June-Aug.	South. Europe.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Clerodendron foetidum</i> h .	Bunge.	D. C. XI. 672, B. M. 4880	Verbenaceae	June-July	Northern China.
„ <i>fragens</i> h	Willd.	D. C. XI. 666, B. M. 1834	„	June-March	Japan.
„ <i>Siphonanthus</i> h . . .	R. M.	D. C. XI. 670, Wight III. 173	„		East India.
<i>Clanthus</i> 2					
„ <i>puniceus</i> h s	Banks Sol.	B. M. 3584	Legum.-Papilion.	March-Apr.	New Zealand.
<i>Clitoria Ternatea</i> h s . .	Lin.	D. C. II. 233, B. M. 1542	„	July-Sept.	Tropical regions.
<i>Clivia miniata</i> 2	Rgl.	B. M. 4783	Amaryllideae	Apr.-May	Natal.
„ <i>nobilis</i> 2	Lindl.	B. M. 2856, Bak. Amaryll.	„	Apr.-May	Cape.
<i>Cluytia Richardiana</i> h . .	Müll.	D. C. XV. 2. 1044	Euphorbiaceae	Okt.-Dec.	Abyssinia.
<i>Cneorum tricoccum</i> h . . .	Lin.	D. C. II. 84	Simarubeae	March-Apr.	South. Europe.
<i>Cobaea scandens</i> h s . . .	Cav.	D. C. IX. 322, B. M. 851	Polemoniaceae	All the year	Mexico.
<i>Coccinia indica</i> 2	Wght. Arn.	Prodr. 347	Cucurbitaceae	June-Sept.	Tropical Asia.
„ <i>palmata</i> 2	Cogn.	D. C. Monogr. Phan. III. 540	„	June-Sept.	South Africa.
<i>Cocculus laurifolius</i> h . . .	D. C.	D. C. I. 100	Menispermaceae	May-Aug.	Himalaya regions.
<i>Cocos australis</i> h	Mart.	Palmet. Orbign. 95	Palmae	June-July	Paraguay.
„ <i>campestris</i> h	Mart.	Kunth III. 284	„	June-July	Brazil.
„ <i>coronata</i> h	Mart.	Kunth III. 283	„		Brazil.
„ <i>Romanzoffiana</i> h	Cham.	Kunth III. 286	„		Brazil.
„ <i>Yatai</i> h	Mart.	Palmet. Orbign. 93	„		Argentina.
<i>Coffea arabica</i> h	Lin.	D. C. IV. 499, B. M. 1303	Rubiaceae		Arabia, Trop. Africa.
<i>Coix Lacryma</i>	Lin.	B. M. 2479	Gramineae	June-Sept.	Syria, India.
<i>Colchicum neapolitanum</i> 2 .	Ten.	Kunth IV. 142	Liliaceae	Aug.-Sept.	Italy.
<i>Coleus barbatus</i> 2	Benth.	D. C. XII. 71	Labiatae	Okt.-June	Abyssinia, East India.
„ <i>ignarius</i> h	Schweinf.	Beitr. Fl. Aethiop. 121	„	May-July	Tropical Africa.
„ <i>Penzigi</i> 2	Schweinf.	Bull. Herb. Boiss.	„	Okt.	Abyssinia.
<i>Colletia cruciata</i> h	Gill. Hook.	B. M. 5033	Rhamnaceae	Sept.-Nov.	Chili.
„ <i>horrida</i> h	Willd.	D. C. II. 28, B. M. 3644	„	Apr.-May	Chili.
„ <i>serratifolia</i> h	Vent.	D. C. II. 28	„	May	Peru.
<i>Colocasia antiquorum</i> 2 . .	Schott	B. M. 7364	Aroideae		Tropical Asia.
<i>Columnea longifolia</i> 2 . . .	Lin.	D. C. X. 408	Gesneraceae		India.
<i>Comarostaphylis diversifolia</i> h			Ericaceae		California.
<i>Convallaria majalis</i> 2 . . .	Lin.	Kunth V. 131	Liliaceae	May	Eur., N.-Asia, N.-Am.
<i>Convolvulus althaeoides</i> 2 .	Lin.	D. C. IX. 409, B. M. 359	Convolvulaceae	May-July	South. Eur., N.-Africa.
„ <i>arvensis</i> 2	Lin.	D. C. IX. 406	„	May-Okt.	Europe, Asia, America.
„ <i>Cneorum</i> 2	Lin.	D. C. IX. 401, B. M. 459	„	June-July	South. Europe.
„ <i>floridus</i> h	Lin.	D. C. IX. 404	„	Apr.-June	Canary Islds.
„ <i>mauritanicus</i> 2	Boiss.	B. M. 5243	„	All the year	North Africa.
„ <i>oleaeifolius</i> 2	Desr.	D. C. IX. 401, B. M. 289	„	July	Greece, Creta, Asia m.
„ <i>Scammonia</i> 2	Lin.	D. C. IX. 412	„		Asia minor.
„ <i>sepium</i> 2	Lin.	D. C. IX. 433	„	June-Okt.	Eur., Asia, Afr., N.-Am. Aust.
„ <i>Soldanella</i> 2	Lin.	D. C. IX. 427	„	June-July	European sea shores.
<i>Cooperia Drummondii</i> 2 . .	Herb.	Bot. Reg. 1835	Amaryllideae	July-Aug.	Texas.
<i>Coprosma Baueri</i> h	Endl.	Handb. of N.-Zealand Fl. 112	Rubiaceae	Apr.-June	Norfolk Isl., New Zeal.
<i>Cordyline australis</i> h . . .	Hook.	B. M. 5636	Liliaceae	June-Aug.	New Zealand.
„ <i>nutans</i> h	Hort.	Goepp. in Nov. Act. Nat. Cur XXV. 55	„	June-July	?
„ <i>stricta</i> h	Hook.	B. M. 2575	„	June-July	New Zealand.
<i>Coriaria japonica</i>	A. Gray	Mem. Acad. Am. N.S. VI. 383	Coriariaceae		Japan.
„ <i>myrtifolia</i> h	Lin.	D. C. I. 739	„	March-Apr.	Mediterranean shores.
<i>Coris monspeliensis</i> 2 . . .	Lin.	D. C. VIII. 59, B. M. 2131	Primulaceae	Apr.-June	Mediterranean shores.
<i>Cornus capitata</i> h	Wall.	D. C. IV. 273	Cornaceae		Nepal.
„ <i>syn. Benthamia fragifera</i>	Lindl.	B. M. 4641	„		
„ <i>sanguinea</i> h	Lin.	D. C. IV. 272	„	May-June	Europe, N. Asia.
<i>Coronilla coronata</i> h	Lin.	D. C. II. 310	Legum.-Papilion.		South. Europe.
„ <i>Emerus</i> h	Lin.	D. C. II. 309, B. M. 445	„	May-June	Central and S. Europe.
„ <i>glauca</i> h	Lin.	D. C. II. 309, B. M. 13	„	Febr.-May	S. France, Italy, Sicily.
„ <i>junceae</i> h	Lin.	D. C. II. 309, Lodd. 235	„	Apr.-June	Algeria.
„ <i>minima</i> 2	Lin.	D. C. II. 309, B. M. 2179	„	May-June	South. Europe.
„ <i>orientalis</i> 2	Mill.	D. C. II. 310, Lodd. 789	„		Spain, Asia minor.
„ <i>valentina</i> h	Lin.	D. C. II. 309, B. M. 185	„	Febr.-May	Spain, Italy, Sicily.
<i>Correa cardinalis</i> h	F. M.	Benth. I. 355, B. M. 4912	Rutaceae	Nov.-May	Victoria, South. Austr.
„ <i>Lawrenciana</i> h	Hook.	Benth. I. 355	„	Sept.-May	Victoria, Tasmania.
<i>Cortusa Matthioli</i> 2	Lin.	D. C. VIII. 55, B. M. 987	Primulaceae		Europe, North Asia.
<i>Corynocarpus laevigata</i> h . .	Forst.	B. M. 4379	Anacardiaceae		New Zealand.
<i>Corydalis nobilis</i> 2	Pers.	D. C. I. 128, B. M. 1953	Papaveraceae		Siberia.
<i>Corylopsis spicata</i> h	Sieb. Zucc.	B. M. 5458	Hamamelideae		Japan.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Cotoneaster acuminata</i> h .	Lindl.	Trans. Lin. Soc. XIII. 101	Rosaceae		Himalaya regions.
„ <i>bacillaris</i> h	Wall.	Lindl. Bot. Reg. 1229	„		Himalaya regions.
„ <i>frigida</i> h	Wall.	Lodd. 1512	„		Himalaya regions.
„ <i>integerrima</i>	Medic.	Gesch. 85	„		Europe, Temper. Asia.
„ <i>microphylla</i> h	Wall.	Ref. bot. 49, Gard. Chron. XII. 333	„	May-June	Himalaya regions.
„ <i>rotundifolia</i> h	Wall.	Lindl. bot. Reg. 1229	„		Himalaya regions.
„ <i>Simonsi</i> h	Hort.	Refug. bot. 55	„	March-May	Himalaya regions.
„ <i>thymifolia</i> h	Hort.	Ref. bot. 50	„		Himalaya regions.
<i>Cotyledon adunca</i> 2 . . .	Baker	Refug. bot. 60	Crassulaceae	Apr.-May	Mexico.
„ <i>Barbeyi</i> 2	Schwft.	Bull. Herb. Boiss. 1896	„		Abyssinia.
„ <i>californica</i> 2	Baker	Refug. bot. 70	„		Western N. America.
„ <i>clavifolia</i> 2	Haw.	D. C. III. 339, Harv. II. 377	„		Cape.
„ <i>coruscans</i> 2	Haw.	Harv. II, 371, B. M. 2601	„		Cape.
„ <i>gibbiflora</i> 2	Moç-Sesse	D. C. III, 401, Ref. bot. 65	„	Dec.-Febr.	California.
„ <i>gracilis</i> 2	Harv.Sond.	Fl. Cap. II. 373	„	Febr.-March	Cape.
„ <i>decussata</i> 2	Sims.	B. M. 2518, Harv. II. 372	„		Cape.
„ <i>linguaefolia</i> 2	Lem.	Ref. bot. 58	„	Febr.-March	Mexico.
„ <i>lurida</i> 2	Baker	Ref. bot. 59	„	Nov.-Apr.	Mexico.
„ <i>lusitanica</i> 2	Lam.	Lam. Encycl. II. 140	„		Europe.
„ <i>nodulosa</i> 2	Baker	Ref. bot. 56	„	Febr.-March	Mexico.
„ <i>orbiculata</i> 2	Lin.	B. M. 321, Harv. II. 371	„	June-Sept.	Cape.
var.? <i>macrantha</i> 2 . . .			„	Dec.-May	Cult. on the Riviera.
„ <i>Pachyphytum</i> 2	Baker	Ref. bot. I. 59	„		Mexico.
„ <i>secunda</i> 2	Baker	Ref. bot. 60	„		Mexico.
„ <i>stolonifera</i> 2	Baker	Ref. bot. 63	„		Mexico.
„ <i>teretifolia</i> 2	Thnbg.	Harv. Fl. Cap. II. 373	„		Cape.
<i>Crassula arborescens</i> 2 . .	Willd.	Harv. II. 337, B. M. 384	„		Cape.
„ <i>Bolusii</i> 2	Hook.	B. M. 6194	„	Okt.-Jan.	Cape.
„ <i>ericoides</i> h	Haw.	D. C. III. 385, Fl. Cap. II. 350	„	Nov.-Jan.	Cape.
„ <i>hemisphaerica</i> 2 . . .	Thunbg.	D. C. II. 389, Harv. Fl. Cap. II. 349	„		Cape.
„ <i>lactea</i> h	Ait.	D. C. III. 383, B. M. 1771	„	Okt.-May	Cape.
„ <i>lycopodioides</i> 2	Lin.	D. C. III. 385, Harv. II. 351	„	Sept.-Dec.	Cape.
„ <i>marginalis</i> 2	Soland.	Jacq. Hort. Schoenbr. 471	„	Apr.-July	Cape.
„ <i>monticola</i> 2	N. E. Br.	Gardn. Chron. (1882) 264	„	Apr.-June	Cape.
„ <i>multicava</i> 2	Lem.	Illustr. Hort. IX. Misc. 40	„	May	Cape.
„ <i>muscosa</i> 2	Lin.	Harv. II. 351	„		Cape.
„ <i>pallida</i> h	Baker	Gard. Chron. (1874) I. 766	„		Cape.
„ <i>portulacea</i> h	Lam.	Harv. Fl. Cap. II. 337, D. C. III. 383	„		Cape.
„ <i>spathulata</i> 2	Thunbg.	Harv. Fl. Cap. II. 348	„		Cape.
„ <i>tetragona</i> h	Lin.	Harv. Fl. Cap. II. 339	„		Cape.
„ <i>trachysantha</i>	Harv.	Fl. Cap. II. 362	„	Sept.-Nov.	Cape.
<i>Crataegus Azarolus</i> h . . .	Lin.	D. C. II. 629	Rosaceae	Apr.-May	South. France, Italy.
„ <i>Oxyacantha</i> h	Lin.	D. C. II. 628	„	Apr.-May	Central Europe.
„ <i>Pyracantha</i> h	Pers.	D. C. II. 626	„	Apr.-May	South. Europe.
<i>Crepis aurea</i> 2	Rchb.	D. C. VII. 167	Compositae		Europe.
„ <i>sibirica</i> 2	Lin.	D. C. VII. 167	„		Siberia, Hungary.
<i>Crinum asiaticum</i> 2	Lin.	Kunth V. 547, B. M. 1073	Amaryllideae		China, India.
„ <i>capense</i> 2	Herb.	Kunth V. 580	„	June	Cape.
„ <i>fimbriatum</i> 2	Baker	in Journ. of Bot. (1878) 196	„	July-Aug.	Trop. Africa.
„ <i>giganteum</i> 2	Andr.	Kunth V. 569, B. M. 5205	„	Sept.	Sierra Leone, St. Thom.
„ <i>Powellii</i> 2			„		
„ <i>scabrum</i> 2	Herb.	B. M. 2180, Lodd. 529	„		Brazil.
„ <i>yuccaeflorum</i> 2	Salisb.	Parad. London. 52	„		Abyssinia.
<i>Crithmum maritimum</i> 2 . .	Lin.	D. C. IV, 164	Umbelliferae	July-Aug.	Mediterranean shores.
<i>Cryptomeria japonica</i> h . .	D. Don.	Trans. Lin. Soc. XVIII. 167	Coniferae		Japan.
<i>Cunonia capensis</i> h	Lin.	D. C. IV. 12, Lodd. 82	Saxifragineae	Aug.-Nov.	Cape.
<i>Cupania Cunninghami</i> h . .	Hook.	B. M. 4470	Sapindaceae		Queensland.
see <i>Diploglottis</i>					
„ <i>uruguensis</i> h	Hook. Arn.	Hook. Bot. Misc. (1833)	„		South. America.
<i>Cuphea eminens</i> 2	Planch. Lind.	B. M. 5232, D. C. III. 84	Lythrariceae	July-May	Mexico.
„ <i>Galeottii</i> h	Hort. berol.	D. C. III. 85	„	Apr.-June	Mexico.
„ <i>platycentra</i> 2	Benth.	La Llave et Lex, Nov. Veg. Descr. I. 21	„	All the year	Mexico.
„ <i>strigulosa</i> h	H. B. K.	D. C. III. 87	„		New Granada.
<i>Cupressus Benthani</i> h . . .	Endl.	D. C. XVI. 2. 472	Coniferae		Mexico.
syn. <i>C. excelsa</i>	Scott.		„		

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Cupressus californica</i> h. . .	Carr.	D. C. XVI. 2. 473	Coniferae		California.
" <i>Corneyana</i> h.	Knight	D. C. XVI. 2. 470	"		China.
" <i>funnebris</i> h.	Endl.	D. C. XVI. 2. 471	"		China.
" <i>glauca</i> h.	Lam.	D. C. XVI. 2. 470	"		India.
" <i>Goveniana</i> h.	Gord.	Journ. Hort. Soc. (1849) 295	"		California.
" <i>guadelupensis</i> h. . .	S. Wats.	Proc. Am. Acad. (1879) 300	"		California.
" <i>cashmeriana</i> h. . . .			"		
" <i>Knightiana</i> h. . . .	Perry	D. C. XVI. 2. 472	"		Mexico.
" <i>Macnabiana</i> h. . . .	Andr.	D. C. XVI. 2. 473	"		California.
" <i>macrocarpa</i> h. . . .	Hartw.	D. C. XVI. 2. 473	"		California.
" <i>syn. Lambertiana</i> h. .	Hort.		"		
" <i>sempervirens</i> h. . .	Lin.	D. C. XVI. 2. 468	"		Crete, Asia min., Him.
" <i>thurifera</i> h.	H. B. K.	D. C. XVI. 2. 473	"		Mexico.
" <i>torulosa</i> h.	D. Don	D. C. XVI. 2. 470	"		Himalaya.
<i>Cussonia spicata</i> 2. . . .	Thnbg.	D. C. IV. 255	Araliaceae		Cape.
" <i>triptera</i> h.	Colla	Harv. Sond. Fl. Cap. II 569	Araliaceae		Caffraria, Port Natal.
<i>Cyathea dealbata</i> h. . . .	Sv.	Hook. Syn. Filic 26	Filices		N.-Zealand, Lord Howes Jsle.
<i>Cyathula globulifera</i> h. .	Moq.	D. C. XIII. 2. 329	Amarantaceae		Cape, Madagascar.
<i>Cycas Normanbyana</i> h. .	F. M.	v. Müll. Fragm. VIII 169	Cycadeae		Australia.
" <i>revoluta</i> h.	Thnbg.	B. M. 2963	"		Japan.
<i>Cyclamen europaeum</i> 2. .	Lin.	D. C. VIII. 56	Primulaceae	Febr.-Apr.	Alps, North Italy.
" <i>hederaefolium</i> 2. . .	Ait.	D. C. VIII. 57, B. M. 1001	"	Aug.-Dec.	South Italy, Sicily.
" <i>latifolium</i> 2. . . .	Sibth. Sm.	B. M. 44, D. C. VIII 57	"	Febr.-Apr.	Persia, Syria, Greece.
" <i>syn. persicum</i> 2. . .	Mill.				
<i>Cyclanthera explodens</i> ⊙	Naud.	in Ann. Soc. nat. Sér. IV. XII. 160	Cucurbitaceae	June-Aug.	New Granada.
" <i>pedata</i> ⊙	Schrad.	Linnaea VIII. Litt. 23	"	June-Aug.	Mexico.
<i>Cydonia japonica</i> h. . . .	Pers.	D. C. II. 638, B. M. 692	Rosaceae	March	Japan.
" <i>sinensis</i> h.	Thouin.	D. C. II. 638	"	March-Apr.	China.
" <i>vulgaris</i> h.	Pers.	D. C. II. 638	"	March	South Europe
<i>Cynara Cardunculus</i> 2. .	Lin.	D. C. VI. 620, B. M. 3241	Compositae	June-July	Greece, Crete, N.-Afr.
<i>Cynoglossum pictum</i> ⊙ .	Soland.	D. C. X. 147, B. M. 2134	Boragineae	May-Aug.	South Europe, N.-Afr.
<i>Cyperus alternifolius</i> 2. .	Lin.	Kunth II. 33	Cyperaceae	June-July	Madagascar.
" <i>Papyrus</i> 2.	Lin.	Kunth II. 64	"	June-Aug.	Abyssinia, Sicily.
" <i>rotundus</i> 2.	Lin.	Kunth II. 59	"	Oct.-Nov.	Mediterranean region.
" <i>vegetus</i> 2.	Willd.	Kunth II. 40	"	June-Aug.	Chile, Carolinas
<i>Cypripedium insigne</i> 2. .	Wall.	B. M. 8412	Orchideae	Dec.-Apr.	Nepal.
" <i>venustum</i> 2. . . .	Wall.	B. M. 2129	"		India.
<i>Cyrtanthera magnifica</i> h.	Nees	D. C. XI. 328, B. M. 3383	Acanthaceae	Aug.-Sept.	Brazil.
<i>Cyrtanthus ventricosus</i> 2.	Willd.	Jacq. Hort. Schoenbr. 76	Amaryllideae		Cape, Natal.
<i>Cyrtomium falcatum</i> 2. .	Presl. Sm.	Lowe, Ferns VI. 9	Filices		Japan.
<i>Cytisus aeolicus</i> h. . . .	Guss.	Lindl. Bot. Reg. 1902	Legum. - Papil.		Lipari Jsles.
" <i>albus</i> h.	Link.	D. C. II. 153	"	June	Portugal.
" <i>alpinus</i> h.	Lam.	D. C. II. 153	"		Europe.
" <i>Alschingeri</i> h. . . .	Vis.	in Linnaea (1841) 101	"		Dalmatia.
" <i>austriacus</i> h.	Lin.	D. C. II. 156	"		Aust., Italy, Russ., Sib.
" <i>biflorus</i> h.	l'Hérit.	D. C. II. 155	"		Austria, Taurus, Sib.
" <i>capitatus</i> h.	Scop.	D. C. II. 156, Lodd. 497	"	May-June	South Italy.
" <i>filipes</i> h.	Webb. Berth.	Phyt. Canar II. 52 t. 47	"	March-Apr.	Teneriffe.
" <i>Laburnum</i> h.	Lin.	D. C. II. 153, B. M. 176	"		Central Europe.
" <i>nigricans</i> h.	Lin.	D. C. II. 153	"		Cent. and South Eur.
" <i>nubigenus</i> h.	Link	D. C. II. 153	"	May-June	Teneriffe.
" <i>praecox</i> h. ×			"		Garden origin.
" <i>proliferus</i> h.	Lin.	D. C. II. 155, B. M. 1908	"		Teneriffe.
" <i>purpureus</i> h.	Scop.	D. C. II. 155, Lodd. 892	"		South Europe.
" <i>sessilifolius</i> h. . . .	Lin.	D. C. II. 153, B. M. 255	"	July-Aug.	South Europe.
" <i>triflorus</i> h.	l'Hérit.	D. C. II. 154	"		Mediterranean region.
" <i>Weldeni</i> h.	Vis.	in Flora XIII. 52	"		
<i>Cystopteris fragilis</i> 2. . .	Bernh.	Hook. Syn. Filicum 103	Filices		E. As., Am., New Zeal.
<i>Dahlia coccinea</i> 2. . . .	Cav.	D. C. V, 794, B. M. 762	Compositae	July-Nov.	Mexico.
" <i>imperialis</i> 2.	Roezl	B. M. 5813	"	Nov.-Dec.	Mexico.
" <i>Maximiliana</i> h. . . .	Hort.	Gard Chron. (1879) II. 216, 525	"		Mexico.
" <i>Merkii</i> 2.	Lehm.	Linnaea (1840) Litt. 180	"		Mexico.
<i>Daphne Gnidium</i> h. . . .	Lin.	D. C. XIV. 538, Lodd. II 150	Thymelaeaceae	June-Sept.	Mediterranean region.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Daphne Cneorum</i> h . . .	Lin.	D. C. XIV. 532	Thymelaceae		Central and South Eur.
" <i>indica</i> h	Lin.	D. C. XIV. 543	"	Oct.-Feb.	Society Isles.
" <i>Laureola</i> h	Lin.	D. C. XIV. 539 B. M. 206	"		Europe.
" <i>striata</i> h	Tratt.	D. C. XIV. 533	"		Alps, South Europe.
<i>Dasyliion Acrotrichum</i> h .	Zuccar.	Bak. Al. and Yucc. 239, B. M. 5030	Liliaceae		Mexico.
" <i>glaucophyllum</i> h . .	Hook.	Bak. Al. and Yucc. 239, B. M. 5041	"		Mexico.
" <i>Hookeri</i> h	Lem.	Bak. Al. and Yucc. 240, B. M. 5099	"		Mexico.
" <i>hybridum</i> h X . . .			"		Garden origin.
" <i>quadrangulatum</i> h .	S. Wats.	Baker, Aloid. and Yucc. 241	"		Mexico.
" <i>serratifolium</i> h . . .	Karw.	Baker, Aloid. and Yucc. 240	"		Mexico.
" <i>Wheeleri</i> h	S. Wats.	Baker, Aloid. and Yucc. 239	"		Arizona, New Mexico.
<i>Datura arborea</i> h	Lin.	D. C. XIII. 1. 544	Solanaceae	July-Dec.	Peru, Chile.
" <i>sanguinea</i> h	Rz. Pav.	D. C. XIII. 1. 545	"	Apr.-June Sept.-Dec.	Peru.
" <i>Stramonium</i> ☉ . . .	Lin.	D. C. XIII. 1. 540	"	July-Sept.	Europe, Asia, Amer.
<i>Davallia platyphylla</i> 2 . .	Don.	Hook. Syn. Filicum 99	Filices		Ceylon, India
<i>Deeringia celosioides</i> 2 . .	R. Br.	D. C. XIII. 2. 236, B. M. 2717	Amarantaceae	May	Asia, Trop. Australia.
<i>Delphinium exaltatum</i> 2 .	Ait.	D. C. I. 54	Ranunculaceae		North America.
<i>Desmanthus brachylobus</i> h	Benth.	Hook. Journ. of. Bot. 1842	Legum.-Mimos.	March	North America.
<i>Desmochaeta muricata</i> h .	D. C.	D. C. XIII. 2. 235	Amarantaceae		India.
<i>Desmodium cuspidatum</i> h	Hook.	Comp. Bot. Mag. I. (1835) 23	Legum.-Papil.		North America.
" <i>podocarpum</i> h	D. C.	D. C. II. 336	"	Sept.-Oct.	Nepal.
<i>Dendrocalamus membranaceus</i> h	Munro	Trans. Lin. Soc. (1868) 149	Gramineae		Burma.
<i>Deutzia gracilis</i> h	Sieb. Zucc.	Flora japon. I. 22	Saxifragaceae	Apr.-June	Japan.
" <i>scabra</i> h	Thnbg.	D. C. IV. 17, B. M. 3888	"	May-June	Japan.
<i>Dianella coerulea</i> 2 . . .	Sims.	B. M. 505	Liliaceae	May-June	Australia.
" <i>revoluta</i> 2	R. Br.	Kunth V. 48	"	May-June	Tasmania.
<i>Dianthus alpinus</i> 2	Lin.	D. C. I. 362, Lodd. 67	Caryophylleae		Eur., Asia, N. Amer.
" <i>arbores</i> h	Lin.	D. C. I. 357, Lodd. 459	"	Aug.-Sept.	Crete.
" <i>banaticus</i> 2	Heuff.	D. C. I. 356 (sub. D. gigant.)	"		Banatus.
" <i>Caryophyllus</i> 2	Lin.	D. C. I. 359, B. M. 39	"	Oct.-June	Italy, South. France.
" <i>monspessulanus</i> 2 . . .	Lin.	D. C. I. 364	"		Pyrenees, Jura.
" <i>neglectus</i> 2	Lois.	D. C. I. 362	"		South Europe.
" <i>Seguieri</i> 2	Vill.	Ardoino Fl. Alp. marit.	"	June-July	Central Europe.
" <i>superbus</i> 2	Lin.	D. C. I. 365	"		Europe, North Amer.
" <i>sylvestris</i> 2	Wulf.	D. C. I. 359, B. M. 1740	"		Europe.
<i>Dicksonia antarctica</i> h . .	Labill.	Hook. Syn. Filicum. 50	Filices		E.-Aus., N.-Zeal. N.-Cal.
<i>Dichrostachys nutans</i> h .	Benth.	Harv., Fl. Cap. II. 278	Legum.-Mimos.		Abyssinia.
<i>Dicentra spectabilis</i> 2 . .	Lem.	D. C. I. 126, B. M. 4458	Papaveraceae	Apr.-May	China.
<i>Digitalis ambigua</i> 2 . . .	Murr.	D. C. X. 450	Scrophularineae	July-Aug.	Europe.
" <i>lanata</i> 2	Ehrh.	D. C. X. 450, B. M. 1159	"		Greece, Hungary.
" <i>lutea</i> 2	Lin.	D. C. X. 452	"		South Europe.
" <i>purpurea</i> ☉	Lin.	D. C. X. 551	"		Europe.
<i>Dioon edule</i> h	Lindl.	D. C. XVI. 2. 537, B. M. 6184	Cycadeae		Mexico.
<i>Dioclea glycinoides</i> h § .	Hort. Belg.	Cat. Orto Bot. Nap. 38	Legum.-Papil.		
<i>Dioscorea Batatas</i> 2 § . .	Decne.	Rev. Hort. Sér. IV. III. 243	Dioscoreaceae		Philipp. Isles.
" <i>pentaphylla</i> 2 § . . .	Lin.	Kunth V. 396	"		Malab., Moluc., Java.
<i>Diosma ericoides</i> h	Linn.	B. M. 2332	Rutaceae		South Africa.
<i>Diospyros Ebenum</i> h . . .	Koenig.	D. C. VIII. 234	Ebenaceae		East India, Malaya.
" <i>Kaki</i> h	Lin. fil.	D. C. VIII. 229	"	May	Japan.
" <i>Lotus</i> h	Lin.	D. C. VIII. 228	"		Temp. Asia.
<i>Dipcadi serotinum</i> 2 . . .	Medic.	B. M. 859	Liliaceae		Europe, N. Afr.
<i>Diplacus glutinosus</i> h . .	Nutt.	D. C. X. 368 Jacq. H. Sch. 364	Scrophularineae	All the year	North California.
<i>Diploglottis Cunninghami</i> h	Hook.	B. M. 4470	Sapindaceae		Queensland.
<i>Diplopappus chrysophyllus</i> h			Compositae		
" <i>filifolius</i> h	D. C.	D. C. V. 276	"	Sept.-Dec.	Cape.
" <i>sp.</i> h			"	Febr.-March	
<i>Dipieracanthus canescens</i> 2 .	Nees	D. C. XI. 135	Acanthaceae	Aug.	South America.
" <i>squarrosus</i> 2	Fenzl	Ind. Sem. hort. Vind. 1868	"		South America.
<i>Dodonaea aspleniifolia</i> h .	Rudg.	D. C. I. 617, Benth. I. 477	Sapindaceae		New South Wales.
" <i>lobulata</i> h	F. M.	Benth. I. 479	"		Australia.
" <i>Preissiana</i> h	Miq.	Benth. I. 477, B. M. 2860	"		Australia.
" <i>triquetra</i> h	Andr.	Benth. I. 475	"		Australia.
" <i>Thunbergiana</i> h	Eckl. Zeyh.	Harv. Fl. Cap. I. 242	"		Cape
" <i>viscosa</i> h	Lin.	Harv. Fl. Cap. I. 242, Benth. I. 475	"		Australia, Cape, Am.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Dolichos lignosus</i> h § . . .	Lin.	D. C. II. 397, B. M. 380	Legum.-Papil.	Apr.-May	India.
<i>Doryanthes excelsa</i> 2 . . .	Correa	B. M. 1695	Amaryllideae		New South Wales.
" <i>Guilfoylei</i> 2	Bailey		"		
" <i>Palmeri</i> 2	W. Hill	Benth. VI. 452, B. M. 6665	"		Queensland.
<i>Dorycnium hirsutum</i> h . . .	Ser.	D. C. II. 208, B. M. 336	Legum.-Papil.	June-July	Southern Europe.
" <i>rectum</i> 2	Ser.	D. C. II. 208	"	July-Aug.	Southern Europe.
" <i>suffruticosum</i> h	Vill.	D. C. II. 209	"	May-June	Southern Europe.
<i>Doronicum caucasicum</i> 2 . . .	Bieb.	D. C. VI. 320, B. M. 3143	Compositae		South Eur., Asia min.
" <i>grandiflorum</i> 2	Lam.	D. C. VI. 319	"		Europe.
" <i>Pardalianches</i> 2	Lin.	D. C. VI. 320	"		Europe.
<i>Draba aizoides</i> 2	Lin.	D. C. I. 166	Cruciferae		Europe.
" <i>Aizoon</i> 2	Wahlenb.	D. C. I. 166	"		Europe.
" <i>alpina</i> 2	Lin.	D. C. I. 167	"		Scandinavia.
" <i>fladnizensis</i> 2	Wulf.	D. C. I. 169	"		North. & Arct. region.
" <i>incana</i> ⊙	Lin.	D. C. I. 170	"		N. Eur, N. Am.
" <i>lactea</i> 2	Neilr.	Oestr. Bot. Zeitschr. 1859	"		Europe.
" <i>Loiseleurii</i> 2	Boiss.	Diagn. Sér. II. I. 34	"		Corsica.
" <i>stellata</i> 2	Jacq.	D. C. I. 169	"		North & Arct. region.
<i>Dracaena brasiliensis</i> h . .	Hort.	Schult. Syst. VII. 1676	Liliaceae		Brazil.
" <i>congesta</i> h	Sweet.	Kunth. V. 32	"		New South Wales.
" <i>Draco</i> h	Lin.	Kunth. V. 3, B. M. 4571	"		Canary Isles.
" <i>Hookeriana</i> h	C. Koch.	Wochenschr. IV. 394	"		South Africa.
<i>Dracunculus canariensis</i> 2 .	Kth.	Kth. III. 30	Aroideae		Teneriffe.
" <i>vulgaris</i> 2	Schott	Kunth. III. 29	"		Portgl., Dalm. N., Italy.
<i>Drimiopsis Kirkii</i> 2	Bak.	B. M. 6276	Liliaceae		Zanzibar.
<i>Drimys Winteri</i> h	Forst.	D. C. I. 78, B. M. 4800	Magnoliaceae	Febr.-Apr.	Straits of Magellan.
<i>Dryandra mucronulata</i> h . .	R. Br.	Benth. Fl. Austr. V. 573	Proteaceae	July-Aug.	Australia.
<i>Drypis spinosa</i> 2	Lin.	B. M. 2216, D. C. I. 388	Caryophylleae	April-May	Istria, Italy, Marocco.
<i>Duranta Plumieri</i> h	Jacq.	D. C. XI. 615, Lodd. 280	Verbenaceae	May-Sept.	Cuba, Jamaica.
<i>Dyckia brevifolia</i> 2	Baker	Saund. Ref. bot. 236	Bromeliaceae		Brazil.
" <i>rariflora</i> 2	Schultes	B. M. 3449	"	August	Brazil.
<i>Ebenus cretica</i> h	Lin.	D. C. II. 350, B. M. 1092	Legum.-Papil.	June-Aug.	Crete.
<i>Eccremocarpus scaber</i> ⊙ §	Rz. Pav.	D. C. IX. 238	Bignoniaceae		Chile.
<i>Echeveria amoena</i> 2	L. de Smet	Belg. Hort. (1875) 216	Crassulaceae		Mexico.
" <i>globosa</i> 2	Hort.	Gardn. Chron. VIII. 50	"		Mexico.
" <i>imbricata</i> 2 ×	Deleuil	Gardn. Chron. VIII. 50	"	All the year	Garden origin.
" <i>imbricatissima</i> 2	de Smet	Gardn. Chron. VIII. 50	"	May	Mexico. ?
" <i>pruinosa</i> 2 ×	E. Morr.	Belg. Hortic. (1874) 163	"	Dec. March	Garden origin.
" <i>Scheideckeri</i> 2	de Smet	Rev. Hort. Belg. (1877) 148	"	Oct.-Dec.	?
<i>Echinocactus crispatus</i> h . .	D. C.	D. C. III. 461	Cactaceae		Mexico, Guatemala.
" <i>lamellosus</i> h	A. Dietr.	Allgem. Gartenz. 1847	"		Mexico.
" <i>laticostatus</i> h	E. et Big.	in Pacif. Rail. Rep. IV. 32	"		Mexico.
" <i>Monvillii</i> h	Lem.	Cact. Aliq. Nov. Descr. 14	"		Paraguay.
" <i>obvallatus</i> h	D. C.	D. C. III. 462	"		Mexico.
" <i>Pfeifferi</i> h	Zucc.	Pfeiff. Enum. Diagn. Cact 58	"		Mexico.
" <i>robustus</i> h	hort. berol.	" " " " 60	"		Mexico.
" <i>spiralis</i> h	Karw.	" " " " 60	"		Mexico.
" <i>texensis</i> h	Hopf.	O. u. D., Allg. Gartenz. 1842	"		Texas.
<i>Echinocereus Berlandieri</i> h	Hort.	Rev. Hortic. (1865) 92	"		Texas.
" <i>candicans</i> h	Lem.	Cact. Hort. Dyck. 335	"		Chile.
" <i>cinerascens</i> h	Lem.	Mém. Mus. Par. 1828	"		Mexico.
" <i>cirriferus</i> h	Engelm.	Labour., Cact. 311	"		Mexico.
" <i>Ehrenbergii</i> h	Engelm.	O. u. D., Allg. Gartenz. 1840	"		Mexico.
" <i>glycimorphus</i> h ?			"		?
" <i>pentalophus</i> h	Lem.	Mém. Mus. Par. 1828	"		Mexico.
" <i>Poselgerii</i> h	Lem.	Lem. Cact. 57	"		Mexico.
" <i>Roemerii</i> h	Engelm.	O. u. D. Allg. Gart. 1848	"		?
<i>Echinops Gmelini</i> ⊙	Turcz.	D. C. VI. 527	Compositae		Mongolia.
" <i>Ritro</i> 2	Lin.	D. C. VI. 524, B. M. 932	"	July-Sept.	Southern Europe.
" <i>sphaerocephalus</i> 2	Lin.	D. C. VI. 524	"	July-Sept.	Southern Europe.
<i>Echinops Tourneforti</i> 2 . .	Ledeb.	D. C. VI. 525	Compositae		Transcaucasia.
<i>Echinopsis cristata</i> h . . .	S. Dyck	B. M. 4687	Cactaceae		Bolivia.
" <i>Eyriesii</i> h	Pf. et Otto	B. M. 3411	"	June-Sept.	Mexico.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Echinopsis Lagermannii</i> h	Dietr.		Cactaceae	June	Garden origin.
" <i>Maximiliana</i> h . . .	Heider	O. u. D. Allg. Gart. 1846	"		? Brazil.
" <i>multiflora</i> h	Pf. et Otto	B. M. 3789	"		
" <i>var. cristata</i>			"		
<i>Echium aculeatum</i> h . . .	Poir.	D. C. X. 18	Boragineae	March.-Apr.	Canary Isles.
" <i>Auberianum</i> h	Webb. Berth.	Phyt. Canar. III. 42	"		Canary Isles.
" <i>bifrons</i> h	D. C.	D. C. X. 17	"		Canary Isles.
" <i>Decaisnei</i> h	Webb. Berth.	Phyt. Canar. III. 49	"	Apr.-May	Canary Isles.
" <i>fastuosum</i> h	Jacq.	D. C. X. 16, B. M. 6868	"	Apr.-May	Madeira, Teneriffe.
" <i>giganteum</i> h	Lin.	D. C. X. 18	"		Teneriffe.
" <i>simplex</i> ♂	D. C.	D. C. X. 16	"		Canary Isles.
" <i>tuberculatum</i> ♂	Hoffm. Lk.	D. C. X. 19	"	Apr.-June	South Eur., N. Africa.
<i>Edwardsia chilensis</i> h . .	Miers		Legum.-Papil.		Chile.
" <i>tetraptera</i> h	Poir.	D. C. II. 97, B. M. 167	"		New-Zealand.
<i>Elaeagnus argentea</i> h . .	Pursh	D. C. XIV. 609	Elaeagneae	May	Canada.
" <i>macrophylla</i> h	Thnbg.	D. C. XIV. 614	"	Nov.-Jan.	Japan.
" <i>multiflora</i> h	Thnbg.	D. C. XIV. 614	"		Japan.
" <i>parvifolia</i> h	Royle	D. C. XIV. 612	"	Apr.-May	Japan, China.
" <i>pungens</i> h	Thnbg.	D. C. XIV. 614	"	Apr.-May	Japan.
" <i>reflexa</i> h	Morr. Decne.	D. C. XIV. 612	"	Apr.-May	China.
" <i>songorica</i> h	Fisch.	Bull. Soc. Nat. Mosc. 1867	"	Apr.-May	Northern Asia.
<i>Elaeodendron capense</i> h .	Eckl. Zeyh	B. M. 3835, Fl. Cap. I. 468	Celastrineae	February	Cape.
<i>Encephalartos Altensteinii</i> h	Lehm.	D. C. XVI. 2. 532, B. M. 7162	Cycadeae		South Africa.
" <i>cycadifolius</i> h	Lehm.	D. C. XVI. 2. 531	"		South Africa.
" <i>Lehmannii</i> h	Lehm.	D. C. XVI. 2. 531	"		South Africa.
" <i>villosus</i> h	Lehm.	D. C. XVI. 2. 533, B. M. 6654	"		South Africa.
<i>Entelea arborescens</i> h . .	R. Br.	B. M. 2480, Hook. N.-Zeal. 32	Tiliaceae	June-July	New Zealand.
" <i>palmata</i> h	R. Br.	Harv., Fl. Cap. I. 224	"	July-Sept.	South Africa.
<i>Epacris impressa</i> h	Labill.	D. C. VII. 762, B. M. 3407	Epacrideae		Tasmania.
<i>Ephedra altissima</i> h . . .	Desf.	D. C. XVI. 2. 356	Gnetaceae	Apr.-Sept.	Atlas mountains.
" <i>americana</i> h	H. et B.	D. C. XVI. 2. 354	"		Bolivia.
" <i>distachya</i> h	Lin.	D. C. XVI. 2. 355	"	April	South Eur., N. Afr.
" <i>fragilis</i> h	Desf.	D. C. XVI. 2. 355	"		Medit. region, Arabia
" <i>helvetica</i> h	C. A. Mey.	D. C. XVI. 2. 355	"		Europe, Asia.
<i>Epiphyllum truncatum</i> h .	Haw.	D. C. III. 470, B. M. 2562	Cactaceae	Nov.-Mar.	Brazil.
<i>Eranthis hiemalis</i> ♂	Salisb.	D. C. I. 46, B. M. 3	Ranunculaceae	Febr.-Mar.	Europe.
<i>Epilobium abyssinicum</i> ♂	Hochst.		Onagrarieae	Sept.-Oct.	Abyssinia.
<i>Eremostachys laciniata</i> ♂	Bunge	D. C. XII. 547, B. M. 7048	Labiatae		Orient.
<i>Eremurus Olgae</i> ♂	Rgl.	Gartenflora (1873) 260	Liliaceae		Turkestan.
<i>Erica arborea</i> h	Lin.	D. C. VII. 690	Ericaceae	May	South Europe, Cauc.
" <i>australis</i> h	Lin.	D. C. VII. 666	"	Mar.-June	South Eur., N. Afr.
" <i>baccans</i> h	Lin.	D. C. VII. 656, B. M. 358	"		Cape.
" <i>barbata</i> h	Andr.	D. C. VII. 671	"	Apr.-June	Cape.
" <i>bracteata</i> h	Thnbg.	D. C. VII. 652	"		Cape.
" <i>carnea</i> h	Lin.	D. C. VII. 614	"		Central Europe.
" <i>cerinthoides</i> h	Lin.	B. M. 220	"	Sept.-Nov.	Cape.
" <i>cinerea</i> h	Lin.	D. C. VII. 665	"	June-Aug.	England, W. Germany.
" <i>concinna</i> h	Soland.	D. C. VII. 636	"	May	Cape.
" <i>echiiflora</i> h	Andr.	D. C. VII. 627	"	June-July	Cape.
" <i>gracilis</i> h	Thunbg.	D. C. VII. 670	"	Aug.	Cape.
" <i>imperialis</i> h	Andr.	Col. Heaths IV. 239	"	Mar.-Apr.	Cape.
" <i>mediterranea</i> h	Lin.	D. C. VII. 614, B. M. 471	"	Jan.-Apr.	Mediterranean region.
" <i>multiflora</i> h	Lin.	D. C. VII. 667, Lodd. 1572	"	Oct.-June	South France, Italy.
" <i>polytrichifolia</i> h . . .	Salisb.	D. C. VII. 689	"	July-Aug.	Portugal.
" <i>persoluta</i> h	Lin.	D. C. VII. 678	"	Nov.-May	Cape.
" <i>vagans</i> h	Lin.	D. C. VII. 667	"		Mediterranean region.
" <i>scoparia</i> h	Lin.	D. C. VII. 692	"	June	Southern Europe.
" <i>vestita</i> h	Thunbg.	B. M. 402, Lodd. 55	"	Sept.-Oct.	Cape.
" <i>vulgaris</i> h	Lin.	D. C. VII. 694	"	Aug.-Oct.	Europe.
<i>Erinus alpinus</i> ♂	Lin.	D. C. X. 453, B. M. 310, Lodd. 969	Scrophularineae	Apr.-May	Spain, S. Fr., Switzerl.
<i>Eriobotrya japonica</i> h . .	Lindl.	D. C. II. 631	Rosaceae	Nov.-Dec.	Japan, China.
<i>Eriocephalus africanus</i> h .	Lin.	D. C. VI. 145, B. M. 833	Compositae	Nov.-Mar.	Cape.
<i>Erodium malachoides</i> ♂ .	Willd.	D. C. I. 648	Geraniaceae	Apr.-Sept.	South Eur., N. Africa.
<i>Eryngium alpinum</i> ♂ . . .	Lin.	D. C. IV. 90	Umbelliferae		Europ. Alps.
" <i>amethystinum</i> ♂ . . .	Lin.	D. C. IV. 88	"	July-Sept.	Croatia, Dalmatia.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Eryngium bromeliaefolium</i> 2	Laroche	D. C. IV. 96	Umbelliferae	June-Aug.	Mexico.
" <i>campestre</i> 2	Lin.	D. C. IV. 88	"	June-July	Europe.
" <i>eburneum</i> 2	Decne.	Bull. S. B. Fr. XX. (1873) 23	"		Brazil.
" <i>pandanifolium</i> 2	Cham.	D. C. IV. 95	"	June-Aug.	Brazil.
" <i>Serra</i> 2	Cham.	D. C. IV. 94	"		Brazil.
<i>Erythea edulis</i> h	S. Wats.	Nicholson, Dict. of. Garden.	Palmae		Guadaloupe Isles.
<i>Erythraea Centaurium</i> . (⊙)	Pers.	D. C. IX. 58	Gentianeae	May-Aug.	Europe.
" <i>ramosissima</i> (⊙)	Pers.	D. C. IX. 57	"	May-Aug.	Europe, North. Asia.
<i>Erysimum Perofskianum</i> (⊙)	F. et M.	B. M. 5757	Cruciferae	March-June	Cabul.
<i>Erythrina caffra</i> h	Thunbg.	D. C. II. 412, B. M. 2431	Legum.-Papil.	Aug.-Sept.	South Africa.
" <i>Crista-galli</i> h	Lin.	D. C. II. 413, B. M. 2151	"	Aug.-Sept.	Brazil.
" <i>Corallodendron</i> h	Lin.	D. C. II. 411	"		Caribbean Isles.
" <i>fusca</i> h	Lour.	D. C. II. 413	"		Cochinchina.
<i>Escallonia floribunda</i> h	H. B. K.	D. C. IV. 4, B. M. 6404	Saxifragaceae	Aug.-Sept.	New Granada.
" <i>macrantha</i> h	Hook, Arn.	B. M. 4473	"	Oct.-May	Chiloë Isles.
" <i>montevidensis</i> h	D. C.	D. C. IV. 4	"		Argentina.
" <i>organensis</i> h	Gardn.	B. M. 4274	"		Brazil.
" <i>rubra</i> h	Pers.	D. C. IV. 3., B. M. 2890	"	Nov.-March	Chile.
" <i>virgata</i> h	Pers.	D. C. IV. 3	"		South America.
" <i>viscosa</i> h	Forbes	Steudel, Nomenclator bot.	"		Chile.
<i>Eschscholzia californica</i> (⊙)	Cham.	D. C. II. 344, B. M. 2887	Papaveraceae	March-Sept.	California.
<i>Eucalyptus alpina</i> h	Lindl.	Benth. Fl. Austr. III. 225	Myrtaceae		Victoria.
" <i>amgydalina</i> h	Labill.	Benth. III. 202, B. M. 3260	"		N. S. Wal., Vict., Tasm.
" <i>botryoides</i> h	Sm.	Benth. III. 229	"		Queensl., N. S. W., Vict.
" <i>calophylla</i> h	R. Br.	Benth. III. 255	"		West Australia.
" <i>citriodora</i> h	Hook.	Benth. III. 257	"		Queensland.
" <i>coccifera</i> h	Hook.	Benth. III. 204, B. M. 4637	"		Tasmania.
" <i>cordata</i> h	Labill.	Benth. III. 224	"		Tasmania.
" <i>cornuta</i> h	Labill.	Benth. III. 234, B. M. 6140	"		West Australia.
" <i>corynocalyx</i> h	F. M.	Benth. III. 218	"		South Australia.
" <i>crebra</i> h	F. M.	Benth. III. 221	"		Australia.
" <i>decipiens</i> h	Endl.	Benth. III. 218	"		West Australia.
" <i>diversicolor</i> h	F. M.	Benth. III. 251	"		West Australia.
" <i>drepanophylla</i> h	F. M.	Benth. III. 221	"		North Austr. Queensld.
" <i>eugenioides</i> h	Sieber	Benth. III. 208	"		N. S. Wales, Victoria.
" <i>gigantea</i> h	Dehnh.	Cat. Pl. Hort. Camald. 20	"		Australia.
" <i>ficifolia</i> h	F. M.	Benth. III. 256	"		West Australia.
" <i>Globulus</i> h	Labill.	Benth. III. 225	"		Victoria, Tasmania.
" <i>gomphocephala</i> h	D. C.	Benth. III. 231	"		West Australia.
" <i>goniocalyx</i> h	F. M.	Benth. III. 229	"		N. S. Wales, Victoria.
" <i>Gunnii</i> h	Hook.	Benth. III. 246	"		Victoria, Tasmania.
" <i>haemastoma</i> h	Sm.	Benth. III. 212	"		Queensl., N. S. Wales.
" <i>hemiphloia</i> h	F. M.	Benth. III. 216	"		Queensl., N. S. Wales.
" <i>Lehmanni</i> h	Preiss	Benth. III. 233	"		West Australia.
" <i>leptophleba</i> h	F. M.	Benth. III. 221	"		Queensland.
" <i>longifolia</i> h	Lk. Otto	Benth. III. 226	"		N. S. Wales, Victoria.
" <i>leucoxydon</i> h	F. M.	Benth. III. 209	"		N. S. Wal. Vict. S. Aus.
" <i>macrandra</i> h	F. M.	Benth. III. 235	"		West Australia.
" <i>marginata</i> h	Sm.	Benth. III. 209	"		West Australia.
" <i>macrorhyncha</i> h	F. M.	Benth. III. 207	"		Victoria.
" <i>megacarpa</i> h	F. M.	Benth. III. 232	"		West Australia.
" <i>meliadora</i> h	A. Cunn.	Benth. III. 210	"		N. S. Wales, Victoria.
" <i>microtheca</i> h	F. M.	Benth. III. 223	"		Australia.
" <i>obliqua</i> h	l'Hérit.	Benth. III. 204	"		Australia.
" <i>obtusiflora</i> h	D. C.	Benth. III. 205	"		New South Wales.
" <i>occidentalis</i> h	Endl.	Benth. III. 235	"		West Australia.
" <i>oleosa</i> h	F. M.	Benth. III. 248	"		Australia.
" <i>pendula</i> h	A. Cunn.	Benth. III. 215	"		Australia.
" <i>Planchoniana</i> h	F. M.	Fragm. VI. 43	"		Australia.
" <i>polyanthemus</i> h	Schau.	Benth. III. 213	"		Australia.
" <i>punctata</i> h	D. C.	Prod. III. 217	"		Australia.
" <i>resinifera</i> h	Sm.	Benth. III. 245	"		Queensld., N. S. Wales.
" <i>Risdoni</i> h	Hook.	Benth. III. 203	"		Tasmania.
" <i>robusta</i> h	Sm.	Benth. III. 228	"		New South Wales.
" <i>rudis</i> h	Endl.	Benth. III. 244	"		West Australia.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Eucalyptus tereticornis</i> h.	Sm.	Benth. III. 241	Myrtaceae		Australia.
„ <i>tetraptera</i> h.	Turcz.	Benth. III. 228	„		West Australia.
„ <i>urnigera</i> h.	Hook.	Benth. III. 227	„		Tasmania.
„ <i>viminialis</i> h.	Labill.	Benth. III. 239	„		Australia.
<i>Eucomis undulata</i> 2.	Ait.	B. M. 1083	Liliaceae	June-Sept.	Cape.
<i>Eucryphia Billardieri</i> h.	Spach	Benth. II. 446	Rosaceae		Australia.
„ <i>pinnatifolia</i> h.	C. Gay	Fl. Chil. I., B. M. 7067	„		Chile.
<i>Eugenia australis</i> h.	Wendl.	D. C. III. 287, B. M. 2230	Myrtaceae	June-Sept.	Australia.
„ <i>dysenterica</i> h.	D. C.	D. C. III. 268	„		Brazil.
„ <i>Jambos</i> h.	Lin.	D. C. III. 286, B. M. 3356, 1696	„		India.
„ <i>littoralis</i> h.	Panch.	Bull. Soc. Bot. Fr. XII. 178	„		New Caledonia.
„ <i>magnifica</i> h.			„		
„ <i>Michellii</i> h.	Lam.	D. C. III. 263	„	June-July	Brazil.
„ <i>robusta</i> h.	Berg	D. C. III. 281	„	March-Apr.	Brazil.
„ <i>Ugni</i> h.	Hook. Arn.	B. M. 4626	„	March-Apr.	Chile.
„ <i>Veitchii</i> h.			„		
<i>Eupatorium adenophorum</i> 2.	Spreng.	D. C. V. 165	Compositae		Jamaica, Mexico.
„ <i>aromaticum</i> 2.	Lin.	D. C. V. 175	„		North America.
„ <i>cannabinum</i> 2.	Lin.	D. C. V. 180	„		Europe, Caucasus.
„ <i>grandiflorum</i> 2.	Hook.	Rev. horticol. (1882) 384	„		Western North Amer.
„ <i>Morisii</i> 2.	Vis.	Ort. Bot. Padov. (1842) 80	„	Nov.-May	?
„ <i>riparium</i> 2.	Rgl.	Gartenflora (1866) 525	„		Mexico.
<i>Euphorbia abyssinica</i> h.	Raeusch.	D. C. XV. 2. 84	Euphorbiaceae	March	Abyssinia.
„ <i>anacantha</i> h.	Ait.	Hort. Kew. ed. I. II. 136	„		South Africa.
„ <i>atropurpurea</i> h.	Brouss.	B. M. 3321	„		Teneriffe.
„ <i>Berthelotii</i> h.	Bolle	D. C. XV. 2. 109	„		Canary Jsles.
„ <i>biglandulosa</i> 2.	Desf.	D. C. XV. 2. 175	„	Febr.-March	Calabria, Greece.
„ <i>canariensis</i> h.	Lin.	D. C. XV. 2. 83	„	March-May	Canary Jsles.
„ <i>ceratocarpa</i> h.	Ten.	D. C. XV. 2. 122	„	May-July	South Italy.
„ <i>cereiformis</i> h.	Lin.	D. C. XV. 2. 88	„	May-June	Cape.
„ <i>Chamaesyce</i> ①.	Lin.	D. C. XV. 2. 34	„	July-Sept.	South Europe.
„ <i>Characias</i> 2.	Lin.	D. C. XV. 2. 172	„	Febr.-Apr.	Mediterranean region.
„ <i>clandestina</i> 2.	Jacq.	D. C. XV. 2. 92, Jacq. H. Sch. 484	„	Sept.-Dec.	Cape.
„ <i>dendroides</i> h.	Lin.	D. C. XV. 2. 109	„	Nov.-May	Mediterranean region.
„ <i>exigua</i> ①.	Lin.	D. C. XV. 2. 139	„	June-Aug.	Europe.
„ <i>falcata</i> ①.	Lin.	D. C. XV. 2. 140	„	All the year	Europe.
„ <i>globosa</i> h.	Sims	D. C. XV. 2. 87, B. M. 2624	„	May-June	Cape.
„ <i>lactea</i> h.	Haw.	Syn. Pl. Succ. 127	„		East India.
„ <i>Lathyris</i> ②.	Lin.	D. C. XV. 2. 99	„	June-Aug.	Italy.
„ <i>mammillaris</i> h.	Lin.	D. C. XV. 2. 88	„	May-June	Cape.
„ <i>Myrsinites</i> 2.	Lin.	D. C. XV. 2. 173	„	March-May	East. S. Europe
„ <i>neriifolia</i> h.	Lin.	D. C. XV. 2. 79	„	March-Apr.	India.
„ <i>oblongata</i> 2.	Grieseb.	D. C. XV. 2. 126	„		Greece.
„ <i>officinarum</i> h.	Lin.	D. C. XV. 2. 84	„	March-Apr.	Abyssinia.
„ <i>Ornithopus</i> h.	Jacq.	D. C. XV. 2. 87	„	Nov.-Dec.	Cape.
„ <i>Paralias</i> 2.	Lin.	D. C. XV. 2. 167	„	May-July	Mediterranean region.
„ <i>pendula</i> h.	D. C.	D. C. XV. 2. 76	„		Cape ?
„ <i>Peplis</i> ①.	Lin.	D. C. XV. 2. 27	„	May-Sept.	South Europe, Engl.
„ <i>Peplus</i> ①.	Lin.	D. C. XV. 2. 141	„	All the year	Europe, North. Asia.
„ <i>Regis-Jubae</i> h.	Webb. Berth.	D. C. XV. 2. 109	„	Nov.-May	Teneriffe.
„ <i>resinifera</i> h.	Berg	u. Schmidt, offic. Cewächse	„		Marocco.
„ <i>rhipsaloides</i> h.	Lem.	D. C. XV. 2. 96	„	Apr.-May	Zanzibar.
„ <i>Schimperiana</i> h.	Hochst.	A. Rich. Tent. Fl. Abys. II.	„	Sept.-Oct.	Abyssinia.
„ <i>segetalis</i> 2.	Lin.	D. C. XV. 2. 145	„	March-Apr.	South Europe.
„ <i>serrata</i> 2.	Lin.	D. C. XV. 2. 111	„	Apr.-May	South Europe, N. Afr.
„ <i>spinosa</i> h.	Lin.	D. C. XV. 2. 131	„	March-May	South Europe.
„ <i>splendens</i> h.	Bojer	D. C. XV. 2. 79, B. M. 2902	„	All the year	Madagascar, Maurit.
„ <i>verrucosa</i> 2.	Lam.	D. C. XV. 2. 129	„	May-June	South Europe.
„ <i>virosa</i> h.	Willd.	D. C. XV. 2. 83	„		Cape.
<i>Euryops spathaceus</i> h.	D. C.	D. C. VI. 446	Compositae	Nov. March	Cape.
„ <i>virginicus</i> h.	Less.	D. C. VI. 445, Lodd. 728	„	March-Apr.	Cape.
<i>Eustrephus latifolius</i> 2.	R. Br.	Bentham VII. 18	Liliaceae	June-July	Australia.
„ var. <i>angustifolius</i> 2.		Bentham VII. 18	„		Australia.
<i>Evonymus fimbriatus</i> h.	Wall.	Roxb. Fl. Jnd. II. 408	Celastrineae	Nov.-Dec.	Himalaya.
„ <i>japonicus</i> h.	Thunbg.	D. C. II. 1	„	May	Japan.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Fabiana imbricata</i> h . . .	Rz. Pav.	D. C. XIII. 1. 590	Solanaceae	Apr.-June	Chile.
<i>Fabricia laevigata</i>	Gaertn.		Myrtaceae		Australia.
<i>see Leptospermum laevig.</i>					
<i>Farfugium grande</i> 2l . . .	Lindl.	D. C. VI. 363, B. M. 5302	Compositae	March-Apr.	Japan.
<i>Fatsia japonica</i> h	Decne. Pl.	Rev. Hort. (1854) 105	Araliaceae	Oct.-Dec.	Japan.
<i>syn. Aralia Sieboldii</i> . .	Hort.	C. Koch, Dendrologie I. 678	"		
<i>papyrifera</i> h	Benth. Hook.	B. M. 4897	"	Oct.-Dec.	China.
<i>syn. Aralia papyrifera</i> .	Hook.	Kew. Journ. IV. (1852) 50	"		
<i>Fedia Cornucopiae</i> ⊙ . . .	Gaertn.	D. C. IV. 630	Valerianeae	May-July	South Europe, N. Afr.
<i>Feronia gabonensis</i> h . .	Hort. Par.		Rutaceae		Gaboon.
<i>Ferdinanda eminens</i> h . .	Lag.	D. C. V. 553	Compositae	Apr.-June	Mexico.
<i>Ferula communis</i> 2l . . .	Lin.	D. C. IV. 172	Umbelliferae	Apr.-June	Mediterranean region
<i>Erythraeae</i> 2l			"		
<i>geniculata</i> 2l	Guss.	D. C. IV. 171	"	May-June	Italy, Sicily.
<i>glauca</i> 2l	Lin.	D. C. IV. 172	"	May-June	Italy, South. France.
<i>Jaeschkeana</i> 2l	Vatke	Sem. Hort. Ber. (1876) App. 2	"		Himalaya, Turkestan.
<i>tingitana</i> 2l	Lin.	D. C. IV. 173, B. M. 7267	"		North Africa.
<i>orientalis</i> 2l	Lin.	D. C. IV. 173	"		As. Min., Greece.
<i>Ficus Carica</i> h	Lin.	Sp. Plant. 1059	Urticaceae		South Eur., Or., N. Afr.
<i>elastica</i> h	Roxb.	Hort. Bengal. 65	"		Tropical Asia.
<i>glumosa</i> h	Delile	Cent. Pl. Méroé 63	"		Abyssinia.
<i>laevigata</i> h	Vahl	Enum. II. 183	"		West Indies.
<i>macrocarpa</i> h	Blume	Bijdr. 459	"		Malaya.
<i>macrophylla</i> h	Desf.	Tabl. ed. I. 209	"		Australia.
<i>Porteana</i> h	Rgl.	Gartenflora (1862) 280	"		Mexico.
<i>Roxburghii</i> h	Wall.	Cat. n. 4508	"		Himalaya, Burma.
<i>rubiginosa</i> h	Desf.	B. M. 2939	"		Australia.
<i>scabrifolia</i> h	A. Rich.	Sert. Astrol. t. 17	"		Australia.
<i>stipulata</i> h	Thunbg.	B. M. 6657	"		Japan, China.
<i>Foeniculum piperitum</i> 2l .	Sweet	D. C. IV. 142	Umbelliferae	July-Sept.	South Europe.
<i>Fontanesia phillyraeoides</i> h	Labill.	D. C. VIII. 281	Oleaceae	May	Syria.
<i>Forsythia suspensa</i> h . . .	Vahl	B. M. 4995	"		Japan, China.
<i>viridissima</i> h	Lindl.	B. M. 4587	"		China.
<i>Fouquieria spec.</i> h			Tamariscineae		Mexico.
<i>Fourcroya Bedinghausii</i> . .	C. Koch	B. M. 7170	Amaryllideae	July 1895	Mexico.
<i>cubensis</i>	Vent.	B. M. 6543, Kunth V. 842	"		Cuba, Brazil.
<i>var. Lindenii</i>	Jacobi		"		
<i>elegans</i>	Tod.	Hort. Panorm. 4	"		Mexico.
<i>gigantea</i>	Vent.	B. M. 2250	"		South America.
<i>pubescens</i>	Tod.	B. M. 7250, Bak. Amaryll.	"		Mexico.
<i>Fragaria indica</i> 2l	Andr.	D. C. II. 571	Rosaceae		Nepal.
<i>Franciscea eximea</i> h . . .	Scheidw.	B. M. 4790	Solanaceae	Aug.-Sept.	Brazil.
<i>Francoa appendiculata</i> 2l	Cav.	D. C. VIII. 777, B. M. 3178	Saxifrageae	June-Aug.	Chile.
<i>Fraxinus Ornus</i> h	Lin.	D. C. VIII. 274	Oleaceae	Apr.-May	Southern Europe.
<i>xanthoxyloides</i> h . . .	Wall.	D. C. VIII. 275	"		East India.
<i>Freesia refracta</i> 2l	Klatt	Linnaea (1865-66) 672	Jrideae	March-May	South Africa.
<i>xanthospila</i> 2l	Klatt	" " "	"	March-May	South Africa.
<i>Fremontia californica</i> . . .	Torr.	B. M. 5591	Sterculiaceae		California.
<i>Frenela australis</i> h	R. Br.	D. C. XVI. 2. 450	Coniferae		Tasmania.
<i>Fritillaria involucrata</i> 2l .	All.	Flora Pedem. 34	Liliaceae		Italy.
<i>latifolia</i> 2l	Willd.	B. M. 853, 1538, 1207	"		Caucas., Persia.
<i>lutea</i> 2l	Mill.	B. M. 7374	"		Asia min., Caucasus.
<i>pallidiflora</i> 2l	Schrenk	B. M. 6725	"		Siberia.
<i>pyrenaica</i> 2l	Lin.	B. M. 952, 1216	"		Pyrenees.
<i>tubaeformis</i> 2l	Gren. Godr.	Flore de France	"		South Europe.
<i>armena</i> 2l	Boiss.	B. M. 6365	"		Armenia.
<i>Freylinia cestroides</i> h . . .	Colla	D. C. 333	Scrophularineae	Sept.-Aug.	Cape.
<i>Fuchsia affinis</i> h	Cambess.	St. Hil., Fl. Bras. Mer. II. 274	Onagrarieae	Nov.-March	Brazil.
<i>arborescens</i> h	Sims	D. C. III. 37, B. M. 2620	"	March-June	Mexico.
<i>boliviana</i> h	Carr.	Rev. Hort. (1876) 150	"	March-Aug.	Bolivia.
<i>corymbiflora</i> h	Rz. Pav.	B. M. 4000	"	Aug.-Dec.	Peru.
<i>macrostemma</i> h	Rz. Pav.	B. M. 2507	"		Mexico, Chile.
<i>globosa</i> h	Lindl.	B. M. 3364	"	All the year	Chile.
<i>procumbens</i> 2l	R. Cunn.	B. M. 6139	"	June-Aug.	New Zealand.
<i>splendens</i> h	Zucc.	B. M. 4082	"	June-July	Mexico.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Fumaria capreolata</i> ♂ . . .	Lin.	D. C. I. 130	Papaveraceae	Apr.-July	East. and South. Eur.
" <i>major</i> ♂	Bad.	Ardoino, Fl. Alp. marit.	"	Apr.-July	Liguria.
" <i>officinalis</i> ♂	Lin.	D. C. I. 130	"	Apr.-July	World wide Eur.
" <i>parviflora</i> ♂	Lin.	D. C. I. 130	"	Apr.-July	South. Eur., Egypt.
<i>Funkia Sieboldiana</i> ♀ . . .	Hook.	B. M. 3663	Liliaceae	May	Japan.
<i>Galanthus nivalis</i> ♀	Lin.	Kunth V. 470	Amaryllideae	Febr.-March	Centr. and South. Eur.
<i>Galega officinalis</i> ♀	Lin.	D. C. II. 248	Legum.-Papil.	Aug.-Sept.	South Eur., North. Afr.
<i>Galphimia glauca</i> h	Cav.	D. C. I. 582	Malpighiaceae	Oct.	Mexico.
<i>Gardenia citriodora</i> h . . .	Hook.	B. M. 4987	Rubiaceae	June	Natal.
" <i>jasminoides</i> h	Ellis	D. C. IV. 379	"	May-Oct.	China.
" <i>Fhunbergia</i> h	Lin.	D. C. IV. 382, B. M. 1004	"		Cape.
<i>Garrya Fadyena</i> h	Hook.	D. C. XVI. 1. 488	Cornaceae	Oct.-Dec.	Jamaica.
<i>Garuleum viscosum</i> ♀ . . .	Cass.	D. C. V. 309	Compositae	May-July	Cape.
<i>Gasteria acinacifolia</i> ♀ . .	Haw.	Bak. Yucc. and. Aloin. 196	Liliaceae		Cape.
" <i>brevifolia</i> ♀	Haw.	" " 186	"		Cape.
" <i>decipiens</i>	Haw.	" " 192	"		Cape.
" <i>disticha</i> ♀	Haw.	" " 186	"		Cape.
" <i>maculata</i> ♀	Haw.	" " 191, B. M. 979	"		Cape.
" <i>trigona</i> ♀	Haw.	" " 194	"		Cape.
" <i>verrucosa</i> ♀	Haw.	" " 184, B. M. 837	"		Cape.
<i>Gastonia palmata</i> h	Roxb.	D. C. IV. 256, B. M. 7008	Araliaceae		E. Ind., Burma
<i>Gazania longiscapa</i> h . . .	D. C.	D. C. VI. 513	Compositae	Oct.-May	Cape.
" <i>ringens</i> ♀	Mönch	D. C. VI. 510, B. M. 90	"	Narch-May	Cape.
" <i>splendens</i> ♀ ×	Hort. Angl.	Lem. Jll. Hort. VII. 235	"		Garden origin.
<i>Gelsemium sempervirens</i> h §	Ait.	D. C. IX. 24	Loganiaceae		South. Stat. of N. Am.
<i>Geblera suffruticosa</i> h . .	F. et. M.	D. C. XV. 2. 446	Euphorbiaceae	Apr.-Sept.	Centr. Asia
<i>Geissorhiza ciliaris</i> ♀ . . .	Ker-Gawl	B. M. 672	Irideae		Cape.
<i>Genista anxantica</i> h	Ten.	D. C. II. 150	Legum.-Papil.		Italy.
" <i>candicans</i> h	Lin.	D. C. II. 145	"		Southern Europe.
" <i>canariensis</i> h	Lin.	D. C. II. 145	"		Canary Islds.
" <i>ephedroides</i> h	D. C.	D. C. II. 147	"		Sardinia.
" <i>eriocarpa</i> h	Kunze	Flora XXIX. 1846	"	Apr.-June	Spain.
" <i>ferox</i> h	Poir.	D. C. II. 147	"		Northern Africa.
" <i>florida</i> h	Lin.	D. C. II. 151	"	March-May	Spain.
" <i>linifolia</i> h	Lin.	D. C. II. 146, B. M. 442	"	Apr.-May	Mediterranean region.
" <i>maderensis</i> h	Lowe	Man. Fl. Mad. I. 123	"	Apr.-May	Madeira.
" <i>mantica</i> h	Poll.	D. C. II. 151	"		Italy.
" <i>monosperma</i> h	Lam.	D. C. II. 150, B. M. 683	"	May-June	Portgl., Spain, N. Afr.
" <i>multibracteata</i> h	Tausch.	Flora (1898) I. Beibl. 78	"	Apr.-May	?
" <i>ovata</i> h	W. et K.	D. C. II. 151	"		Slavonia, North. Italy.
" <i>polygalaefolia</i> h	D. C.	D. C. II. 151	"		Portugal.
" <i>radiata</i> h	Scop.	D. C. II. 146	"		Italy, South. Austria.
" <i>Raetam</i> h	Forsk.	Fl. Aegypt. Arab. 214	"		Eastern Mediterr.
" <i>sagittalis</i> h	Lin.	D. C. II. 151	"		Europe.
" <i>scoparia</i> h	Lam.	D. C. II. 154	"	Apr.-May	Western Europe.
" <i>var. Andraeana</i>			"	July-Aug.	Landes
" <i>Scorpius</i> h	D. C.	D. C. II. 148	"		South. Eur., N. Afr.
" <i>sphaerocarpa</i> h	Lam.	D. C. II. 150	"		South. Eur., N. Afr.
" <i>tinctoria</i> h	Lin.	D. C. II. 151	"		Europe.
" <i>tricuspidata</i> h	Desf.	D. C. II. 148	"	May-July	Algiers.
" <i>virgata</i> h	Lin.	D. C. II. 149	"	May	Madeira.
<i>Gentiana acaulis</i> ♀	Lin.	D. C. IX. 115, B. M. 52	Gentianeae		European Alps.
" <i>alba</i> ♀	Muhl.	Cat. ed. II. 29	"		North America.
" <i>brevidentis</i> ♀	Fr. et Sav.	Enum. Pl. Jap. I. 325	"		Japan.
" <i>Burseri</i> ♀	Lap.	D. C. IX. 116	"		Pyrenees.
" <i>Cruciata</i> ♀	Lin.	D. C. IX. 118	"		Europe, North. Asia.
" <i>decumbens</i> ♀	Lin.	D. C. IX. 110, B. M. 705, 723	"		Siberia, Altai mts.
" <i>Fetisowii</i> ♀	Rgl. Winkl.	in Gartenflora (1882) 3	"		Turkestan
" <i>Kesselringi</i> ♀	Rgl.	Act. Hort. Petrop. (1880) 548	"		Turkestan
" <i>Kurroo</i> ♀	Royle	D. C. IX. 110, B. M. 6470	"		Himalaya region.
" <i>lutea</i> ♀	Lin.	D. C. IX. 86	"		Europe
" <i>tibetica</i> ♀	King.		"		Himalaya, China
" <i>verna</i> ♀	Lin.	D. C. IX. 103, B. M. 491	"		Europe.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Gentiana macrophylla</i> 2.	Pall.	D. C. IX. 118, B. M. 1414	Gentianeae		Siberia.
" <i>phlogifolia</i> 2.	Schott	& Kotschy in Bot. Zeitsch. (1851) 151	"		Transylvania.
" <i>Przewalskyi</i> 2.	Maxim.	Bull. Acad. Petrop. (1881) 502	"		China.
" <i>Saponaria</i> 2.	Lin.	D. C. IX. 113, B. M. 1039	"		North America.
" <i>tianschanica</i> 2.	Rupr.	Sert. Tiansch. 61	"		Central Asia.
" <i>Walujewi</i> 2.	Rgl.	Act. Hort. Petrop. (1879) 334	"		Turkestan.
<i>Geranium argenteum</i> 2.	Lin.	D. C. I. 640, B. M. 504	Geraniaceae		Alps.
" <i>albanum</i> 2.	Bieb.	D. C. I. 643	"		Caucasus, Persia
" <i>canariense</i> 2.	Reut.	Linnaea (1857-58) 722	"		Teneriffe.
" <i>Loweii</i> 2.	Reut.		"		Madeira.
" <i>macrorrhizum</i> 2.	Lin.	D. C. I. 640, B. M. 2420	"	July-Aug.	South Europe.
" <i>nodosum</i> 2.	Lin.	D. C. I. 640	"	May-July	England, France, Italy.
" <i>phaeum</i> 2.	Lin.	D. C. I. 641	"	May-July	Europe.
" <i>pyrenaicum</i> 2.	Burm.	D. C. I. 643	"	May-July	West Europe.
" <i>rivulare</i> 2.	Vill.	D. C. I. 642	"		Delphinatus, Switzerl.
" <i>sanguineum</i> 2.	Lin.	D. C. I. 639	"	May-July	Europe.
" <i>Wallichianum</i> 2.	D. Don.	D. C. I. 641, B. M. 2377	"	July-Sept.	Nepal.
<i>Gerbera Anandria</i> 2.	Sch. Bip.	Flora (1844) 782	Compositae		Siberia, Japan.
" <i>Jamesoni</i> 2.	Bolus	B. M. 7087	"	Febr.-Sept.	Transvaal.
" <i>Kunzeana</i> 2.	A. Br.	Cat. Sem. H. Berol. 1871, App. 3	"		Himalaya region.
" <i>lanuginosa</i> 2.	Sch. Bip.	in Flora (1844) 780	"		Himalaya region.
" <i>nivea</i> 2.	Sch. Bip.	Flora (1844) 780	"		Himalaya region.
<i>Ginkgo biloba</i> h.	Lin.	D. C. XVI. 2. 507	Coniferae		China, Japan.
<i>Geum album</i> 2.	L. F. Gmel.	D. C. II. 550	Rosaceae		North America.
" <i>chiloense</i> 2.	Balb.	D. C. II. 551	"		Chili, Chiloë Isld.
" <i>Heldreichii</i> 2.	Boiss.		"		Greece.
" <i>intermedium</i> 2.			"		
" <i>molle</i> 2.	Vis. & Panc	in Mem. Ist. Venet. (1861) 429	"		Servia.
" <i>montanum</i> 2.	Lin.	D. C. II. 553	"		Europe.
" <i>rhaeticum</i> 2. X.	Brügg.	Jahresb. Naturf. Ges. Graub. 1882	"		Europe.
<i>Gevuina Avellana</i> h.	Mol.	D. C. XIV. 347	Proteaceae		Chile.
<i>Gladiolus gandavensis</i> X 2.	Houtte	Flore des Serres 1846	Irideae		Garden origin.
" <i>Colvillei</i> 2. X.	Sweet	Brit. Flow. Gard. 155	"	Apr.-June	Garden origin.
" <i>grandis</i> 2.	Thunbg.	Prod. Pl. Cap. 185	"		Cape.
" <i>Leichtlini</i> 2.			"		
" <i>oppositiflorus</i> 2.	Herb.	B. M. 7292	"		Madagascar.
" <i>psittacinus</i> 2.	Hook.	B. M. 3032	"		Cape.
" <i>Saundersii</i> 2.	Hook.	B. M. 5873	"		South Africa
" <i>segetum</i> 2.	Ker-Gawl.	B. M. 719	"	Apr.-May	Mediterranean region.
" <i>tristis</i> 2.	Lin.	B. M. 272	"	March-Apr.	Cape.
<i>Glaucium flavum</i> 2.	Crantz.	D. C. I. 122	Papaveraceae	June-Sept.	Mediterranean region.
<i>Gleditschia caspica</i> h.	Desf.	D. C. II. 479	Legum.-Caesalp.	May-June	Caspian sea.
" <i>ferox</i> h.	Desf.	D. C. II. 479	"		?
" <i>monosperma</i> h.	Walt.	D. C. II. 479	"		Carol., Flor., Illinois.
" <i>triacanthos</i> h.	Lin.	D. C. II. 479	"		Virginia, Carolina.
<i>Globularia alypum</i> h.	Lin.	D. C. XII. 613	Selagineae	Winter mths.	South. Eur., N. Afr.
" <i>cordifolia</i> h.	Lin.		"	July-Aug.	
" <i>salicina</i> h.	Lam.	D. C. XII. 614	"	Sept.-Nov.	Canary Jslds.
" <i>vulgaris</i> 2.	Lin.	D. C. XII. 611, Lodd. 1888	"	May-June	Europe.
<i>Globulea canescens</i> h.	Haw.	Harv. Fl. Cap. II. 363	Crassulaceae	June-July	Cape.
<i>Gloriosa abyssinica</i> 2.	A. Rich.	B. M. 4938	Liliaceae		Abyssinia.
<i>Glycyrrhiza glabra</i> h.	Lin.	D. C. II. 247	Legum.-Papil.	June	Southern Europe.
" <i>echinata</i> h.	Lin.	D. C. II. 248	"	June-July	Apulia, Tatory.
<i>Gonolobus obliquus</i> 2.	R. Br.	Mem. Wern. Soc. (1809) 35	Asclepiadeae		North America.
<i>Goldfussia isophylla</i> h.	Nees.	B. M. 4363	Acanthaceae	Apr.-May	East Indias.
<i>Gomphocarpus fruticosus</i> h.	R. Br.	D. C. VIII. 557	Asclepiadeae	July-Aug.	Riviera, Arabia.
" <i>physocarpus</i> h.	E. Mey.	D. C. VIII. 558	"		Cape.
<i>Gnidia carinata</i> h.	Thunbg.	D. C. XIV. 588, B. M. 1463	Thymelaeaceae	Apr.-May	Cape.
<i>Gonospermum fruticosum</i> h.	Less.	D. C. VI. 84	Compositae		Palma Isld.
<i>Goodia lotifolia</i> h.	Salisb.	D. C. II. 117, B. M. 958	Legum.-Papil.	March.	Tasmania.
<i>Gossypium herbaceum</i> 2.	Lin.	D. C. I. 456	Malvaceae	July-Aug.	East India.
<i>Grevillea Banksii</i> h.	R. Br.	Benth. Fl. Austr. V. 434	Proteaceae		Queensland.
" <i>buxifolia</i> h.	R. Br.	Benth. Fl. Austr. V. 464, Lodd. 1562	"		New South Wales.
" <i>glabrata</i> h.	Meissn.	Benth. V. 486	"		Swan River (Austral.)
" <i>Hilliana</i> h.	F. M.	Benth. V. 463	"	July-Aug.	Queensl., N. S. Wales.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Grevillea longifolia</i> h . . .	R. Br.	Benth. V. 435	Proteaceae	Dec.-May	New South Wales.
" <i>robusta</i> h	A. Cunn.	Benth. V. 459, B. M. 3184	"	Aug.-Oct.	Queensld., N. S. Wales.
" <i>rosmarinifolia</i> h . . .	A. Cunn.	Benth. V. 445, B. M. 5971	"		Cox River (Austral.).
" <i>tridentifera</i> h	Meissn.	Benth. V. 448	"		Swan River (Austr.).
" <i>vestita</i> h	Meissn.	Benth. V. 488	"		West Australia.
<i>Grevia flava</i> h	D. C.	D. C. I. 509	Tiliaceae		South Africa.
" <i>oppositifolia</i> h . . .	Buch-Ham.	D. C. I. 509	"		Nepal.
" <i>occidentalis</i> h	Lin.	Harv. Fl. Cap. I. 225, B. M. 423	"	July-Aug.	Cape.
<i>Greya Sutherlandii</i> h . . .	Hook. Harv.	B. M. 6040	Sapindaceae	March	Natal.
<i>Gunnera chilensis</i> 2 . . .	Lam.	D. C. XVI. 2. 598	Haloragaceae		Chile.
<i>Gynerium argenteum</i> 2 . .	Nees.	Kunth. I. 248	Gramineae	Sept.	Argentina.
" var. <i>violaceum</i> 2 . .			"		
<i>Gymnocladus canadensis</i> h	Lam.	D. C. II. 480	Legum.-Caesalp.		North America.
<i>Gymnogramme javanica</i> 2	Blume.	Hook. Syn. Filicum 381	Filices		India, Jap., Ceyl., Afr.
<i>Haemanthus abyssinicus</i> 2	Herb.	B. M. 961, 1995	Amarylloideae		South Africa.
" syn. <i>multiflorus</i> . . .	Martyn.		"		
" <i>coccineus</i> 2	Lin.	B. M. 1075, Lodd. 240	"	Sept.-Oct.	Cape.
" <i>natalensis</i> 2	Hook.	B. M. 5378	"		Natal.
<i>Habenaria conopsea</i> 2 . . .	Benth.	Barla, Orchid. de Nice	Orchideae		Europe, North. Asia.
" <i>nigra</i> 2	B. Br.	" "	"		Europe.
<i>Hablitzia tamnoides</i> 2 . . .	Bieb.	D. C. XIII. 2. 254	Chenopodiaceae		Caucasus.
<i>Hakea acicularis</i> h	R. Br.	Benth. V. 514	Proteaceae	Nov.-Dec.	N. S. Wal., Vict., Tasm.
" <i>Baxteri</i> h	R. Br.	Benth. V. 501	"	June-July	West Australia.
" <i>carinata</i> h	F. M.	Benth. V. 524	"		South Australia.
" <i>dactyloides</i> h	Cav.	Benth. V. 524	"		New South Wales.
" <i>elliptica</i> h	R. Br.	Benth. V. 523	"		West Australia.
" <i>eucalyptoides</i> h	Meissn.	Benth. V. 518, B. M. 7127	"	Oct.-Febr.	West Australia.
" <i>longifolia</i> h	Dum-Cours	Benth. V. 495	"	March	North Australia.
" <i>multilineata</i> h	Meissn.	Benth. V. 518	"		South and West Austr.
" <i>nitida</i> h	R. Br.	Benth. V. 530	"		West Australia.
" <i>oleifolia</i> h	R. Br.	Benth. V. 527	"		West Australia.
" <i>pugioniformis</i> h	Cav.	Benth. V. 506	"		N. S. Wales, Vict., Tas.
" <i>repanda</i> h	R. Br.	Benth. V. 522, B. M. 3424	"		West Australia.
" <i>saligna</i> h	Knight	Benth. V. 512	"		Queensl., N. S. Wales.
" <i>suaveolens</i> h	R. Br.	Benth. V. 531	"		West Australia.
" <i>subulata</i> h	A. Cunn.	Benth. V. 495	"		?
<i>Halleria lucida</i> h	Lin.	D. C. X. 301, B. M. 1744	Scrophularineae	All the year	South Africa.
<i>Haloragis capensis</i> h . . .	Nois.	D. C. III. 67	Haloragaceae		Cape.
<i>Haplocarpha Leichtlini</i> 2 .	N. E. Br.	Gardn. Chron. (1883)	Compositae	Aug.-Sept.	South Africa. ?
" <i>scaposa</i> 2	Harv.	Flora capensis III. 465	"		Kaffaria, Natal.
<i>Hardenbergia Comptoni-</i>					
ana h §	Benth.	D. C. II. 383, Benth. II. 247	Legum.-Papil.	March-Apr.	West Australia.
" var. <i>lucida</i>			"	March-Apr.	
" <i>monophylla</i> h	Benth.	Benth. II. 246, B. M. 263, 2169	"	March-Apr.	Australia.
<i>Haworthia attenuata</i> 2 . .	Haw.	Baker. Aloin. Yucc. 203, B. M. 1345	Liliaceae	Summer	Cape.
" var. <i>clariperla</i> 2 . . .	Haw.	" " 204	"	"	"
" <i>coarctata</i> 2	Haw.	" " 202	"	"	"
" <i>cymbiformis</i> 2	Haw.	" " 209, B. M. 802	"	"	"
" <i>fasciata</i> 2	Haw.	" " 204	"	"	"
" <i>glabrata</i> 2	Baker	" " 206	"	"	"
" <i>margaritifera</i> 2	Haw.	" " 204	"	"	"
" var. <i>granata</i> h 2 . . .	Haw.	" " 205, B. M. 1360	"	"	"
" <i>mirabilis</i> 2	Haw.	" " 212, B. M. 1354	"	"	"
" <i>nigra</i> 2	Baker	" " 203	"	"	"
" <i>Radula</i> 2	Haw.	" " 206, Jacq. H. Sch. 422	"	"	"
" <i>Reinwardti</i> 2	Haw.	" " 202	"	"	"
" <i>reticulata</i> 2	Haw.	" " 210, Lodd. 1354	"	"	"
" <i>retusa</i> 2	Haw.	" " 208, B. M. 455	"	"	"
" <i>rigida</i> 2	Haw.	" " 203, Lodd. 1430	"	"	"
" <i>tortuosa</i> 2	Haw.	" " 201, B. M. 1337	"	"	"
<i>Hebeclinium atrorubens</i> h	Lem.	Illustr. Hort. [1862]	Compositae	"	Mexico.
" <i>janthinum</i> h	Hook.	B. M. 4574	"	May-July	Mexico.

	Author.	Reference.	Family.	Time of flowering.	Native country.
Hebeclinium macrophyl- lum h	D. C.	D. C. V. 136	Compositae	May-July	Jamaica.
Heberdenia excelsa h . . .	Banks	D. C. VIII. 106	Myrsineae		Canary Islds, Madeira.
Hedera Helix h §	Lin.	D. C. IV. 261	Araliaceae	Aug.-Sept. Oct.-Jan.	Europe, North Asia. North Africa.
„ var. algeriensis h §			„		
„ var. chrysocarpa h §	Walsh	in Trans. Hort. Soc. [1826] 42	„		
Hedychium coronarium 2	Koen.	B. M. 708	Scitamineae	Aug.-Sept.	East India.
„ Gardnerianum 2 . . .	Wall.	B. M. 6913	„		Nepal.
Hedysarum coronarium 2	Lin.	D. C. II. 341	Legum.-Papil.	May-June	Italy.
„ multijugum 2	Maxim.	Bull. Ac. Pétersb. (1881) 464	„		Mongolia.
Helianthemum Fumana h	Mill.	D. C. I. 270, Sweet, Cist. 16	Cistineae	May-July	Southern Europe.
„ canariense h	Pers.	D. C. I. 274	„		Canary Islds.
„ glaucum h	Pers.	D. C. I. 279, Sweet, Cist. 111	„	May-June	Spain.
„ glutinosum h	Pers.	D. C. I. 276, Sweet, Cist. 83	„	All the year	Southern Europe.
„ halimifolium h	Pers.	D. C. I. 269, Sweet, Cist. 4	„	June	Spain, Portugal.
„ lavandulaefolium h . . .	D. C.	D. C. I. 278	„	May-June	Mediterr. region.
„ leptophyllum h	Dunal	Sweet. 20	„	March-Apr.	Spain.
„ Morisianum h	Bertol.	Arcang. Florā Ital.	„	May-Sept.	Italy.
„ polifolium h	D. C.	D. C. I. 283, Sweet, Cist. 88	„	May-Aug.	Engl., France, Spain.
„ pulverulentum h	D. C.	D. C. I. 282, Sweet, Cist. 29	„	May-Aug.	France.
„ rhodanthum h	Dunal.	D. C. I. 282, Sweet, Cist. 7	„	May-June	Spain.
„ Rhodax h	Steudel	Nomenclator botan.	„		Spain.
„ rosmarinifolium h	Pursh.	D. C. I. 269	„	May-July	Georgia, Carolina.
„ Tuberaria 2	Mill.	Sweet Cistineae 18	„	May-June	South. Europe.
„ vulgare 2	Gaertn.	D. C. I. 280, Sweet, Cist. 34	„	Apr.-Sept.	Europe, North Africa.
Helianthus tuberosus 2 . . .	Lin.	D. C. V. 590	Compositae	October	Brazil.
Helichrysum angustifolium h	D. C.	D. C. VI. 183	„	June-July	Southern Europe.
„ candidissimum 2	D. Don.	Loud. Hort. Brit. 451	„		Caucasus.
„ Stoechas h	D. C.	D. C. VI. 182	„	May-Aug.	Mediterr. region.
Helicteres hirsuta h	Lour.	D. C. I. 476	Sterculiaceae		Cochinchina.
Heliotropium europaeum ⊙	Lin.	D. C. IX. 534	Boragineae	July-Oct.	Cent. and. South. Eur.
„ peruvianum h	Lin.	D. C. IX. 538, B. M. 141	„	All the year	Peru.
Helleborus foetidus h	Lin.	D. C. I. 47	Ranunculaceae	Jan-Apr.	Southern Europe.
„ guttatus 2	A. Br.	Jnd. Sem. Hort. Berol 1853	„		Caucasus.
„ lividus 2	Lin.	D. C. I. 47, B. M. 72	„	Jan.-March	Corsica.
„ niger 2	Lin.	D. C. I. 46, B. M. 8	„	Jan.-Arp.	Europe.
„ orientalis 2	Lam.	D. C. I. 46	„		Orient.
Hemerocallis fulva 2	Lin.	B. M. 64	Liliaceae	August	China.
Hepatica triloba 2	Chaix.	D. C. I. 22, B. M. 10	Ranunculaceae	Febr.-Apr.	Europe.
Heptapleurum recemosum h	Bedd.	Fl. Sylv. 214	Araliaceae		East India.
Hermannia alnifolia h	Lin.	Harvey I. 189, B. M. 299	Sterculiaceae	All the year	Cape.
„ candicans h	Ait.	Harv. I. 186, Jacq. H. Sch. 117	„	Dec.-March	Cape.
„ conglomerata h	E. et Z.	Harvey Fl. Cap. I. 194	„	All the year	Cape.
„ denudata h	Lin. fil.	Harv. I. 194, Jacq. H. Sch. 122	„	Apr.-July	Cape.
„ venosa h	Thunbg.	Harvey I. 207	„	All the year	Cape.
Herminium Monorchis 2 . . .	R. Br.	Barla, Orchidées de Nice	Orchideae		Europe, North. Asia.
Heuchera americana 2	Lin.	D. C. IV. 51	Saxifragaceae	March-Apr.	North America.
„ sanguinea 2	Engelm.	B. M. 6929	„	June-July	North America.
„ undulata 2	Rgl. Rach.	Jnd. Sem. Hort. Petrop. 1856	„		North America.
Herniaria glabra 2	Lin.	D. C. III. 367	Illecebraceae	July-Aug.	Europe, Siberia.
Heteromorpha arborescens h	Cham.	D. C. IV. 134	Umbelliferae	Apr.-Aug.	Cape.
Hexacentris coccinea h §	Nees.	D. C. XI. 61, B. M. 5124	Acanthaceae	Dec.-May	Ceylon, Nepal.
Hibbertia volubilis ? h . . .			Dilleniaceae		
Hibiscus Abelmoschus h . . .	Lin.	D. C. I. 452	Malvaceae		East India, South Am.
„ angulosus h	Stend.	Mast. in Hook. Fl. Brit. Jnd.	„		East India.
„ cannabinus h	Lin.	D. C. I. 450	„	Sept-Nov.	Tropics.
„ esculentus ⊙	Lin.	D. C. I. 450	„	July-Sept.	Tropics.
„ gossypinus h	Thunbg.	D. C. I. 453	„		Cape.
„ heterophyllus h	Vent.	D. C. I. 450	„		Australia.
„ mutabilis h	Lin.	D. C. I. 452	„	May-Sept.	India.
„ pedunculatus h	Lin.	D. C. I. 446, Lodd. 836	„	June-Sept.	Cape.
„ Rosa sinensis h	Lin.	D. C. I. 448, B. M. 158	„	Sept.-Jan.	India.
„ var. Cooperi		Nicholson Dict. of. Gard.	„		Garden variety.
„ phoeniceus h	Lin.	D. C. I. 452	„	Oct.-June	India.
„ punicens h	Hort.	Cat. Pl. Hort. Akska kow 71	„		?

	Author.	Reference.	Family.	Time of flowering.	Native country.
Hibiscus Manihot h	Lin.	D. C. I. 448	Malvaceae		Tropics.
" syriacus h	Lin.	D. C. I. 448	"	June-Sept.	Syria, Carniola.
" Solandra ♂	l'Hérit.	D. C. I. 474	"		Bourbon Isld.
" tiliacens h	Lin.	D. C. I. 454	"		East India.
Hieracium tomentosum 2l	All.	D. C. VII. 234	Compositae		Alps.
" villosum 2l	Lin.	D. C. VII. 228	"	May-June	Alps.
Hippeastrum aulicum 2l .	Herb.	Bak. Amar. 46, B. M. 3311	Amaryllideae	May	Brazil.
" vittatum 2l	Herb.	Bak. Amar. 52, B. M. 129	"	May	Peru.
Hippocrepis comosa 2l . .	Lin.	D. C. II. 312	Legum.-Papil.	May-July	Europe.
" unisiliquosa ♂	Lin.	D. C. II. 313	"	Apr.-June	Mediterr. region.
Hippophaë rhamnoides h .	Lin.	D. C. XIV. 607	Elaeagneae		Europe, Temp. Asia.
Homalanthus Leschenaultianus h	A. Juss.	D. C. XV. 2, 1144, B. M. 2780	Euphorbiaceae		East. India, Malaya.
Homogyne alpina 2l	Cass.	D. C. V. 205	Compositae		Alps.
Hormium pyrenaicum 2l .	Lin.	D. C. XII. 259	Labiatae		South. Europe.
Houttuynia cordata 2l . .	Thunbg.	D. C. XVI. 1. 238, B. M. 2731	Piperaceae	June-July	Himalaya, China, Jap.
Hovenia dulcis h	Thunbg.	D. C. II. 40, B. M. 2360	Rhamneae	March-Apr.	China, Japan.
Hoya carnosa h §	R. Br.	D. C. VIII. 636, B. M. 788	Asclepiadeae	Aug.-Nov.	India.
Huernia campamulata 2l .	R. Br.	Mem. Wern. Soc. I. (1809) 22	"		South Africa.
" Sprengeri 2l	Schwnfth.		"		Abyssinia.
" Hystrix 2l	N. E. Br.	Gard. Chron. (1876) I. 795	"		South Africa.
Hyacinthus orientalis 2l . .	Lin.	B. M. 937	Liliaceae	Dec.-April.	Mediterr. region.
" romanus 2l	Lin.	Kunth IV. 308	"	Jan.-Febr.	Mediterr. region.
" Webbiana 2l	Nym.	Syll. Suppl. 64	"		Italy.
Hydrangea altissima h . . .	Wall.	Tent. Fl. Nep. 2. t. 50	Saxifragaceae	July-Aug.	Himalaya.
" cyanoclada h	Reg.	Dippel, Laubh. III. 323	"		Manchuria.
" Hortensia h	Sieb.	D. C. IV. 15, B. M. 438	"	May-Oct.	China, Japan.
Hymenocallis lacera 2l . .	Salisb.	B. M. 827. 1082	Amaryllideae		North America.
Hymenoporum flavum h . .	F. M.	Benth. I. 114, B. M. 4799	Pittosporeae	May-June	Queensl., N. S. Wales.
Hyophorbe indica h	Gaertn.	Fruct. II. 186	Palmae		Mascarenhas.
" Verschaffelti h	H. Wendl.	Lem. Illustr. Hortic. XIII	"		Mascarenhas.
Hypericum Androsaemum h .	Lin.	D. C. I. 543	Hypericineae	June-Sept.	Europe Caucasus.
" aureum	Bartr.	Torr. & Gray, Fl. N. Am. I. 76	"		North America.
" calycinum h	Lin.	D. C. I. 546, B. M. 146	"	May-Aug.	Greece, Asia minor.
" canariense h	Lin.	D. C. I. 544, Lodd. 953	"	Dec.-Apr.	Canary Islds.
" Coris 2l	Lin.	D. C. I. 553, B. M. 6563	"	June-Aug.	South. Europe, Asia.
" floribundum h	Dryand.	D. C. I. 544	"	March-Apr.	Canary Islds., Mad.
" Kalmianum h	Lin.	D. C. I. 545	"		Virginia.
" patulum h	Thunbg.	D. C. I. 545, B. M. 5693	"		Nepal, Japan.
" perforatum 2l	Lin.	D. C. I. 549	"	Apr.-Sept.	Europe, North Am.
Hyoseris radiata 2l	Lin.	D. C. VII. 80	Compositae	All the year	Mediterr. region.
Hypoxis villosa 2l	Lin. fil.	B. M. 711	Amaryllideae	June-Aug.	Cape.
Iberis gibraltarica 2l	Lin.	D. C. I. 181, B. M. 124	Cruciferae	Dec.-March.	Spain, Marocco.
" saxatilis 2l	Lin.	D. C. I. 180	"		Southern Europe.
" semperflorens h	Lin.	D. C. I. 181	"	Oct.-Apr.	Persia, Sicily.
Ichnocarpus frutescens h .	R. Br.	D. C. VIII. 435	Apocynaceae		Ceylon.
Idesia polycarpa h	Maxim.	B. M. 6794	Bixineae		Japan.
Ilex Aquifolium h	Lin.	D. C. II. 13	Illicineae		Europe, West Asia.
" Cassine h	Walt.	Fl. Carol. 241	"		North America.
" cornuta h	Lindl.	B. M. 5039	"	March	Northern China.
" Dahoon h	Walt.	Fl. Carol. 241	"		North America.
" insignis h	Hook.	Fl. Brit. Ind. I. 599	"	March-May	Himalaya.
" latifolia h	Thunbg.	D. C. II. 16, B. M. 5597	"		Japan.
Illicium anisatum h	Gärtn.	B. M. 7005	Magnoliaceae	Apr.-May	China.
" religiosum h	Sieb. Zucc.	B. M. 3965	"	Apr.-May	Japan.
Imperata cylindrica 2l . . .	Beauv.	Kunth I. 477	Gramineae	June-July	S. E., N. Af., India, Chile.
Incarvillea Olgae h	Rgl.	B. M. 6593	Bignoniaceae	May-Aug.	Kokania.
Indigofera Dosua h	Buch.-Ham.	D. C. II. 225	Legum.-Papil.	Apr.-Aug.	Nepal.
Inga pulcherrima h	Cerv.	Sweet, Hort. Brit. ed I. 483	Legum.-Mimos.	Aug.-Sept.	Mexico.
Inula montana 2l	Lin.	D. C. V. 468	Compositae		South. Europe.
" viscosa 2l	Dryand.	D. C. V. 470	"	Aug.-Dec.	South. Eur., Teneriffe.
Ipomoea ficifolia 2l § . . .	Lindl.	D. C. IX. 389, B. M. 3665	Convolvulaceae	Sept.	Buenos Ayres.
" Learii 2l §	Paxt.	D. C. IX. 343, B. M. 3928	"	Aug.-Jan.	Tropical America.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Ipomoea Bona-nox</i> 2 1 § . . .	Lin.	D. C. IX. 345, Jacq. H. Sch. 36	Convolvulaceae	Aug.-Sept.	South America.
" <i>tuberosa</i> 2 1 §	Lin.	D. IX. 362	"		Tropics.
" <i>Batatas</i> 2 1 §	Poir.	Encycl. VI. 14	"		Tropics.
<i>Iris alata</i> 2 1	Poir.	B. M. 6352	Irideae		Mediterr. region.
" <i>biflora</i> 2 1	Lin.	B. M. 5806, 1130	"		Portugal.
" <i>Bloudovii</i> 2 1	Ledeb.	Fl. Alt. IV. 331	"		Altai mountains.
" <i>Chamaeiris</i> 2 1	Bertol.	Arcangeli Fl. Ital.	"		Italy.
" <i>cristata</i> 2 1	Soland.	B. M. 412	"		Virginia.
" <i>ensata</i> 2 1	Thunbg.	Trans. Lin. Soc. II. 328	"		Himalaya, North. Asia.
" <i>foetidissima</i> 2 1	Lin.	Sp. Plant. 39	"	May-June	Europe, Orient.
" <i>graminea</i> 2 1	Lin.	B. M. 681	"		Germany, Italy.
" <i>Güldenstaedtia</i> 2 1	Lepech.	Act. Acad. Petrop. (1784) t. 8	"		Orient.
" <i>Histrio</i> 2 1	Rchb.	B. M. 6033	"	Febr.	Lebanon.
" <i>Hookeri</i> 2 1	Penny	B. M. 7276	"	March	North America.
" <i>japonica</i> 2 1	Thunbg.	B. M. 373	"	Apr.-June	Japan.
" <i>syn. chinensis</i>	Curt.		"		
" <i>syn. fimbriata</i>	Vent.		"		
" <i>juncea</i> 2 1	Poir.	Voy. Barb. II. 85	"		N. W. Africa.
" <i>longipetala</i> 2 1	Herb.	B. M. 5298	"		California.
" <i>lutescens</i> 2 1	Lam.	B. M. 2861	"		South. Europe.
" <i>maculata</i> 2 1	Bak.	Gard. Chron. VI. 517	"		Mesopotamia.
" <i>Monnierii</i> 2 1	D. C.	Red. Lil. V. t. 236	"		Crete, Rhodes.
" <i>ochroleuca</i> 2 1	Lin.	B. M. 61	"		Asia minor.
" <i>pabularia</i> 2 1	Naud.		"	Apr.-May	?
" <i>pallida</i> 2 1	Lam.	B. M. 685	"	May-June	Italy, Syria.
" <i>panormitana</i> 2 1	Tod.	Nuov. Gen. e Sp. 3	"		Sicily.
" <i>persica</i> 2 1	Lin.	B. M. 1.	"		Persia.
" <i>plicata</i> 2 1	Lin.	B. M. 870	"	Dec.-Jan.	?
" <i>prismatica</i> 2 1	Pursh.	B. M. 1504	"		North America.
" <i>Pseudacorus</i> 2 1	Lin.	Sp. Plant. 38	"		Europe, East Asia.
" <i>pumila</i> 2 1	Lin.	B. M. 9, 1261	"	Febr.-March	Germ., France, Cauc.
" <i>sambucina</i> 2 1	Lin.	B. M. 187	"		South Europe.
" <i>setosa</i> 2 1	Pall.	B. M. 2326	"	March	Eastern Siberia, Japan.
" <i>sibirica</i> 2 1	Lin.	B. M. 50	"		Europe, North Asia.
" <i>spuria</i> 2 1	Lin.	B. M. 58	"	May	Europe, Asia, Algeria.
" <i>susiana</i> 2 1	Lin.	B. M. 91	"		Persia.
" <i>tuberosa</i> 2 1	Lin.	B. M. 531	"	March-Apr.	Orient.
" <i>unguicularis</i> 2 1	Poir.	Voy Barb. II. 86	"		N. W. Africa.
" <i>versicolor</i> 2 1	Lin.	B. M. 21	"		North America.
" <i>virescens</i> 2 1	Delar.	Red. Lil. t. 295	"		Europe.
" <i>virginica</i> 2 1	Lin.	B. M. 703	"		North America.
" <i>Xiphium</i> 2 1	Lin.	B. M. 686	"	Apr.-May	Spain, Portugal.
<i>Isomeris arborea</i> h	Nutt.	B. M. 3842	Capparideae	All the year	California.
<i>Isoplexis canariensis</i> h . . .	Steud.	Bot. Reg. 48	Scrophularineae		Canary Islds.
<i>Isopogon formosus</i> h	R. Br.	Benth. Fl. Austr. V. 349	Proteaceae	May-June	Australia.
<i>Ixia erecta</i> 2 1	Thunbg.	B. M. 623, Jacq. H. Sch. 18	Irideae	March-Apr.	Cape.
" <i>maculata</i> 2 1	Murr.	B. M. 549, Jacq. H. Sch. 23	"	March-Apr.	Cape.
" <i>monadelphæ</i> 2 1	Delar.	B. M. 607	"		Cape.
<i>Jacaranda ovalifolia</i> h . . .	R. Br.	D. C. IX. 229, B. M. 2327	Bignoniaceae	July-Aug.	Brazil.
<i>Jamesia americana</i> h	Torr. Gr.	B. M. 6142	Saxifragaceae		Rocky Mountains.
<i>Jasminum arborescens</i> h . . .	Roxb.	D. C. VIII. 303	Oleaceae	March-Apr.	Northern Bengal.
" <i>auriculatum</i> h	Vahl.	D. C. VIII. 309	"		Mauritius, India.
" <i>azoricum</i> h	Lin.	D. C. VIII. 311, B. M. 1889	"	May	Azores, Madeira.
" <i>flexile</i> h	Vahl.	D. C. VIII. 310, Jacq. H. S. 490	"		India.
" <i>fruticans</i> h	Lin.	D. C. VIII. 313, B. M. 461	"		Medit. reg., Caucasus.
" <i>grandiflorum</i> h	Lin.	D. C. VIII. 313	"	July-Dec.	Nepal.
" <i>nudiflorum</i> h	Lindl.	B. M. 4649	"	Sept.-Apr.	China.
" <i>odoratissimum</i> h	Lin.	D. C. VIII. 312, B. M. 285	"	Oct.-Febr.	Madeira.
" <i>revolutum</i> h	Sims	D. C. VIII. 312, B. M. 1731	"		Nepal, India.
" <i>Sambac</i> h	Soland.	Lodd. 1922	"	Sept.-Oct.	India.
" <i>simplicifolium</i> h	Forst.	D. C. VIII. 306	"		Pacific Islds.
" <i>suavissimum</i> h	Lindl.	in Mitch., Journ. Trop. Austr.	"		Australia.
<i>Jochroma fuchsioides</i> h . . .	Miers.	D. C. XIII. 1, 487, B. M. 4149	Solanaceae	May-Febr.	Peru, Ecuador.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Jochroma grandiflora</i> h . . .	Benth.	D. C. XIII. 1. 491	Solanaceae	May-Febr.	Andes of Peru, Ecuad.
" <i>lanceolata</i> h	Miers.	D. C. XIII. 1. 489, B. M. 4338	"	May-Febr.	Ecuador, Columbia.
<i>Johrenia fungosa</i> 2	Boiss.	Diagn. Ser. I. X. 33	Umbelliferae		Asia minor.
<i>Jonidium polygalaefolium</i> 2	Vent.	D. C. I. 309	Violarieae		Mexico.
<i>Jubaea spectabilis</i> h	H. B. K.	Kunth. III. 293	Palmae		Chile.
<i>Juglans regia</i> h	Lin.	D. C. XVI. 2. 135	Juglandae		West Asia, Himalaya.
<i>Juncus trifidus</i> 2	Lin.	Wagner, Fl. v. Deutschl.	Juncaceae		North. and arctic reg.
<i>Juniperus communis</i> h	Lin.	D. C. XVI. 2. 479	Coniferae	Febr.-Apr.	Europe, North. Asia.
" <i>drupacea</i> h	Labill.	D. C. XVI. 2. 476	"	March	Syria, Persia.
" <i>nana</i> h	Willd.	D. C. XVI. 2. 480	"		Eur., Asia, Afr., Am.
" <i>Oxycedrus</i> h	Lin.	D. C. XVI. 2. 477	"	Dec.-Apr.	South. Eur., Orient.
" <i>phoenicea</i> h	Lin.	D. C. XVI. 2. 486	"		Mediterr. reg., Arabia.
" <i>procera</i> h	Hochst.	D. C. XVI. 2. 485	"		Tropical Africa.
" <i>Sabina</i> h	Lin.	D. C. XVI. 2. 483	"	Apr.-June	Cent. and South Eur.
" <i>virginiana</i> h	Lin.	D. C. XVI. 2. 488	"	March-Apr.	North America.
<i>Justicia Adhadota</i> h	Lin.	D. C. XI. 429, B. M. 861	Acanthaceae	March-May	Ceylon.
" <i>hyssopifolia</i> h	Lin.	D. C. XI. 392	"	June-July	Canary Islds.
<i>Kadsura japonica</i> h	Juss.	E. C. I. 83	Magnoliaceae		Japan.
<i>Kalanchoë Cassiopega</i> 2	Damm.	Dammann Cat. 1895	Crassulaceae		
" <i>crenata</i> 2	Haw.	D. C. III. 395, B. M. 1436	"	May-Oct.	Sierra Leone coast.
" <i>glaucescens</i> 2	Britten.	in Ol., Fl. Trop. Afr. II. 393	"		Tropical Africa.
" <i>grandiflora</i> 2	Wall.	B. M. 5460	"	May-Oct.	India.
" <i>marmorata</i> 2	Baker.	B. M. 7333	"	Jan.-May	Abyssinia.
" <i>rotundiflora</i> 2	Haw.	Harv. Fl. Cap. II. 379	"	Sept.-March	Cape.
" <i>thyrsiflora</i> 2	Harv.	Harv. Fl. Cap. II. 380	"	May-Oct.	Cape.
<i>Kalmia latifolia</i> h	Lin.	D. C. VII. 729, B. M. 175	Ericaceae		Canada, Carolina.
<i>Kedrostis africana</i> 2	Cogn.	in DC. Monogr. Phan. III. 643	Cucurbitaceae		South Africa.
<i>Kennedyia coccinea</i> h	Vent.	D. C. II. 383, B. M. 2664	Legum.-Papil.	March-Apr.	Victoria.
" <i>macrophylla</i> h §	Benth.	Fl. Austr. II. 252	"		West Australia.
" <i>nigricans</i> h §	Lindl.	Benth. Fl. Austr. II. 249, B. M. 3652	"	Apr.-June	West Australia.
" <i>prostrata</i> h §	R. Br.	" , II. 250, B. M. 270	"	Apr.-June	Australia.
" <i>var. Maryattae</i> h §	Lindl.	" , II. 250	"	March-Apr.	Australia.
" <i>rubicunda</i> h §	Vent.	" , II. 449, B. M. 268	"	May-July	Australia.
<i>Kentia Forsteriana</i> h	F. M.	H. Wendl. in Kerch. Palm. 248	Palmae		New South Wales.
<i>Keria japonica</i> h	D. C.	D. C. II. 541, B. M. 1296	Rosaceae	March-Apr.	Japan.
<i>Khaya senegalensis</i> h	A. Juss.	Mém. Mus. Par. (1830) 249	Meliaceae		Tropical Africa.
<i>Kitaibelia vitifolia</i> h	Willd.	D. C. I. 436, B. M. 821	Malvaceae	July-Aug.	Slavonia.
<i>Kleinia aizoides</i> h	D. C.	Harv. III. 317	Compositae		South Africa.
" <i>Anteuphorbium</i> h	D. C.	D. C. VI. 338, B. M. 6099	"	Sept.-Jan.	Cape.
" <i>articulata</i> h	Haw.	Harv. Fl. Cap. III. 319	"	Nov.-Jan.	Cape.
" <i>crassulaefolia</i> 2 ?	D. C.	Harv. , III. 317, Ref. bot. I. 7	"	Aug.-Jan.	Cape.
" <i>ficoides</i> 2	Haw.	Harv. , III. 316	"	Oct.-March	Cape.
" <i>gonoclada</i> h	D. C.	Harv. , III. 317	"		Cape.
" <i>Haworthii</i> 2	D. C.	Harv. , III. 318, B. M. 6063	"		Cape.
" <i>neriifolia</i> h	Haw.	D. C- VI. 338	"	Sept.-Jan.	Canary Islds.
" <i>pteroneura</i> h	D. C.	D. C. VI. 338, B. M. 5945	"	Dec.-Jan.	North Western Africa.
" <i>repens</i> 2	Haw.	Harv. III. 317	"	Jan.-March	Cape.
<i>Kniphofia caulescens</i> 2	Baker	B. M. 4946	Liliaceae		South Africa.
" <i>Leichtlini</i> 2	Baker	B. M. 6716	"		Abyssinia.
" <i>Macowanii</i> 2	Baker	B. M. 6167	"		South Africa.
" <i>natalensis</i> 2	Baker	in Journ. Bot. (1885) 278	"		South Africa.
" <i>pauciflora</i> 2	Baker	B. M. 7269	"	April.	South Africa.
" <i>praecox</i> 2	Baker	Ref. Bot. 169	"		South Africa.
" <i>Rooperi</i> 2	Lem.	B. M. 6116	"	July	South Africa.
<i>Koelreuteria paniculata</i> h	Laxm.	D. C. I. 616	Sapindaceae		China.
<i>Kunzea pomifera</i> h	F. M.	Benth. Fl. Austr. III. 166	Myrtaceae		Victoria, S. Australia.
<i>Lachenalia orchidoides</i> 2	Soland.	B. M. 1269, Ref. bot. 171	Liliaceae	Dec.-Jan.	Cape.
" <i>pendula</i> 2	Soland.	B. M. 490	"	Dec.-Jan.	Cape.
" <i>pustulata</i> 2	Jacq.	B. M. 817	"	Febr.-Apr.	Cape.
" <i>tigrina</i> 2	Jacq.	B. M. 993	"		Cape.
" <i>tricolor</i> 2	Jacq.	B. M. 82	"	Dec.-Jan.	Cape.

	Author.	Reference.	Family.	Time of flowering.	Native country.
Lagerstroemia indica h . .	Lin.	B. M. 405, D. C. III. 93	Lythraeae	June-Sept.	Japan, China.
Lagunaria Patersonii h . .	G. Don.	D. C. I. 454, B. M. 769	Malvaceae	June-Aug.	Norfolk Isle.
Lantana Camara h	Lin.	D. C. XI. 598, B. M. 96	Verbenaceae	Aug.-March	Brazil.
„ nivea h	Vent.	D. C. XI. 596, B. M. 3110	„		Brazil.
„ Radula h	Sw.	D. C. XI. 606	„		Brazil, Caribbee Islds.
„ Sellowiana h	Lk. Otto.	D. C. XI. 604, B. M. 2981	„	Aug.-March	Brazil.
Lapeyrousia corymbosa 2	Ker.-Gawl.	B. M. 595	Irideae		Cape.
Lardizabala biternata h . .	Rz. Pav.	D. C. I. 95, B. M. 4501	Berberideae	Dec.-Febr.	Chile, Peru.
Lasiandra macrantha h . .	Lind. Seem.	B. M. 5721	Melastomaceae	Sept.-Dec.	Chile.
Lathyrus Aphaca ①	Lin.	D. C. II. 372	Legum.-Papil.	May-July	Europe.
„ aurantius 2	C. Koch.	in Linnaea (1841) 723	„		Caucasus.
„ latifolius 2	Lin.	D. C. II. 370	„	Apr.-June	Europe.
„ niger 2	Bernh.	D. C. II. 378	„	May-June	Europe.
„ Ochrus ①	D. C.	D. C. II. 375	„	May-June	Southern Europe.
„ odoratus ①	Lin.	D. C. II. 374	„	Apr.-May	India.
„ vernus 2	Bernh.	D. C. II. 377	„		Europe.
Laurus Camphora h	Lin.	D. C. XV. 1. 24, B. M. 2658	Laurineae	May-June	Japan, China.
„ canariensis h	Webb. Berth.	Phyt. Canar. III. 3. 229	„	May-June	Canary Islds.
„ indica h	Thunbg.	D. C. XV. 1. 42	„	May	Japan.
„ nobilis h	Lin.	D. C. XV. 1. 233	„	Febr.-Apr.	Mediterr. region.
„ sericea h	Blume	D. C. XV. 2. 258	„	May-July	Java.
Lavandula abrotanoides h .	Lam.	D. C. XII. 146, Ref. bot. 159	Labiatae		Canary Islds.
„ dentata h	Lin.	D. C. XII. 145, B. M. 401	„		South. Eur., N. Afr.
„ lanata h	Boiss.	D. C. XII. 146	„		Spain,
„ multifida h	Lin.	D. C. XII. 147	„	Jan.-March	Spain, Port., N. Afr.
„ Spica h	Cav.	D. C. XII. 145	„	July-Aug.	Mediterranean coasts.
„ Stoechas h	Lin.	D. C. XII. 144	„	Febr.-May	Mediterranean coasts.
Lavatera arborea ①	Lin.	D. C. I. 439	Malvaceae	Febr.-Apr.	South Eur., N. Afr.
„ assurgentiflora h . . .	Kellogg	Proc. Calif. Acad. (1854)	„	July-Aug.	California.
„ maritima h	Gouan.	D. C. I. 439	„	May-June	Spain, South France.
„ Olbia h	Lin.	D. C. I. 438.	„	May-June	South. Fran., Liguria.
„ punctata ①	All.	D. C. I. 439	„	May-Sept.	Italy, South France.
Leonitis Leonurus h	R. Br.	D. C. XII. 536, B. M. 478	Labiatae	Sept.-Dec.	Cape.
Leontice Eversmannii 2 . .	Bunge.	Arb. Nat. Ver. Riga (1848)	Berberideae	Febr.-March	Persia, Turkestan.
Leontopodium alpinum 2 . .	Cass.	D. C. VI. 275, B. M. 1958	Compositae	July-Aug.	Alps, Pyrenees.
Leonurus Cardiacæ 2 . . .	Lin.	D. C. XII. 500	Labiatae	June-Nov.	Europe, North Africa.
Leptodermis lanceolata h .	Wall.	D. C. IV. 462	Rubiaceae	July-Sept.	Nepal.
Leptospermum baccatum h .	Sm.	D. C. III. 228	Myrtaceae		N. S. Wales, Tasm.
„ laevigatum h	F. M.	Benth. III. 103, B. M. 1304	„	Apr.-May	Australia.
„ pubescens h	Lam.	Benth. III. 106	„		Australia.
„ scoparium h	Forst.	Benth. III. 105, B. M. 3419	„	May-June	Australia.
Leucadendron adscendens h	R. Br.	D. C. XIV. 222	Proteaceae	March-May	South Africa.
„ argenteum h	R. Br.	D. C. XIV. 213	„		Cape.
„ Globularia h	R. Br.	D. C. XIV. 226	„	Apr.-June	South Africa.
Leucaena glauca h	Benth.	Hook. Journ. Bot. (1842) 417	Legum.-Mimos.		Tropics.
Leucanthemum pallens 2 . .	D. C.	D. C. VI. 47	Compositae	May-June	Liguria.
Leucojum vernalis 2	Lin.	Kunth. V. 474, B. M. 46	Amaryllideae	Febr.-March	Central Europe.
„ hiemale 2	D. C.	B. M. 6711	„	March-Apr.	S. France, Corsica.
Leucophyta Brownii h . . .	Cass.	D. C. VI. 152	Compositae	June-Sept.	N. S. Wal., Vict., Tasm.
Leucothoe racemosa h . . .	A. Gray	Man. Bot. N. U. St. ed. II. 252	Ericaceae		North America.
Leycesteria formosa h . . .	Wall.	D. C. IV. 338, B. M. 3699	Caprifoliaceae	Apr.-Aug.	Nepal.
Libertia formosa 2	R. Grah.	B. M. 3294, B. Ref. III. 166	Irideae	June	North America.
„ ixioides 2	Spreng.	Syst. I. 168, B. Ref. 165	„		New Zealand.
Libonia floribunda h . . .	C. Koch.	Nichols. Dict. of. gard.	Acanthaceae	Dec.-Apr.	Brazil.
„ penrhosiensis h X . .		Nichols. Dict. of. gard.	„	Dec.-Apr.	Garden hybrid.
Ligustrum Iboia h	Sieb.	Ver. Batav. Gen. (1830) 36	Oleaceae		Japan.
„ japonicum h	Thunbg.	D. C. VIII. 293	„	May-June	Japan.
„ longifolium h	Hort.	Dec. Fl. d. Serres 1877	„		East India.
„ Quihoui h	Carr.	Rev. Hortic. (1869) 377	„		China.
„ vulgare h	Lin.	D. C. VIII. 293	„		Europe, Caucasus.
„ Walkeri h	Decne.	Nouv. Ar. Mus. Par. (1879) 27	„		Ceylon.
Lilium candidum ①	Lin.	Kunth. IV. 266, B. M. 278	Liliaceae	Apr.-May	Syria, Persia.
„ croceum ①	Chaix	Kunth. IV. 265	„		South. Europe.
„ elegans ①	Thunbg.	Mém. Acad. Pétrap. (1811)	„		Japan.
„ lancifolium 2	Thunbg.	Kunth. IV. 266	„	May	Japan.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Lilium longiflorum</i> 2 . . .	Thunbg.	Trans. Linn. Soc. (1794) 333	Liliaceae	June	Japan, China.
„ <i>Martagon</i> 2	Lin.	Kunth. IV. 257, B. M. 893	„	May	Europe.
„ <i>nepalense</i> 2	D. Don.	B. M. 7043, Kunth. IV. 267	„		Himalaya region.
„ <i>pomponium</i> 2	Lin.	B. M. 971	„	May	South. Europe, Sib.
„ <i>tigrinum</i> 2	Ker-Gawl.	B. M. 1237	„		China, Japan.
„ <i>Wallichianum</i> 2 . . .	Schult.	B. M. 4561, Kunth. IV. 267	„		Nepal.
<i>Limnanthemum nymphae-</i> <i>oides</i> 2	Hoff. Lk.	D. C. IX. 138	Gentianeae	Apr.-Aug.	Central and South Eur.
<i>Limnocharis Humboldtii</i> 2	Rich.	B. M. 3248	Alismaceae	Apr.-Oct.	Buenos Ayres.
<i>Linaria alpina</i> 2	Mill.	D. C. X. 282, B. M. 205	Scrophularineae	July-Sept.	Pyrenees, Alps.
„ <i>Cymbalaria</i> 2	Mill.	D. C. X. 266	„	March-Oct.	Europe.
„ <i>dalmatica</i> 2	Mill.	D. C. X. 275	„	June-July	Dalm., Crete, Arm.
„ <i>Elatine</i> 2	Mill.	D. C. X. 268	„	June-Oct.	Eur., Asia, N. Afr.
„ <i>genistifolia</i> 2	Mill.	D. C. X. 275, B. M. 2183	„	Sept.-Oct.	Eur., N. and W. Asia.
„ <i>pilosa</i> 2	D. C.	D. C. X. 267	„	March-May	Sardinia, Sicily.
„ <i>purpurea</i> 2	Mill.	D. C. X. 278, B. M. 99	„	May-July	South. Europe, Tunis.
„ <i>simplex</i> 2	D. C.	D. C. X. 280	„	May-Aug.	Mediterranean region.
„ <i>striata</i> 2	D. C.	D. C. X. 278	„	May-Aug.	W. and South. Eur.
„ <i>spuria</i> 2	Mill.	D. C. X. 268	„	June-Oct.	South. Eur., Palestine.
<i>Lindelofia spectabilis</i> 2 . .	Lehm.	Hamb. Gartenz. (1850) 352	Boragineae		Himalaya region.
<i>Linnaea borealis</i> 2	Lin.	Lodd. 183	Caprifoliaceae		Eur., North America.
<i>Linum africanum</i> 2	Lin.	D. C. I. 425, B. M. 403	Lineae		Cape.
„ <i>campanulatum</i> h	Lin.	D. C. I. 425, B. M. 234	„	June-July	Crete, Asia m., Syria.
„ <i>gallicum</i> 2	Lin.	D. C. I. 423	„	June-Sept.	Southern Europe.
„ <i>grandiflorum</i> 2	Desf.	D. C. I. 427, B. M. 4956	„	March-May	Algeria.
„ <i>strictum</i> 2	Lin.	D. C. I. 424	„	March-Aug.	South. Eur., N. Afr.
„ <i>trigynum</i> h	Roxb.	D. C. I. 425, B. M. 1100	„	Nov.-July	India.
<i>Liquidambar styraciflua</i> h	Lin.	D. C. XVI. 2. 157	Hamamelideae		North America.
<i>Lithraea Molle</i> h	Griseb.	D. C. Mon. Phan. IV. 349	Anacardiaceae?	April	Chile.
<i>Lippia chamaedryfolia</i> h .	Steud.	D. C. XI. 573	Verbenaceae	July-Nov.	Southern Brazil.
<i>Livistona australis</i> h . . .	Mart.	B. M. 6275	Palmae		Australia.
„ <i>chinensis</i> h	R. Br.	Prodr. 268	„		China.
„ <i>olivaeformis</i> h	Mart.	Hist. Nat. Palm. III. 319	„		Java.
<i>Lobelia cardinalis</i> 2	Lin.	D. C. VII. 382, B. M. 320	Campanulaceae		North America.
„ <i>Erinus</i> 2	Lin.	D. C. VII. 370, B. M. 901	„	May-Dec.	Cape.
„ <i>laxiflora</i> 2	H. B. K.	D. C. VII. 383	„		Mexico.
<i>Lomaria blechnoides</i> 2 . . .	Bory	Hook. Syn. Filic. 177	Filices		Chile.
„ <i>Banksii</i> 2	Hk. fil.	Hook. Syn. Filic. 178	„		New Zealand.
„ <i>chilensis</i> 2	Kaulf.	Hook. Syn. Filic. 179	„		Mexico, Chile.
„ <i>discolor</i> 2	Willd.	Hook. Syn. Filic. 175	„		Australia, Tasmania.
<i>Lonicera Caprifolium</i> h . . .	Lin.	D. C. IV. 331	Caprifoliaceae	May-June	Europe, Caucasus.
„ <i>chrysantha</i> h	Turcz.	Bull. Soc. Nat. Mosc. (1838) 93	„		Siberia.
„ <i>etrusca</i> h	Santi.	D. C. IV. 331	„	May-June	Mediterranean region.
„ <i>implexa</i> h	Soland.	D. C. IV. 331, B. M. 640	„	May	Southern Europe.
„ <i>involutrata</i> h	Banks.	D. C. IV. 336	„	July-Oct.	North America.
„ <i>japonica</i> h	Thunbg.	D. C. IV. 333	„	July-Oct.	Japan, China, Nepal.
„ <i>Periclymenum</i> h	Lin.	D. C. IV. 331	„		Europe.
„ <i>Ruprechtiana</i> h	Rgl.	Ind. Sem. Hort. Petrop. 1869	„		Amur region
„ <i>sempervirens</i> h	Lin.	D. C. IV. 332	„		North America.
<i>Lopezia miniata</i> h	D. C.	D. C. III. 62	Onagraricae	Oct.-Apr.	Guatemala, Mexico.
<i>Lophospermum erube-</i> <i>scens</i> h §	D. Don.	D. C. X. 297, B. M. 3037	Scrophularineae	Apr.-Oct.	Mexico.
<i>Lotus balambensis</i> ? 2 . . .			Legum.-Papil.	May-July	Canary Islds ?
„ <i>edulis</i> 2	Lin.	D. C. II. 209	„	March-May	Southern Europe.
„ <i>ornithopodioides</i> 2 . . .	Lin.	D. C. II. 209	„	Apr.-June	Southern Europe.
„ <i>peliorynchus</i> h	Webb.	B. M. 6733	„	Apr.-June	Teneriffe.
<i>Luculia gratissima</i> h	Sw.	D. C. IV. 358, B. M. 3946	Rubiaceae	Dec.-Febr.	Nepal.
<i>Lunaria rediviva</i> 2	Lin.	D. C. I. 156	Cruciferae		Europe.
<i>Lychnis alba</i> 2	Mill.	D. C. I. 386	Caryophylleae	May-July	Europe.
„ <i>alpina</i> 2	Lin.	D. C. I. 387, B. M. 394	„	July-Aug.	Europ. Alps.
„ <i>chalcedonica</i> 2	Lin.	D. C. I. 385, B. M. 257	„	April-July	Japan.
„ <i>coronaria</i> 2	Desr.	D. C. I. 387, B. M. 24	„	Apr.-July	South. Eur., Asia min.
„ <i>flos-Jovis</i> 2	Desr.	D. C. I. 385	„		Europe.
<i>Lycium afrum</i> h	Lin.	D. C. XIII. 1. 521	Solanaceae	May-June	North. Africa, Cape.
„ <i>carnosum</i> h	Poir.	D. C. XIII. 1. 522	„	May-June	Cape.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Lycium horridum</i> h . . .	Thunbg.	D. C. XIII. 1. 516	Solanaceae		Cape.
<i>Lycopersicon esculentum</i> ⊙	Mill.	D. C. XIII. 1. 386, 26	"	May-Oct.	South America.
<i>Lycoris aurea</i> 2	Herb.	Bak. Amaryll. 40, B. M. 409	Amaryllideae		China.
" <i>Terraciani</i>	Damm.	Catalog v. Zwiebeln 1895	"		Abyssinia.
<i>Lygodium japonicum</i> 2 .	Swartz	Lowe ferns VIII. 72	Filices		Japan, China.
<i>Lysimachia barystachys</i> 2	Bge.	D. C. VIII. 61	Primulaceae		China.
<i>Lythrum Gaefteri</i> 2 . . .	Tenore	D. C. III. 82, B. M. 6499	Lythrarieae	May-Oct.	South Europe.
" <i>Salicaria</i> 2	Lin.	D. C. III. 82	"	June-Aug.	Europe, West Asia.
<i>Macadamia ternifolia</i> h . .	F. M.	Benth. Fl. Austr. V. 406	Proteaceae		Queensl. N. S. Wales.
<i>Machilus tomentosa</i> h ? .			Laurineae	Febr.-March	
<i>Mackaya bella</i> h	Harv.	B. M. 5797	Acanthaceae	May-Aug.	Natal.
<i>Macleania floribunda</i> h . .	Benth.	Pl. Hartweg. 141	Vacciniaceae		Peru.
<i>Maclura aurantiaca</i> h . . .	Nutt.	D. C. XVII. 227	Urticaceae	June-July	Louisiana, Missouri.
<i>Macrotomia echioides</i> 2 .	Boiss.	B. M. 4409	Boragineae	May-June	Orient.
<i>Magnolia fuscata</i> h	Andr.	D. C. I. 81, B. M. 1008	Magnoliaceae	May-June	China.
" <i>grandiflora</i> h	Lin.	D. C. I. 80, Lodd. 814	"	May-July	North America.
" <i>Lennei</i> h ×	V. Houtte		"		
" <i>pumila</i> h	Andr.	D. C. I. 81, B. M. 977	"	June-Aug.	China.
" <i>Umbrella</i> h	Desr.	D. C. I. 80	"		North America.
<i>Malcolmia maritima</i> ⊙ . .	R. Br.	D. C. I. 187	Cruciferae	All the year	South Eur., N. Afr.
<i>Malvastrum capense</i> h . .	Grcke.	D. C. I. 434	Malvaceae	May-June	Cape.
<i>Mammillaria angularis</i> h .	hort. berol.	D. C. III. 460	Cacteae		
" var. <i>triacantha</i> h . . .			"		
" <i>bicolor</i> h	Lehm.	Nichols. Dict. of gard.	"		
" var. <i>nivea</i> h			"		
" <i>centricirrha</i> h	Lem.	Cact. Nov. Gen. et Sp. 42	"		
" <i>cirrhiifera</i> h	Mart.	Hort. Reg. Mon. (1829) 127	"		
" <i>discolor</i> h	Haw.	D. C. III. 458	"		
" var. <i>nigricans</i> h			"		
" <i>echinata</i> h	D. C.	Mém. Cact. 3	"		
" var. <i>intertexta</i> h . . .			"		
" <i>Ehrenbergii</i> h	Pfeiff.	O. u. D. Allg. Gart. 1838	"		
" <i>elongata</i> h	D. C.	Mém. Mus. Paris. (1828) 109	"		
" <i>gladiata</i> h	Mart.	Nov. Act. Nat. Cur. 1832	"		
" <i>glauca</i> h	Dietr.	O. u. D. Allg. Gart. (1848) 330	"		
" <i>gracilis</i> h	Mart.	O. u. D. Allg. Gart. (1838) 275	"		
" <i>Lehmannii</i> h	Hort. berol.	B. M. 3654	"		
" <i>longimamma</i> h	D. C.	Mém. Mus. Par. (1828) 113	"		
" <i>Ludwigii</i> h	Ehrenb.	in Linnaea (1840) 376	"		
" <i>magnimamma</i> h	Haw.	D. C. III. 438	"		
" <i>Martiana</i> h	Pfeiff.	in Linnaea (1838) 140	"		
" <i>megacantha</i> h	S. Dyck	Cact. Hort. Dyck. ed. II. 123	"		Mexico.
" <i>multiceps</i> h	S. Dyck	Cact. Hort. Dyck. ed. II. 7, 81	"		
" <i>Neumanniana</i> h	Lem.	Cact. Nov. Gen. et Sp. 53	"		
" <i>nigra</i> h	Ehrenb.	O. u. D. Allg. Gart. (1849) 287	"		
" <i>polyedra</i> h	Mart.	Hort. Reg. Mon. (1829) 127	"		
" <i>pulchra</i> h	Haw.	Bot. Reg. 1329	"		
" <i>pusilla</i> h	Sweet.	Hort. Brit. I. 171	"		
" <i>pyrocephala</i> h	Scheidw.	O. u. D. Allg. Gart. (1841) 42	"		
" var. <i>Donkelarii</i> h . . .			"		
" <i>Salmiana</i> h	Parm.	Foerster, Handb. der Cact.	"		
" <i>Sempervivi</i> h	D. C.	Mém. Mus. Par. (1828) 114	"		
" <i>spinosissima</i> h	Lem.	Cact. Aliq. Nov. Desc.	"		
" <i>spirocentra</i> h			"		
" <i>tentaculata</i> h	Lk. Otto	Pfeiff. Enum. Diagn. Cact. 29	"		
" <i>tetracantha</i> h	S. Dyck	B. M. 4060	"		
" <i>Tournefortii</i> h			"		
" <i>vetula</i> h	Mart.	Hort. Reg. Mon. (1829) 128	"		
" <i>viridis</i> h	S. Dyck	Cact. Hort. Dyck. ed. II. 116	"		
" <i>vivipara</i> h	Haw.	D. C. II. 459	"		
" <i>Zuccariniana</i> h	Mart.	Nov. Act. Nat. Cur. (1832) t. 20	"		
<i>Mandevillea suaveolens</i> h §	Lindl.	D. C. VIII. 452, B. M. 3797	Apocynaceae	June-Aug.	Buenos Ayres.
<i>Manihot carthaginensis</i> h .	Müll. Arg.	D. C. XV. 2. 1073	Euphorbiaceae	May-June	Tropical America.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Manihot palmata</i> h	Müll.Arg.	D. C. XV. 2. 1062	Euphorbiaceae		Argentina.
<i>Margyricarpus setosus</i> 2l .	Rz.Pav.	D. C. II. 591	Rosaceae	Apr.-May	Peru, Chile, Brazil.
<i>Marrubium vulgare</i> 2l . . .	Lin.	D. C. VII. 453	Labiatae	March-June	Eur., North America.
<i>Marsdenia erecta</i> 2l	R. Br.	D. C. VIII. 616	Asclepiadeae		Orient.
<i>Martynia Craniolaria</i> (○) . .	Glox.	D. C. IX. 254	Pedaliaceae	June-Aug.	West Ind., South Am.
" <i>fragrans</i> (○)	Lindl.	D. C. IX. 564, B. M. 4292	"	June-Aug.	Mexico.
" <i>proboscidea</i> (○)	Glox.	D. C. IX. 253, B. M. 1056	"	June-Aug.	Louisiana.
<i>Matthiola incana</i> (●)	R. Br.	D. C. I. 132	Cruciferae	May	South. Europe.
" <i>sinuata</i> (●)	R. Br.	D. C. I. 133	"	June-Aug.	Mediterr. region.
<i>Maurandiasemperflorens</i> h §	Jacq.	Hort. Schoenbr. III. 20	Scrophularineae	All the year	Mexico.
<i>Maytenus chilensis</i> h . . .	D. C.	D. C. II. 9	Celastrineae	Apr.-May	Chile.
<i>Medicago arborea</i> h	Lin.	D. C. II. 173, Lodd. 1379	Legum.-Papil.	May-July	Italy, Greece.
" <i>denticulata</i> (○)	Willd.	D. C. II. 176	"		South. France, Italy.
" <i>var. pentacycla</i> (○) . . .	D. C.	D. C. II. 177	"		South. France, Italy.
" <i>Echinus</i> (○)	D. C.	D. C. II. 181	"	May-June	South. France, Italy.
" <i>graeca</i> (○)	Hornm.	D. C. II. 178	"	Apr.-June	South. Europe.
" <i>intertexta</i> (○)	Willd.	D. C. II. 180	"		South. Europe.
" <i>marina</i> 2l	Lin.	D. C. II. 176	"	May-July	European coasts.
" <i>orbicularis</i> (○)	All.	D. C. II. 174	"	Apr.-June	South. Europe.
" <i>sativa</i> 2l	Lin.	D. C. II. 173	"	May-Sept.	Spain.
" <i>scutellata</i> (○)	All.	D. C. II. 175	"		South. Europe.
" <i>sphaerocarpa</i> (○)	Bertol.	D. C. II. 180	"		Italy.
<i>Melaleuca acuminata</i> h . . .	F. M.	Bentham III. 132	Myrtaceae		Australia.
" <i>armillaris</i> h	Sm.	Bentham III. 146	"		Australia.
" <i>decussata</i> h	R. Br.	Bentham III. 133, B. M. 2268	"		Vict., South Australia.
" <i>densa</i> h	R. Br.	Bentham III. 156	"	June	West Australia.
" <i>diosmifolia</i> h	Andr.	Bentham III. 130	"		West Australia.
" <i>ericifolia</i> h	Sm.	Bentham III. 159	"	March-Apr.	Australia.
" <i>hypericifolia</i> h	Sm.	Bentham III. 131, Lodd. 199	"	June	New South Wales.
" <i>imbricata</i> h	Hort.	Enum. Hort. Berol. II. 272	"	June	Australia.
" <i>incana</i> h	R. Br.	Bentham III. 157	"		West Australia.
" <i>Leucadendron</i> h	Lin.	Bentham III. 142	"		Australia.
" <i>pentagona</i> h	Labill.	Bentham III. 152	"	Febr.-June	West Australia.
" <i>Preissiana</i> h	Schau.	Bentham III. 145	"	July-Aug.	Australia.
" <i>squarrosa</i> h	Donn	Bentham III. 139, B. M. 1935	"		Australia.
" <i>stypelioides</i> h	Sm.	Bentham III. 144	"		N. S. Wales.
" <i>Wilsonii</i> h	F. M.	Bentham III. 134 B. M. 5670	"		Vict., South Australia.
<i>Melanoselinum decipiens</i> h	Hoffm.	D. C. IV. 208	Umbelliferae		Madeira.
<i>Melhania Erythroxylon</i> h .	R. Br.	D. C. I. 499	Sterculiaceae		St. Helena Isld.
<i>Melia Azedarach</i> h	Lin.	D. C. I. 621, B. M. 1066	Meliaceae		Syria, Greece, East Ind.
<i>Melanthus major</i> h	Lin.	D. C. I. 708	Sapindaceae	May-June	Cape.
" <i>minor</i> h	Lin.	D. C. I. 708	"	Jan.-June	Cape.
" <i>Trimenianus</i> h	Hook.	B. M. 6557	"		Southern Africa.
<i>Melicope ternata</i> h	Forst.	D. C. I. 723	Rutaceae		New Zealand.
<i>Menispermum canadense</i> h §	Lin.	B. M. 1910, D. C. I. 102	Menispermaceae		North America.
" <i>dahuricum</i> h §	D. C.	D. C. I. 102	"		Centr. Asia.
<i>Mercurialis annua</i> (○) . . .	Lin.	D. C. XV. 2. 797	Euphorbiaceae		Europe, North Africa.
<i>Mesembryanthemum acina-</i> <i>ciforme</i> 2l	Lin.	D. C. III. 428, B. M. 5539	Ficoideae	June-Aug.	
" <i>albinatum</i> 2l	Haw.	Harv. Fl. Cap. I. 396	"	June-Aug.	
" <i>barbatum</i> 2l	Lin.	D. C. 440, B. M. 70	"	May-July	
" <i>Bolusii</i> 2l	Hook.	B. M. 6664	"	Oct.-Nov.	
" <i>calamiforme</i> 2l	Lin.	Harv. & Sond. II. 405	"		
" <i>candens</i> 2l	Haw.	Harv. & Sond. II. 445	"		
" <i>caninum</i> 2l	Haw.	D. C. III. 419	"	July-Oct.	
" <i>caulescens</i> 2l	Mill.	D. C. III. 432	"		
" <i>cordifolium</i> 2l (○) . . .	Lin. fil.	D. C. III. 449	"	July-Sept.	Cape.
" <i>cultratum</i> 2l	S. Dyck	Harv. Fl. Cap. II. 403	"		
" <i>curtum</i> 2l	Haw.	D. C. III. 432	"		
" <i>echinatum</i> 2l	Ait.	D. C. III. 441	"		
" <i>Ecklonii</i> 2l	S. Dyck	Harv. Fl. Cap. II. 441	"		
" <i>edule</i> 2l	Lin.	D. C. III. 428	"	Apr. June	
" <i>elegans</i> h	Jaq.	Hort. Sch. 18, H. & S. II. 440	"		
" <i>felinum</i> 2l	Lam.	D. C. III. 419	"	Sept.-Oct.	
" <i>filamentosum</i> h	Lin.	Harv. & Sond. II. 413	"		

	Author.	Reference.	Family.	Time of flowering.	Native country.
Mesembryanthemum flori-					
bundum 21	Haw.	D. C. III. 441	Ficoideae	May-Aug.	
" forficatum h	Lin.	Harv. & Sond. II. 421	"		
" geminatum 21	Haw.	Harv. & Sond. II. 422	"		
" intonsum 21	Haw.	Harv. & Sond. II. 446	"		
" Lehmannii 21	E. et Z.	Harv. Fl. Cap. II. 430	"		
" linguaeforme 21	Haw.	D. C. III. 422, Lodd. 1307	"		
" longistylum 21	D. C.	Harv. & Sond. II. 433	"		
" acutangulum 21	Haw.	D. C. III. 432	"		
" maximum h	Haw.	D. C. III. 433	"		
" muricatum 21	Haw.	D. C. III. 433	"		Cape.
" pluripunctatum 21			"		
" pustulatum 21	Haw.	Harv. & Sond. II. 404	"		
" rubricaule 21	Haw.	D. C. III. 428	"	May-Jan.	
" scabrum h	Lin.	D. C. III. 434	"		
" spectabile 21	Haw.	Harv. & Sond. II. 419, B. M. 396	"		
" Thunbergii 21	Haw.	D. C. III. 437	"		
" tigrinum 21	Haw.	D. C. III. 419	"	July-Nov.	
" uncinatum h	Lin.	D. C. III. 431	"		
" vaginatum h	Haw.	D. C. III. 432	"		
" violaceum 21	D. C.	Harv. & Sond. II. 439, Jacq H. Sch. 442	"		
Mezoneurum cucullatum h	Wight	and Arn. Prod. 283	Legum.-Caesalp.		Malaya.
Mespilus germanica h . . .	Lin.	D. C. II. 633	Rosaceae		Europe.
Micromeria graeca 21 . . .	Benth.	D. C. XII. 214	Labiatae	May	Portugal, Medit. reg.
" Juliana 21	Benth.	D. C. XII. 213	"		Mediterr. region.
" Piperella 21	Benth.	D. C. XII. 221	"		Southern Europe.
" rupestris 21	Benth.	D. C. XII. 225	"	June-Oct.	Southern Europe.
" Teneriffae 21	Benth.	D. C. XII. 220	"	June-Oct.	Teneriffe.
" tenuis 21	Link.	D. C. XII. 215	"	June-Aug.	Canary Islds.
Milla uniflora 21	R. Grah.	B. M. 3327	Liliaceae	March	Buenos Ayres.
Mimosa pudica 21	Lin.	D. C. II. 426	Legum.-Mimos.	June-Aug.	Brazil.
Mimulus luteus 21	Lin.	D. C. X. 370, B. M. 1501	Scrophulariaceae	March-July	Chile, Peru.
" moschatus 21	Dougl.	D. C. X. 372	"		Columbia, Louisiana.
Mina lobata (C)	Cerv.	D. C. IX. 337	Convolvulaceae	Sept.-Nov.	Mexico.
Mirabilis Jalapa 21	Lin.	D. C. XIII. 2. 427, B. M. 371	Nyctagineae	May-Oct.	Peru, New Granada.
Miscanthus sinensis 21 . . .	Anderss.	B. M. 7304	Gramineae		China, Japan.
Michauxia campanuloides (C)	l' Hér.	D. C. VII. 457, B. M. 219	Campanulaceae		Asia minor, Syria.
Momordica Elaterium (C) . .	Lin.	D. C. III. 311, B. M. 1914	Cucurbitaceae	May-Sept.	Southern Europe.
Monanthes polyphylla 21 . .	Haw.	Rev. Plant. 68	Crassulaceae		Madeira.
Monizia edulis h	Lowe	B. M. 5724	Umbelliferae		Madeira.
Monarda fistulosa 21	Lin.	D. C. XII. 361, B. M. 145	Labiatae	May-Aug.	North America.
Monnina obtusifolia 21 . . .	H. B. K.	D. C. I. 339, B. M. 3122	Polygaleae	All the year	New Granada.
Monotropa Hypopitys 21 . . .	Lin.	D. C. VII. 781	Monotropeae		Northern temp. zone.
Monsonia Héritieri h	D. C.	D. C. I. 638	Geraniaceae	May-Aug.	Cape.
Montagnaea grandiflora h	D. C.	D. C. V. 565	Compositae	Oct.-Apr.	Mexico.
Moraea bicolor 21	Steud.	Lodd. 1886	Irideae		South Africa.
" Candolleana 21	Spreng.	Syst. I. 164	"	March	Cape.
" collina 21	Thunbg.	B. M. 1033	"	May-June	Cape.
" edulis 21	Ker.-G.	B. M. 613	"		Cape.
" iridioides 21	Lin.	B. M. 693	"	June	South Africa.
" Pavonia 21	Ker.-G.	B. M. 1247	"		South Africa.
" Robinsoniana 21	C. Moore	B. M. 7212	"	July	Lord Howe's Island.
" tricuspid 21	Ker.-G.	B. M. 696	"	March	Cape.
Moricandia arvensis (C) . . .	D. C.	D. C. I. 221	Cruciferae	All the year	Southern Europe.
" Ramburii h	Webb	B. M. 4947	"	May-Aug.	Spain.
Morina persica 21	Lin.	D. C. IV. 644	Dipsaceae		Persia, Syria, Asia min.
Muehlenbeckia complexa h S	Meissn.	D. C. XIV. 147	Polygoneae	June-Oct.	New Zealand.
" platyclados h	Meissn.	B. M. 5382	"	June-Nov.	Solomon Islds.
Murraya exotica h	Lin.	D. C. I. 537	Rutaceae		India.
Musa Ensete 21	Gmel.	B. M. 5223	Scitamineae		Abyssinia.
" paradisiaca 21	Lin.	B. M. 5402	"		Tropical Asia.
Muscari comosum 21	Mill.	Kunth. IV. 306	Liliaceae	Apr.-June	Mediterr. region.
" neglectum 21	Guss.	Ardoino, Fl. Alp. marit.	"	March-Apr.	Mediterr. region.
" racemosum 21	Mill.	B. M. 122	"	March-Apr.	Southern Europe.
Myoporum acuminatum h	R. Br.	Bentham V. 3	Myoporineae		Australia.

	Author.	Reference.	Family.	Time of flowering.	Native country.
Myoporum parvifolium h	R. Br.	Bentham V. 6, B. M. 1693	Myoporineae	June-Aug.	Australia.
" serratum h	R. Br.	Bentham V. 4	"	Apr.-June	Australia.
" tuberculatum h	R. Br.	Bentham V. 5	"	Apr.-June	Australia.
Myosotis sylvatica 2	Hoffm.				
" var. alpestris 2	Schmidt	D. C. X. 108	Boragineae	Apr.-May	Europe, Siberia.
Myriophyllum proserpinacoides 2	Gill.	H. et. A. Bot. Misc. III. 313	Halorageae		South America.
Myrica cerifera h	Lin.	D. C. XVI. 2. 148	Myricaceae	April	North America.
Myricaria germanica h	Desv.	D. C. III. 97	Tamariscineae	June-July	Europe, Caucasus.
Myrosma cannaefolium 2	Lin.		Scitamineae		Guiana.
Myrsine africana h	Lin.	D. C. VIII. 93	Myrsineae	May-Aug.	Him., Afr., Azores.
Myrsiphyllum asparagoides 2 §	Willd.	B. M. 5584	Liliaceae		Cape.
Myrtus communis h	Lin.	D. C. III. 239	Myrtaceae	July-Sept.	South Europe.
" var. italica h	Mill.	D. C. III. 239	"		South Europe.
" var. tarentina h	Lin.	D. C. III. 239	"		South Europe.
Nandina domestica h	Thunbg.	D. C. I. 109, B. M. 1109	Berberideae	Febr.	Japan, China.
Narcissus biflorus 2	Curt.	Kunth. V. 733, B. M. 197	Amaryllideae		Europe.
" Jonquilla 2	Lin.	Kunth. V. 728, B. M. 15	"	March-Apr.	South Eur., North. Afr.
" odorus 2	Lin.	B. M. 934	"	March-Apr.	South Europe.
" papyraceus 2	Ker.-G.	B. M. 947, 1188	"	Dec.-March	Asia min., South Eur.
" polyanthos 2	Loisel.	Kunth V. 757	"	Apr.-May	South. France, Spain.
" poëticus 2	Lin.	Kunth V. 734, B. M. 193	"	Apr.-May	Europe.
" Pseudo-Narcissus 2	Lin.	Kunth Enumeratio V. 708	"	April	Europe.
" Tazetta 2	Lin.	B. M. 925, 1298	"	Dec.-March	South. Eur., North Afr.
Nasturtium officinale 2	R. Br.	D. C. I. 137	Cruciferae	March-Oct.	Europe, Asia, Amer.
Negundo californicum h	Torr. Gr.	Fl. N. Am. I. 250	Sapindaceae		California.
Neja gracilis 2	Don.	D. C. V. 325, Lodd. 1814	Compositae		Mexico.
" linearifolia 2	D. C.	D. C. V. 325	"		Brazil.
Nepeta macrantha 2	Fisch.	D. C. XII. 387	Labiatae		Altai.
Nephrodium molle 2	Desv.	Hook., Syn. Filices 293	Flices		Mexico, Peru, N. Zeal.
Nephrolepis tuberosa 2	Hook.	Lowe, Ferns VII. 25	"		Jamaica, India, China.
Nerine sarniensis 2	Herb.	B. M. 2124	Amaryllideae		South Africa.
" undulata 2	Herb.	Kunth. V. 621, B. M. 369, 1430	"	Nov.	South Africa.
Nerium Oleander h	Lin.	D. C. VIII. 420	Apocynaceae	May-Oct.	Mediterr. region.
Nesaea myrtifolia h	Desf.	A. St. Hil. Fl. Bras. mer. III	Lythrarieae		Brazil.
" salicifolia h	H. B. K.	Nov. Gen. et. Sp. VI. 192	"	June-Sept.	Tropical America.
" syphilitica h	Steud.	Flora (1842) 474	"	June-Sept.	Mexico.
Neviusa alabamensis h	A. Gray	B. M. 6806	Rosaceae	May-June	Alabama.
Nicandra physaloides (•)	Gaertn.	D. C. XIII. 1. 434, B. M. 2458	Solanaceae	June-Nov.	Peru.
Nicotiana alata (••)	Lk. Otto	D. C. XIII. 1. 567	"		Brazil.
" glauca h	R. Grah.	D. C. XIII. 1. 562, B. M. 2837	"	All the year	Brazil, Argentina.
Nierembergia frutescens 2	Dur.	Nich. Dict. of. gardening.	"	March-June	Chile.
Nigella damascena (•)	Lin.	D. C. I. 49, B. M. 22	Ranunculaceae	June-July	Europe.
Nolina Bigelowii h	S. Wats.	Bak., Aloin. Yucc. 235	Liliaceae		California.
" erumpens h	S. Wats.	" " " 235	"	Aug.-Sept.	Texas.
" longifolia h	Hemsl.	" " " 234	"		Mexico.
" syn. Dasytir. longifolia	Zucc.		"		
" recurvata h	Lem.	" " " 234	"		Mexico.
syn. Pincenectitia tuberculata	hort.		"		
var. stricta h	Lem.	" " " 234	"		Mexico, Santa Fé.
Nothoscordum fragrans 2	Kunth.	Kunth. IV. 461, B. M. 1129	"	Febr.-March	North Am., Mex., Afr.
Nymphaea alba 2	Lin.	D. C. I. 115	Nympaeaceae	Apr.-Sept.	Eur., Asia, North Am.
Odina caffra h ?		Dammann, Cat. 1894-95, 36	Anacardiaceae		Natal.
Odontites lutea (•)	Rchbch.	D. C. X. 550	Scrophularineae	July-Aug.	Centr. and South. Eur.
Odontospermum maritimum	Sch. Bip.	B. M. 1836	Compositae	Apr.-June	Canary Islands.
Oenothera Fraseri 2	Pursh.	D. C. III. 51, B. M. 1674	Onagrarieae	June-Aug.	Carolinas.
" missouriensis (••)	Sims.	D. C. III. 47	"		West. North America.
" rosea 2	Soland.	D. C. III. 51, B. M. 347	"	Aug.-Oct.	California.
" speciosa 2	Nutt.	D. C. III. 50, B. M. 3189	"		Louisiana.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Olea americana</i> h	Lin.	D. C. VIII. 286	Oleaceae		North America.
" <i>arborea</i> h	Lodd.	Lodd. Cat. ex Lodd. Hort. Brit. 5	"		?
" <i>europaea</i> h	Lin.	D. C. VIII. 284	"	May	Mediterr. region.
" <i>excelsa</i> h	Ait.	D. C. VIII. 288	"		Madeira.
" <i>undulata</i> h	Jacq.	D. C. VIII. 287, B. M. 3089	"	June-July	Cape.
" <i>verrucosa</i> h	Link.	D. C. VIII. 285	"	May	Cape.
<i>Olearia argophylla</i> h	F. M.	Benth. III. 470, B. M. 1563	Compositae		Australia.
" <i>Forsteri</i> h	Hook.	D. C. V. 78	"	Sept.-Nov.	New Zealand.
" <i>Haastii</i> h	Hook.	B. M. 6592	"	June-July	New Zealand.
" <i>stellulata</i> h	D. C.	Bentham III. 473	"		Australia.
<i>Omphalodes linifolia</i> (○)	Moench	D. C. X. 161	Boragineae	March-June	Italy, Greece.
" <i>verna</i> 2	Moench	D. C. X. 162	"	March-Apr.	Central Europe.
<i>Onobrychis Caput-Galli</i> (○)	Lam.	D. C. II. 346	Legum.-Papil.	May-June	Southern Europe.
" <i>viciaefolia</i> 2	Scop.	D. C. II, 344	"	June-Sept.	Europe.
<i>Ononis cenisia</i> 2	Lin.	D. C. II. 161	"	July-Aug.	Western Alps.
" <i>minutissima</i> 2	Lin.	D. C. II. 164	"	All the year	Southern Europe.
" <i>rotundifolia</i> 2	Lin.	D. C. II. 161, B. M. 335	"		Alps, Pyrenees.
" <i>spinosa</i> 2	Lin.	D. C. II. 163	"	June-July	Europe.
<i>Ophioglossum lusitanicum</i> 2	Lin.	Hook. Syn. Filic. 445	Filices	Winter	Medit., Azores, Mad.
" <i>vulgatum</i> 2	Lin.	" " " 445	"		Widely diffused.
<i>Ophiopogon spicatus</i> 2	Ker-Gawl.	Kunth V. 299, B. M. 5348	Haemadoraceae		China, Jap., Chochin.
<i>Ophrys apifera</i> 2	Huds.	Barla les Orch. de Nice 56	Orchideae	April-May	Europe, N. Africa.
" <i>aranifera</i> 2	Huds.	" " " 51 - 55	"	Febr.-April	Europe, Asia minor.
" <i>bombiliflora</i> 2	Link	" " " 57	"	March-Apr.	Mediterr. region.
" <i>fusca</i> 2	Link	" " " 62	"	March-Apr.	Mediterr. region.
" <i>lutea</i> 2	Cav.	" " " 61	"	March-Apr.	Mediterr. region.
" <i>Scolopax</i> 2	Cav.	" " " 59	"	April-May	Mediterr. region.
<i>Opuntia albicans</i> h	S. Dyck	Hort. Dyck. 361	Cacteae		Mexico.
" <i>Amiclaea</i> h	Tenore	D. C. III. 474	"	June-July	Mexico.
" <i>andicola</i> h	Hort. angl.	Pfeiff. Enum. Diagn. Cact.	"		Chile.
" <i>basilaris</i> h	E. et B.	Nicholson, Dict. of gard.	"		California.
" <i>bicolor</i> h	Phil.	Linnaea XXXIII. 83	"		Chile.
" <i>boliviana</i> h	S. Dyck	O. u. D. Allg. Gartenz. 1845	"		Bolivia.
" <i>brachyarthra</i> h	B. et E.	Pfeiff. En. Diagn. Cact. 159	"		Mexico.
" <i>camanchica</i> h	B. et E.	in Pac. Rail. Rep. IV. 40	"		West. North America.
" <i>candelabriflora</i> h	H. monac.	Pfeiff. En. Diagn. Cact. 159	"		Mexico.
" <i>Consoleana</i> h	Todaro		"		
" <i>corrugata</i> h	Gill.	Hort. Dyck. 360	"		South America.
" <i>curassavica</i> h	Mill.	Gard. Dict. ed. VIII. n° 7	"		West Indies.
" <i>cylindrica</i> h	D. C.	D. C. III. 471, B. M. 3301	"		Peru.
" <i>Darwinii</i> h	Hensl.	in Mag. Zool. and Bot. 1837	"		Patagonia.
" <i>decumana</i> h	Haw.	D. C. III. 473	"		South America.
" <i>dejecta</i> h	S. Dyck	Hort. Dyck. 361	"		Cuba.
" <i>diademata</i> h	Lem.	Cact. Aliq. Nov. Desc. 36	"		Argentina.
" <i>Dillenii</i> h	Haw.	D. C. III. 472, Wight. Ind. Bot. 114	"		Mexico.
" <i>Digitalis</i>	Weber		"	May-June	Argentina.
" <i>Engelmannii</i> h	S. Dyck	Cact. Hort. Dyck. ed II. 235	"		West. North America.
" <i>extensa</i> h	S. Dyck	Pfeiff. En. Diagn. Cact. 147	"		?
" <i>ferox</i> h	Haw.	D. C. III. 472	"		South America.
" <i>Ficus indica</i> h	Mill.	D. C. III. 473	"		South America.
" <i>foliosa</i> h	S. Dyck	D. C. III. 471	"		Mexico.
" <i>frutescens</i> h	Engelm.	in Bost. Journ. Nat. Hist. 1845	"		Mexico.
" <i>fulvispina</i> h	S. Dyck	Pfeiff. En. Diagn. Cact. 164	"		South America.
" <i>glauca</i> h	Hort.	Pfeiff. En. Diagn. Cact. 153	"		Chile.
" <i>glaucophylla</i> h	Wendl.	" " " " 162	"		Mexico.
" <i>grandis</i> h	H. Angl.	" " " " 155	"		Mexico.
" <i>horrida</i> h	S. Dyck	D. C. III. 472	"		Mexico.
" <i>imbricata</i> h	D. C.	D. C. III. 471	"		Mexico.
" <i>Kleiniae</i> h	D. C.	Mém. Mus. Par. XVII. 118	"		Mexico.
" <i>Labouretiana</i> h	Console		"		
" <i>lanceolata</i> h	Haw.	D. C. III. 473	"		Mexico.
" <i>lasiacantha</i> h	H. Vindob.	Pfeiff. En. Diagn. Cact. 160	"		Mexico.
" <i>leucotricha</i> h	D. C.	Mém. Mus. Par. XVII. 119	"		Mexico.
" <i>microdasys</i> h	Lehm.	Pfeiff. En. Diagn. Cact. 154	"		Mexico.
" <i>missouriensis</i> h	D. C.	D. C. III. 472, B. M. 7046	"		Missouri.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Opuntia monacantha</i> h . .	Haw.	D. C. III. 472, B. M. 3911	Cacteae		Mexico.
" <i>nigricans</i> h	Haw.	D. C. III. 473, B. M. 155	"		Mexico.
" <i>oligacantha</i> h	H. Vindob.	Pfeiff. En. Diagn. Cact. 137	"		Mexico.
" <i>ovata</i> h	Pfeiff.	" " " " 144	"		Chile.
" <i>Rafinesquii</i> h	Engelm.	B. M. 7041	"		Missouri, Kentucky.
" <i>robusta</i> h	Wendl.	Pfeiff. En. Diagn. Cact. 165	"		Mexico.
" <i>rubescens</i> h	S. Dyck	D. C. III. 474	"		Brazil.
" <i>Salmiana</i> h	Parm.	B. M. 4542	"		Brazil.
" <i>senilis</i> h	Parm.	Pfeiff. En. Diagn. Cact. 157	"		Brazil.
" <i>spirocentra</i> h	E. et B.	ex Haage, Cact. Verz.	"		New Mexico.
" <i>Stapeliae</i> h	D. C.	Mém. Mus. Par. XVII. 117	"		Mexico.
" <i>stricta</i> h	Haw.	D. C. III. 473	"		South America.
" <i>subulata</i> h	Engelm.	Gardn. Chron. (1883) I. 627	"		South America.
" <i>tomentosa</i> h	S. Dyck	D. C. III. 473	"		Mexico.
" <i>tuberculata</i> h	Haw.	D. C. III. 473	"		Mexico.
" <i>Tuna</i> h	Mill.	D. C. III. 472	"		South America.
" <i>tunicata</i> h	H. berol.	Pfeiff. En. Diagn. Cact. 170	"		Mexico.
" <i>Turpini</i> h	Lem.	Cact. Aliq. Nov. Desc. 36	"		Argentina.
" <i>vestita</i> h	S. Dyck	O. u. D. Allg. Gartenz. 1845	"		Peru.
" <i>vulgaris</i> h	Mill.	D. C. III. 474, B. M. 3393	"		North America.
<i>Orchis coriophora</i> 2 . . .	Lin.	Barla les Orchid. de Nice 32	Orchideae	May-June	Europe, Orient.
" <i>globosa</i> 2	Rchbch.	" " " " 16	"	June-July	Europe, Asia minor.
" <i>intacta</i> 2	Link	" " " " 27	"	Apr.-May	Southern Europe.
" <i>laxiflora</i> 2	Lam.	" " " " 39	"	Apr.-June	Europe, Orient.
" <i>longibracteata</i> 2 . . .	Biv.	" " " " 25	"	Jan.-March	Southern Europe.
" <i>maculata</i> 2	Lin.	" " " " 47	"	May-June	Europe, Asia minor.
" <i>mascula</i> 2	Lin.	" " " " 44	"	Apr.-June	Eur., N. Afr., Orient.
" <i>militaris</i> 2	Lin.	" " " " 36	"	May-June	Europe, N. Asia.
" <i>provincialis</i> 2	Balb.	" " " " 38	"	Apr.-May	Mediterr. region.
" <i>pyramidalis</i> 2	Lin.	" " " " 26	"	May-June	Europe, North Africa.
" <i>sambucina</i> 2	Lin.	" " " " 46	"	May-June	Europe.
" <i>ustulata</i> 2	Lin.	" " " " 33	"	May-June	Europe.
<i>Oreodaphne californica</i> h .	Nees	D. C. XV. 192, B. M. 5320	Laurineae	Jan.-Febr.	California.
<i>Oreopanax capitatum</i> h . .	Decne.Pl.	Rev. Hort. (1854) 108	Araliaceae	Oct.-March	South America.
" <i>Epremeseilianum</i> h . .	André	" " " " 557	"		?
" <i>dactylifolium</i> h	Hort.	Gardn. Chron. (1864) 413	"	Febr.-March	?
" <i>guatemalense</i> h	Decne.Pl.	Rev. Hort. (1854) 108	"		Guatemala.
" <i>Thibautii</i> h	Hook.	B. M. 6340	"		Mexico.
<i>Ornithogalum arabicum</i> 2 .	Lin.	Kunth IV. 353, B. M. 728	Liliaceae	Apr.-May	South Eur., N. Afr.
" <i>narbonense</i> 2	Lin.	Kunth IV. 355, B. M. 2510?	"	May-June	South. Fran., Lig., Sib.
" <i>pyrenaicum</i> 2	Lin.	Kunth IV. 355	"		South. E., Crete, Taur.
" <i>umbellatum</i> 2	Lin.	Kunth IV. 362	"		Eur., Asia min., N. Afr.
<i>Ornithopus scorpioides</i> ① .	Lin.	D. C. II. 311	Legum.-Papil.	Apr.-May	Southern Europe.
<i>Orobanche Hederae</i> 2 . . .	Duby	D. C. XI. 28	Orobancheae	May-July	Europe,
" <i>ramosa</i> ①	Lin.	D. C. XI. 8	"	May-June	Eur., Sib., Cape, Abys.
<i>Osmanthus Aquifolium</i> h . .	Siebold	Gardn. Chron. VI. 668	Oleaceae	July	Japan, China.
" <i>fragrans</i> h	Lour.	D. C. VIII. 292, B. M. 1552	"	Sept.-Oct.	China, Cochinchina.
" <i>syn. Olea fragrans</i> .	Thunbg.				
<i>Osteospermum moniliferum</i> h	Lin.	D. C. VI. 460	Compositae	Febr.-May	Cape.
<i>Othera japonica</i> h	Thunbg.	Spreng. Syst.	Ilicineae		Japan.
<i>Othonna Athanasiae</i> h . . .	Jacq.	D. C. VI. 444, Jacq. H. Sch. 242	Compositae	Febr.-Apr.	Cape.
" <i>carnosa</i> 2	Less.	D. C. VI. 477	"	All the year	Cape.
" <i>denticulata</i> h	Dryand.	B. M. 1979	"	May-June	South Africa.
" <i>trinervia</i> h	D. C.	D. C. VI. 477	"	Oct.-Apr.	Cape.
<i>Othonnopsis cheirifolia</i> h .	Benth. Hook.	D. C. VI. 476	"	All the year	Tunis.
<i>Oxalis cernua</i> 2	Thunbg.	D. C. I. 696, Lodd. 1154	Geraniaceae	May	Cape.
" <i>corniculata</i> 2	Lin.	D. C. I. 692	"	Apr.-June	Europe, Asia, Amer.
" <i>var. atropurpurea</i> 2 .			"		
" <i>Deppei</i> 2	Lodd.	Lodd. 1500	"	May-July	South America.
" <i>grandifolia</i> 2	D. C.	D. C. I. 696	"	Apr.-Sept.	New Andalusia.
" <i>lanceaefolia</i> 2	Jacq.	D. C. I. 697	"	Nov.	Cape.
" <i>lasiandra</i> 2	Zucc.	O. u. D. Allg. Gartenz. 1834	"		Mexico.
" <i>pubescens</i> 2	H. B. K.	D. C. I. 691	"		Peru.
" <i>purpurata</i> 2	Jacq.	Harv. I. 350, Lodd. 1782	"	Febr.-Apr. sept.-Nov.	Cape.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Oxalis rosacea</i> 2	Jacq.	D. C. I. 694, B. M. 1698	Geraniaceae		Cape.
" <i>Smithiana</i> 2	E. et Z.	Enumeratio 94	"		Cape.
" <i>tubiflora</i> 2	Jacq.	D. C. I. 693	"		Cape.
" <i>variabilis</i> 2	Jacq.	D. C. I. 699	"		Cape.
" var. <i>Simsii</i> 2		D. C. I. 699, B. M. 1683	"		Cape.
<i>Oxylobium Callistachys</i> h .	Benth.	Fl. Aust. II. 16, B. M. 1925	Legum.-Papil.		West Australia.
" <i>retusum</i> h	R. Br.	Benth II. 22 D. C. II. 103 (sub. <i>Podolob.</i> <i>coriaceum</i> B. C.)	"		West Australia.
<i>Oxypetalum solanoides</i> h .	Hook. Arn.	D. C. VIII. 586	Asclepiadeae		South America.
<i>Oxytropis montana</i> 2 . .	D. C.	D. C. II. 275	Legum.-Papil.		Europe.
" <i>ochroleuca</i> 2	Rgl.	Bull. Soc. Nat. Mosc. (1866) II. 6	"		North. Asia.
" <i>sordida</i> 2	Pers.	D. C. II. 276	"		Europe.
" <i>uralensis</i> 2	D. C.	D. C. II. 276	"		Europe, North. Asia.
<i>Paeonia corallina</i> 2	Retz.	D. C. I. 65	Ranunculaceae	March-Apr.	Europe.
" <i>paradoxa</i> 2	Anders.	D. C. I. 65	"		Southern Europe.
" <i>peregrina</i> 2	Mill.	D. C. I. 66, B. M. 1050	"		Southern Europe.
" <i>Moutan</i> h	Sims.	D. C. I. 65, B. M. 1054	"	March-Apr.	China.
<i>Pachypleurum alpinum</i> 2	Ledeb.	Flora alt. I. 297	Umbelliferae		Siberia.
<i>Paliurus aculeatus</i> h	Lam.	D. C. II. 22	Rhamneae		Mediterr. region.
<i>Pallenis spinosa</i> 2	Cass.	D. C. V. 487	Compositae	July-Aug.	South. Eur., North Afr.
<i>Panax aculeatum</i> h	Dryand.	D. C. IV. 252, Lodd. 977	Araliaceae	Nov.-Febr.	China.
" <i>longissimum</i> h	Hook.	Handb. New Zeal. Fl. 102	"		New Zealand.
<i>Pancratium canariense</i> 2 .	Ker.-Gawl.	Kunth C. 659	Amaryllideae		Canary Islds.
" <i>collinum</i> 2	Coss. Dur.	Bak. Amaryll. 118	"		North. Africa.
" <i>foetidum</i> 2	Pomel.	Nouv. Mat. Fl. Atl. 253	"		Algiers.
" <i>illyricum</i> 2	Lin.	Kunth V. 660, B. M. 718	"	May	Sicily, Corsica, Sard.
" <i>maritimum</i> 2	Lin.	Kunth V. 658	"	July-Oct.	Mediterr. shores.
" <i>parviflorum</i> 2	Decne.	Kunth V. 659	"		Syria.
" <i>tortuosum</i> 2	Herb.	Kunth V. 663	"		Arabia.
" <i>trianthum</i> 2	Herb.	Kunth V. 663	"		Trop. Afr., Arabia.
<i>Panicum palmifolium</i> 2 . .	Poir.	Kunth I. 93	Gramineae	Oct.-Nov.	West Indies.
<i>Papaver atlanticum</i> 2 . .	Coss.	B. M. 7107	Papaveraceae	Apr.-May	Marocco.
" <i>bracteatum</i> 2	Lindl.	D. C. I. 119, B. M. 658	"		Russia.
" <i>dubium</i> 2	Lin.	D. C. I. 118	"	Apr.-May	Europe.
" <i>hybridum</i> 2	Lin.	D. C. I. 118	"		East. and South. Eur.
" <i>nudicaule</i> 2	Lin.	D. C. I. 117, B. M. 2344, 3035, 1633	"		Alps. & arct. region.
" <i>Rhoeas</i> 2	Lin.	D. C. I. 118	"	March-Apr.	Europe, Asia.
" <i>somniferum</i> 2	Lin.	D. C. I. 119	"	May-June	Greece, Orient.
<i>Pappea capensis</i> h	Eckl. Z.	Harv. Fl. Cap. I. 241	Sapindaceae		South Africa.
<i>Parietaria officinalis</i> 2 . .	Lin.	D. C. XVI. 1. 235 42	Urticaceae	All the year	Europe.
<i>Parkinsonia aculeata</i> h . .	Lin.	D. C. II. 486	Legum.-Caesalp.	July	Carib. Islds., South. Am.
<i>Paronychia serpyllifolia</i> 2	D. C.	Godron & Gren. Fl. de France.	Illecebraceae		Southern Europe.
<i>Parrotia persica</i> h	C. A. Mey.	D. C. IV. 268, B. M. 5744	Hamamelideae	March-Apr.	Northern Persia.
<i>Passerina filiformis</i> h . . .	Lin.	D. C. XIV. 562	Thymelaeaceae		South Africa.
" <i>hirsuta</i> h	Lin.	D. C. XIV. 557	"	July-Dec.	Mediterr. region.
<i>Passiflora adenopoda</i> h § .	Moç.	D. C. III. 330	Passifloreae	July-Aug.	Mexico.
" <i>Actinia</i> h §	Hook.	B. M. 4009	"	May-June	Brazil.
" <i>alata</i> h §	Ait.	B. M. 66	"	Sept.-Oct.	Peru.
" <i>alba</i> h §	Lk. Otto.	lc. Plant. Rar. Hort. Berol. 33	"	March-May	Brazil.
" <i>coerulea</i> h §	Lin.	D. C. III. 330, B. M. 28	"	All the year	Peru, Brazil.
" <i>Colvillei</i> h § ×	Sweet.		"	May-June	Garden hybrid.
" <i>edulis</i> h §	Sims.	D. C. III. 329, B. M. 1989	"	May-June	Brazil.
" <i>Belottii</i> h § ×	Hort.	Gard. Mag. Bot. (1850) 9	"	June	Garden hybrid.
<i>Impératrice Eugénie</i> ×		Nichols. Dict. of gard.	"	June-Nov.	Garden hybrid.
" <i>arc en ciel</i> h § × .			"	All the year	Garden hybrid.
" <i>kewensis</i> h §			"		(P. coerulea × racemosa).
" <i>ligularis</i> h §	A. Juss.	D. C. III. 328	"		Tropical America.
" <i>sextiflora</i> h §	A. Juss.	D. D. III. 323	"		San Domingo, Jamaica.
" <i>Loudonii</i> h § ×	Loud.	Encycl. Pl. 1234	"	June	Garden hybrid.
" <i>minima</i> h §	Jacq.	D. C. III. 325	"		South America.
" <i>Neumannii</i> h § × . . .	Paxt.	Mag. Bot. X. 270	"		Garden hybrid.
" <i>racemosa</i> h §	Brot.	D. C. III. 329, B. M. 2001	"	Oct.-Febr.	Brazil.
" <i>syn. Princeps</i>	Lodd.		"		
" <i>suberosa</i> h §	Lin.	D. C. III. 325	"		South America.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Pavetta gardeniaefolia</i> h .	Hochst.	Tent. Fl. Abyssin. I. 351	Rubiaceae		Abyssinia.
„ <i>indica</i> h	Lin.	D. C. IV. 490	„	May-June	India.
<i>Pavonia hastata</i> h	Cav.	D. C. I. 443	Malvaceae	June-Dec.	Brazil.
„ <i>praemorsa</i> h	Cav.	D. C. I. 444, B. M. 436	„	March-Nov.	Cape.
„ <i>spinifex</i> h	Cav.	D. C. I. 442	„	Aug.-Oct.	Temper. America.
„ <i>var. oblongifolia</i> h .		D. C. I. 443	„	Aug.-Oct.	„
„ <i>var. ovalifolia</i> h . .	D. C.	D. C. I. 443	„	Aug.-Oct.	„
<i>Paulownia imperialis</i> h . .	Sieb. Zucc.	B. M. 4666	Scrophularineae		Japan.
<i>Pedicularis gyroflexa</i> 2 . .	Vill.	D. C. X. 577	„		South Europe.
<i>Pelargonium alchemil-</i>					
<i>loides</i> 2	Ait.	D. C. I. 660	Geraniaceae	Oct.-March	South Africa.
„ <i>athamantoides</i> h . .	l'Hérit.	D. C. I. 660	„		Cape.
„ <i>betulinum</i> h	Ait.	D. C. I. 669, B. M. 148	„	June-July	South Africa.
„ <i>crispum</i> h	l'Hérit.	D. C. I. 677	„	May-Sept.	South Africa.
„ <i>odoratissimum</i> h . .	Soland.	D. C. I. 659	„	All the year	Tropical Africa.
„ <i>peltatum</i> h	Ait.	D. C. I. 666, B. M. 20	„	May-June	South Africa.
„ <i>Radula</i> h	Ait.	D. C. I. 679	„	May-June	South Africa.
„ <i>viscosissimum</i> h . .	Sw.	D. C. I. 679, Sw., Geran. II	„	All the year	South Africa.
„ <i>zonale</i> h	l'Hérit.	D. C. I. 659	„	All the year	South Africa.
<i>Pennisetum Ruppellii</i> 2 . .	Steud.	Nomencl. ed. II.	Gramineae		Abyssinia.
<i>Pentas carnea</i> h	Benth.	B. M. 4086	Rubiaceae	June-July	Southern Africa.
<i>Pentstemon campanula-</i>					
<i>tus</i> 2	Willd.	D. C. X. 326, B. M. 3884	Scrophularineae	May-June	Mexico.
„ <i>Cobaea</i> 2	Nutt.	D. C. X. 326, B. M. 3465	„	May-June	Texas.
„ <i>gentianoides</i> 2 . . .	G. Don.	D. C. X. 323, B. M. 3661	„	May-Febr.	Mexico.
„ <i>glaber</i> 2	Pursh.	D. C. X. 324, B. M. 1672	„	May-June	North America.
„ <i>gracilis</i> 2	Nutt.	D. C. X. 327, B. M. 2945	„	May-June	Canada.
„ <i>Jaffrayanus</i> 2 . . .	Hook.	B. M. 5045	„		California.
„ <i>laevigatus</i> 2	Ait.	D. C. X. 327, B. M. 1425	„	May-June	Texas, Canada.
„ <i>Murrayanus</i> 2 . . .	Hook.	D. C. X. 322, B. M. 3472	„	May	Texas.
„ <i>ovatus</i> 2	Dougl.	D. C. X. 328, B. M. 2903	„		North America.
„ <i>Richardsoni</i> 2 . . .	Dougl.	D. C. X. 330, B. M. 3391	„		California.
<i>Pentzia virgata</i> 2	Less.	D. C. VI. 137	Compositae	All the year	Cape.
<i>Pereskia grandifolia</i> h . . .	Haw.	D. C. III. 475	Cactaeae	Nov.-Dec.	Brazil.
<i>Periploca graeca</i> h § . . .	Lin.	D. C. VIII. 498, B. M. 2289	Asclepiadeae		Southern Europe.
„ <i>laevigata</i> h §	Ait.	D. C. VIII. 498	„		Med. reg., Can. Islds.
<i>Pernettya mucronata</i> h . .	Gaudich.	D. C. VII. 587, B. M. 3093, Lodd. 1848	Ericaceae		Cape Horn
<i>Persea gratissima</i> h	Gaertn.	D. C. XV. 1. 52, B. M. 4580	Laurineae	Febr.-March	Mascarenhas.
<i>Persoonia myrtilloides</i> h .	Sieber	Bentham, Fl. Austr. V. 401	Proteaceae		N. S. Wales, Victoria.
<i>Petagnia saniculaefolia</i> 2 .	Guss.	D. C. IV. 83	Umbelliferae	May-June	Sicily.
<i>Petasites fragrans</i> 2 . . .	Presl	D. C. V. 205	Compositae	Jan.-Febr.	Mediterr. region.
<i>Petrophytes agriostaphis</i> 2	Webb. Berth.	Phyt. Canar. 203	Crassulaceae		Canary Islds.
<i>Petunia violacea</i> ⊙	Lindl.	D. C. XIII. 1. 573, B. M. 3556	Solanaceae	All the year	Buenos Ayres.
<i>Peumus Boldus</i> h	Molina	D. C. XVI. 2. 674, B. M. 7024	Monimiaceae	March	Chile.
<i>Phaca alpina</i> 2	Lin.	D. C. II. 273	Legum.-Papil.		Alps. Pyren., Siberia.
„ <i>australis</i> 2	Lin.	D. C. II. 274	„		Alps. Pyrenees.
<i>Phagnalon saxatile</i> 2 . . .	Cass.	D. C. V. 396	Compositae	Apr.-May	Mediterr. region.
„ <i>sordidum</i> 2	Rchbch.	D. C. V. 396	„	July-Sept.	Mediterr. region.
<i>Phalaris canariensis</i> ⊙ . .	Lin.	Kunth I. 31	Gramineae		Eur., North Africa.
„ <i>nodosa</i> 2	Lin.	Kunth I. 32	„	May-June	Mediterr. region.
„ <i>paradoxa</i> ⊙	Lin.	Kunth I. 33	„	June-Aug.	France, Italy, Orient.
<i>Phellodendron japonicum</i> h	Maxim.	Bull. Acad. Pet. (1871) 212	Rutaceae	April-May	Japan.
<i>Phillyrea angustifolia</i> h . .	Lin.	D. C. VIII. 292	Oleaceae	Apr.-May	Southern Europe.
„ <i>decora</i> h	Boiss. Bal.	Vilm. Fl. Pl. Terre Sup. 1867	„		Persia.
<i>Philodendron pertusum</i> h .	Kth. Bouché	Ind. Sem. Hort. Berol. 1848	Aroideae		Mexico.
„ <i>pinnatifidum</i> h	Schott	Jacq. Hort. Schoenbr. 187	„		Venezuela.
<i>Phlomis armeniaca</i> h . . .	Willd.	D. C. XII. 538	Labiatae		Asia minor, Armenia.
„ <i>ferruginea</i> h	Ten.	D. C. XII. 540	„		Southern Italy.
„ <i>fruticosa</i> h	Lin.	D. C. XII. 540, B. M. 1843	„	Apr.-Nov.	Greece, Italy.
„ <i>purpurea</i> h	Lin.	D. C. XII. 539	„		South. Spain, Portug.
„ <i>spectabilis</i> 2	Falcon.	D. C. XII. 542	„	June	Cashmeer.
„ <i>tuberosa</i> 2	Lin.	D. C. XII. 544, B. M. 1555	„	July-Aug.	Russia, Siberia.
„ <i>viscosa</i> h	Poir.	D. C. XII. 540	„		Syria, Asia minor.
<i>Phoenix acaulis</i> h	Buch.-Ham.	Kunth III. 257	Palmæ		India, Burma.
„ <i>canariensis</i> h	Hort.	Naudin, Manuel d'Acclim.	„		Canary Islds.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Phoenix dactylifera</i> h . . .	Lin.	Kunth, III. 255	Palmae		Egypt, Arabia.
„ <i>humilis</i> h	Royle	Illustr. Bot. Himal. 394	„		E. Ind., Burma, China.
„ <i>hybrida</i> h	Hort. Bog.	Cat. Hort. Bog. 72	„		?
„ <i>paludosa</i> h	Roxb.	Kunth, III. 256	„		East India, Siam.
„ <i>pumila</i> h	Hort.	Regel, Gartenflora 1871	„		?
„ <i>reclinata</i> h	Jacq.	Kunth, III. 256	„		Southern Africa.
„ <i>rupicola</i> h	T. And.	Gard. Chron. III. 502	„		Himalaya region.
„ <i>sylvestris</i> h	Roxb.	Kunth, III. 255	„		East India.
<i>Phormium tenax</i> 2	Lin.	Kunth, IV. 275, B. M. 3199	Liliaceae		New Zealand.
„ var. <i>atropurpurea</i> 2 . . .			„		
<i>Photinia serrulata</i> h	Lindl.	D. C. II. 631, B. M. 2105	Rosaceae	March-May	Japan, China.
<i>Phygelius capensis</i> h	E. May.	D. C. X. 300, B. M. 4881	Scrophularineae	Apr.-Nov.	Cape.
<i>Phyllica ericoides</i> h	Lin.	D. C. II. 34, B. M. 224	Rhamnaceae	Oct.-May	Cape.
<i>Phyllanthus lathyroides</i> 2 . . .	H. B. K.	D. C. XV. 2. 404	Euphorbiaceae	June-Sept.	South America.
„ <i>Niruri</i> ☉	Lin.	D. C. XV. 2. 406	„	May-Oct.	Eastern Africa.
<i>Phyllis Nobla</i> h	Lin.	D. C. IV. 579	Rubiaceae	July	Canary Islds.
<i>Phyllocladus trichomanoides</i> h	D. Don	D. C. XVI. 2. 498	Coniferae		New Zealand.
<i>Physalis Alkekengi</i> 2	Lin.	D. C. XIII. 1. 438	Solanaceae		Europe, Japan.
„ <i>Francheti</i> 2	Mast.	Gard. Chronicle	„	June-Aug.	Japan.
„ <i>glabra</i> 2	Benth.	D. C. XIII. 1. 443	„	June-Aug.	Cape, S. Lucas Calif.
„ <i>lanceolata</i> 2	Michx.	D. C. XIII. 1. 438	„	July-Sept.	Southern Carolina.
„ <i>peruviana</i> 2	Lin.	D. C. XIII. 1. 440	„	July-Oct.	Trop. and subtr. countr.
<i>Physianthus albens</i> h § . . .	Mart.	D. C. VIII. 534, B. M. 3201	Asclepiadeae	Apr.-Sept.	Brazil.
„ sp. 2 §			„	July-Aug.	China.
<i>Physostegia virginiana</i> 2 . .	Benth.	D. C. XII. 433, B. M. 214, 467	Labiatae		North America.
<i>Phyteuma Halleri</i> 2	All.	D. C. VII. 453	Campanulaceae		Europe.
„ <i>spicatum</i> 2	Lin.	D. C. VII. 453, B. M. 2347	„		Europe.
<i>Phytolacca abyssinica</i> 2 . .	Hoffm.	D. C. XIII. 2. 34	Phytolaccaceae		Abyssinia.
„ <i>decandra</i> 2	Lin.	D. C. XIII. 2. 32, B. M. 931	„	July-Oct.	Virginia.
<i>Pieris formosa</i> h	D. Don	D. C. VII. 599	Ericaceae		Nepal.
„ <i>ovalifolia</i> h	D. Don	D. C. VII. 599	„		Nepal.
<i>Pilocarpus pennatifolius</i> h .	Lem.	B. M. 7235	Rutaceae	May-Dec.	Brazil.
<i>Pilocereus Hermentianus</i> h	Lem.	Lem. Cact. 63	Cacteae		?
„ <i>nigricans</i> h	Sencke	Lem. Illustr. Hort. (1866)	„		?
„ <i>polylophus</i> h	S. Dyck	Cact. Hort. Dyck. 24	„		Mexico.
„ <i>senilis</i> h	Lem.	D. C. III. 464	„		South America.
„ <i>sublanatus</i> h	Foerst.	Hort. Dyck. 337	„		?
„ <i>virens</i> h	Lem.	Mém. Mus. Par. (1828) 116	„		Mexico.
<i>Pimelea ferruginea</i> h	Labill.	Lodd. 1283, 1708, Benth VI, 11	Thymelaeaceae	May-June Sept.-Nov.	West Australia, Vict.
„ <i>ligustrina</i> h	Labill.	Bentham, VI. 18	„		Australia.
<i>Pinellia tuberifera</i> 2	Ten.	Att. Acc. Sc. Nap. IV. (1839) 57	Aroideae		Japan.
<i>Pinus albicaulis</i> h	Engelm.	Trans. Acad. St. Louis. 1863	Coniferae		North America.
„ <i>canariensis</i> h	C. Sm.	D. C. XVI. 2. 393	„	May	Canary Islds.
„ <i>cembroides</i> h	Zucc.	D. C. XVI. 2. 397	„		Arizona, Mexic.
„ <i>halepensis</i> h	Mill.	D. C. XVI. 2. 383	„	March-Apr.	Mediterr. region.
„ <i>insignis</i> h	Dougl.	D. C. XVI. 2. 395	„	May	California.
„ <i>Lambertiana</i> h	Dougl.	D. C. XVI. 2. 406	„		West. North America.
„ <i>Laricio</i> h	Poir.	D. C. XVI. 2. 386	„		Southern Europe.
„ <i>maritima</i> h	Lam.	D. C. XVI. 2. 383	„	May	Southern Europe.
„ <i>Pinea</i> h	Lin.	D. C. XVI. 2. 381	„	May	Southern Europe.
„ <i>pyrenaica</i> h	Lap.	D. C. XVI. 2. 384	„		South. Europe, Pyren.
„ <i>Strobus</i> h	Lin.	D. C. XVI. 2. 405	„		North America.
<i>Pinguicula grandiflora</i> 2 . .	Lam.	D. C. VIII. 29	Lentibularieae	May-June	Western Europe.
<i>Piper Betle</i> 2	Lin.	D. C. XVI. 1. 359	Piperaceae		East India, Malaya.
„ <i>excelsum</i> h	Forst.	D. C. XVI. 1. 334	„		Australia, New Zeal.
<i>Pisonia hirtella</i> h	H. B. K.	D. C. XIII. 2. 445	Nyctagineae	Oct.-Dec.	Mexico.
<i>Pistacia cappadocica</i> h ×	Planch.	Bull. Soc. Bot. Fran. (1864)	Anacardiaceae		Europe.
„ <i>integerrima</i> h	Stew.	Hook. Kew. Journ. 1852	„		India.
„ <i>Lentiscus</i> h	Lin.	D. C. II. 65, B. M. 1967	„	Apr.-June	South. Eur., North Afr.
„ <i>Terebinthus</i> h	Lin.	D. C. II. 64	„	Apr.-June	Mediterr. coasts.
<i>Pitcairnia tabulaeformis</i> 2 .	Linden	Belg. Hort. 1862. 257	Bromeliaceae		Mexico.
<i>Pithecolobium dulce</i> h . . .	Benth.	Hook. Journ. Bot. (1844) 213	Legum.-Mimos.		Brazil.
<i>Pithecoctenium buccinato-</i> <i>rium</i> h §	D. C.	D. C. IX. 195	Bignoniaceae	May-Dec.	Mexico.

	Author.	Reference.	Family.	Time of flowering.	Native country.
Pithecoctenium clemati-					
deum <i>h</i> §	Griseb.	Goett. Abh. (1879) 257	Bignoniaceae		Argentina.
„ muricatum <i>h</i> §	Moç.	D. C. IX. 194	„	June-Sept.	Guatemala.
Pittosporum bicolor <i>h</i> . . .	Hook.	Bentham I. 113	Pittosporeae	May	Victoria, Tasmania.
„ bracteolatum <i>h</i>	Endl.	Prodr. Fl. Norf. 78	„	Febr.-Apr.	Norfolk Islds.
„ coriaceum <i>h</i>	Dryand.	D. C. I. 346, Lodd. 569	„		Madeira.
„ cornifolium <i>h</i>	A. Cunn.	B. M. 3161	„		New Zealand.
„ crassifolium <i>h</i>	Soland.	B. M. 5978	„	Febr.-Apr.	New Zealand.
„ eriocarpum <i>h</i>	Royle	Illustr. Bot. Himal. 77	„	Apr.-May	Himalaya region.
„ erioloma <i>h</i>	C.M.etF.M.	in Fragn. VII. 139	„		Lord Howe's Isld.
„ eugenoides <i>h</i>	A. Cunn.	Hook. Handb. N.-Zeal. Fl.	„	Apr.-June	New Zealand.
„ Fairchildii <i>h</i>			„		
„ floribundum <i>h</i>	Wght. Arn.	Prodr. 154	„		East India.
„ Mayi <i>h</i>	Hort.	Cat. Pl. Hort. Aksakov.	„		?
„ phillyraeoides <i>h</i>	D. C.	Bentham I. 112, Lodd. 1859	„	Apr.-May	Australia.
„ revolutum	Ait.	Benth. I. 111, Lodd. 506	„	Apr.-May	Australia.
„ tenuifolium <i>h</i>	Gaertn.	D. C. I. 346	„	March-May	New Zealand.
„ Tobira <i>h</i>	Dryand.	D. C. I. 346, B. M. 1396	„	Apr.-May	Japan.
„ undulatum <i>h</i>	Vent.	D. C. I. 346	„	Apr.-May	Queensl., N. S. Wales.
„ viridiflorum <i>h</i>	Sims	D. C. I. 346, B. M. 1684	„	June	South Africa.
Plagius Allionii <i>q</i>	l'Hérit.	D. C. VI. 135	Compositae	June-July	Italy.
„ grandiflorus <i>q</i>	l'Hérit.	D. C. VI. 135	„	Apr.-June	Algeria.
Plantago albicans <i>q</i>	Lin.	D. C. XIII. 1. 705	Plantagineae		Mediterr. region.
„ alpina <i>q</i>	Lin.	D. C. XIII. 1. 731	„		Europ. Alps.
„ Coronopus <i>q</i>	Lin.	D. C. XIII. 1. 732	„	May-July	Europe.
„ Cynops <i>q</i>	Lin.	D. C. XIII. 1. 734	„	May-July	Europe, Siberia.
„ fuscescens <i>q</i>	Jord.	D. C. XIII. 1. 717	„		Piemontese Alps.
„ lanceolata <i>q</i>	Lin.	D. C. XIII. 1. 714	„	May-Oct.	Europe, North. Asia.
„ major <i>q</i>	Lin.	D. C. XIII. 1. 694	„	May-Oct.	Europe, Asia, N. Am.
„ media <i>q</i>	Lin.	D. C. XIII. 1. 697	„	May-Aug.	Europe, North. Asia.
„ Psyllium <i>q</i>	Lin.	D. C. XIII. 1. 734	„		Southern Europe.
„ serpentina <i>q</i>	All.	Ard., Fl. des Alps. marit.	„	July-Aug.	Europe.
„ subulata <i>q</i>	Lin.	D. C. XIII. 1. 730	„		Europe.
Platanthera bifolia <i>q</i>	Rich.	Barla, Orchid. de Nice.	Orchideae	May-June	Europe.
Platycerium alciorne <i>q</i> . . .	Desv.	Hook. Syn. Filicum	Filices		Australia.
Platycodon grandiflorum <i>q</i> .	D. C.	D. C. XII. 422, B. M. 252	Campanulaceae	June-July	China, Japan.
Plectranthus australis <i>q</i> . .	R. Br.	Lodd. 1185, Benth. V. 78	Labiatae		Australia.
„ purpuratus <i>q</i>	Harv.	Thes. Cap. I. 53, t. 83	„		Natal.
„ tomentosus <i>q</i>	Benth.	E. Mey. Comm. Pl. Afr. Austr. 229	„		South Africa.
Pluchea odorata <i>h</i>	Cass.	D. C. V. 452	Compositae	Oct.-Jan.	Mexico.
Plumbago capensis <i>h</i>	Thunbg.	D. C. XII. 692, B. M. 2110	Plumbagineae	May-Jan.	Cape.
„ europaea <i>h</i>	Lin.	D. C. XII. 691, B. M. 2139	„	Sept.-Oct.	South. Europe, Cauc.
„ rosea <i>h</i>	Lin.		„		India.
„ var. coccinea <i>h</i>	Salisb.	D. C. XII. 693, B. M. 5363	„		India.
Podocarpus chilina <i>h</i>	Rich.	D. C. XVI. 2. 511	Coniferae		Chile, Peru.
„ corrugata <i>h</i>	Gord.	D. C. XVI. 2. 511	„		Japan.
„ elongata <i>h</i>	l'Hérit.	D. C. XVI. 2. 511	„	July-Aug.	Cape.
Poinciana pulcherrima <i>h</i> . .	Lin.	D. C. II. 484, B. M. 995	Legum.-Caesalp.		India.
Pogostemon Heyneanus <i>h</i> . .	Benth.	D. C. XII. 153	Labiatae		East India, Burma.
Polemonium boreale <i>q</i>	Adams.	D. C. IX. 318	Polemoniaceae		Siberia.
„ coeruleum <i>q</i>	Lin.	D. C. XI. 317	„		North. Temp. regions.
„ pauciflorum <i>q</i>	S. Wats.		„	July-Aug.	North America.
„ reptans <i>q</i>	Lin.	D. C. IX. 317, B. M. 1887	„		North America.
Polianthes tuberosa <i>q</i>	Lin.	B. M. 1817	Amaryllideae		Mexico.
Polygala myrtifolia <i>h</i>	Lin.	D. C. I. 322	Polygaleae	March-Oct.	Cape.
„ virgata <i>h</i>	Thunbg.	D. C. I. 332	„	May-Oct.	Cape.
„ nicaeënsis <i>q</i>	Risso	Koch, Syn. Fl. Germ. ed. I. 92	„	May-Aug.	Mediterr. region.
Polygonum capitatum <i>q</i>	Buch.-Ham.	Ref. bot. 11	Polygoneae	Oct.-Apr.	Himalaya region.
„ equisetiforme <i>h</i>	Sibth. Sm.	D. C. XIV. 85	„		Crete, Greece, Egypt.
Polymnia Uvedalia <i>h</i>	Lin.	D. C. V. 515	Compositae		North America.
Polypodium vulgare <i>q</i>	Lin.	Lowe, Ferns I. 38	Filices		E., Centr. Asia, N. Afr.
„ var. cambricum <i>q</i>	Lin.	Hook. Syn. Filicum. 334	„		
Pomaderris apetala <i>h</i>	Labill.	D. C. II. 33	Rhamneae	May	Tasmania.
„ lanigera <i>h</i>	Sims	D. C. II. 33, B. M. 1823	„		Australia.
„ racemosa <i>h</i>	Hook.	Bentham I. 421	„	May	Australia.

	Author.	Reference.	Family.	Time of flowering.	Native country.
Pomaderris subrepanda h.	F. M.	Bentham I. 422	Rhamnaceae		Australia.
Populus alba h	Lin.	D. C. XVI. 2. 324	Salicineae	Apr.-May	North. and Centr. Eur.
Porlieria hygrometrica h.	Rz. Pav.	D. C. I. 707	Zygophyllaceae		Peru, Chile.
Portulaca grandiflora ⊙ . .	Hook.	B. M. 2885	Portulacaceae	May-Dec.	Brazil.
" oleracea ⊙	Lin.	D. C. III. 353	"	May-Sept.	Europe.
Portulacaria afra h	Jacq.	D. C. III. 360	"		South Africa.
Potentilla appenina 2 . . .	Ten.	D. C. II. 585	Rosaceae		Italy.
" bifurca 2	Lin.	D. C. II. 580	"		Spain, Siberia, Silesia.
" micrantha 2	Ram.	D. C. II. 585	"		Pyrenees, Italy.
" multifida 2	Lin.	D. C. II. 581	"		Switzerland, Siberia.
" rupestris 2	Lin.	D. C. II. 583	"		Europe, Siberia.
" Saxifraga 2	Ardoino	Fl. des Alpes maritimes	"		Maritime Alps.
" Sibbaldi 2	Hall.	D. C. II. 587, (sub Sibb. proc.)	"		
Poterium Sanguisorba 2 .	Lin.	D. C. II. 594	"	May-Sept.	Europe.
" var. puberulum 2 .		D. C. II. 594	"	May-Sept.	Europe.
" spinosum h	Lin.	D. C. II. 594	"	May-July	Syria.
Prasium majus h	Lin.	D. C. XII. 556	Labiatae		Mediterr. region.
Primula acaulis 2	All.	D. C. VIII. 37, B. M. 229	Primulaceae		Europe, Syria.
" Allionii 2	Loisel.	D. C. VIII. 38	"		Maritime Alps.
" auriculata 2	Lam.	D. C. VIII. 38, B. M. 392	"		Asia minor, Persia.
" cortusoides 2 japo- nica 2			"		Garden origin.
" cortusoides 2	Lin.	D. C. VIII. 36, B. M. 399	"		Ural, Siberia, Japan.
" floribunda 2	Wall.	D. C. VIII. 35, B. M. 6712	"		Himalaya.
" Forbesii 2	Franch.	B. M. 7246	"		China.
" Auricula 2	Lin.	D. C. VIII. 37, B. M. 6837	"		Europe.
" elatior 2	Jacq.	D. C. VIII. 36	"		Europe, Asia minor.
" glutinosa 2	Wulf.	D. C. VIII. 40	"		Southern Europe.
" integrifolia 2	Lin.	D. C. VIII. 40	"		Southern Europe.
" japonica 2	A. Gray	B. M. 5916	"	Apr.-May	Japan.
" marginata 2	Curt.	D. C. VIII. 38, B. M. 191	"	March-Apr.	Southern Europe.
" officinalis 2	Jacq.	D. C. VIII. 36	"		Europe, Asia minor.
" var. macrocalyx 2 .			"		
" obconica 2	Hance	B. M. 6582	"	Oct.-Apr.	Central China.
" sikkimensis 2	Hook.	B. M. 4597	"		Himalaya region.
" sinensis 2	Lindl.	D. C. VIII. 35, B. M. 2564	"	Nov.-May	China.
" verticillata 2	Forsk.	D. C. VIII. 35, B. M. 2842	"		Arabia.
" viscosa 2	All.	D. C. VIII. 38, B. M. 1922	"		Alps and Pyrenees.
Pritchardia filifera h . . .	Linden	Müll. Select. extra-trop. plants	Palmae		California.
Prosopis juliflora h	D. C.	D. C. II. 447	Legum.-Papil.		Jamaica.
" spicigera h	Lin.	D. C. II. 446	"		Coromandel coast.
Protea longifolia h	Andr.	D. C. XIV. 238	Proteaceae		South. Africa.
Prunus Capollin h	Zucc.	D. C. II. 541	Rosaceae		Peru.
" caroliniana h	Ait.	D. C. II. 540	"		Carolina, Louisiana.
" domestica h	Lin.	D. C. II. 533	"		Europe.
" ilicifolia h	Walp.	Rep. II. 10	"		North America.
" insititia h	Lin.	D. C. II. 532	"	Apr.-May	England, Germ., Fran.
" Laurocerasus h	Lin.	D. C. II. 540	"	May-June	Orient.
" Puddum h	Roxb.	D. C. II. 537	"		Nepal.
Pseudopanax crassifolium h	C. Koch	Hook. Handb. N.-Zeal. Fl.	Araliaceae		New Zealand.
" Lessoni h	C. Koch	Hook. Handb. N.-Zeal. Fl.	"		New Zealand.
Pseudotsuga Douglasi h .	Carr.	D. C. XVI. 2. 430	Coniferae		North America.
Psiadia glutinosa h	Jacq.	Hort. Sch. 152, D. C. V. 319	Compositae	Febr.-May	Mauritius.
Psidium Araça h	Raddi	D. C. III. 235	Myrtaceae		Brazil.
" acre h	Tenore	Ind. Sem. Hort. Neap. 1829	"		?
" Cattleianum h	Sabine	D. C. III. 236	"	May-June	Brazil.
" chinense h	Lodd.	Loud. Hort. Brit. 197	"		China.
" cuneifolium h	Tenore	Ind. Sem. Hort. Neap. 1833	"		?
" Guajava h	Lin.	D. C. III. 234	"	May-June	Tropical America.
" montanum h	Swartz	D. C. III. 233	"	May-June	Jamaica.
Psoralea bituminosa 2 . . .	Lin.	D. C. II. 219	Legum.-Papil.	May-Sept.	Southern Europe.
Pteris aquilina 2	Lin.	Hook. Syn. Filicum 162	Filices		
" cretica 2	Lin.	Hook. Syn. Filic. 154, B. M. 5194	"		Widely diffused in many countries.
" longifolia 2	Lin.	Hook. Syn. Filicum 153	"		

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Pteris serrulata</i> 2	Lin.	Hook. Syn. Filicum 155	Filices		China, Japan, Natal.
" <i>tremula</i> 2	R. Br.	Hook. Syn. Filicum 161	"		Austr., Tasm., N-Zeal.
<i>Pteronia incana</i> h	D. C.	D. C. V. 358	Compositae	Apr.-June	Cape.
<i>Pterostyrax hispidum</i> h	SetZucc.	Gardn. Chron. (1884)	Styraceae		Japan.
<i>Pueraria Thunbergiana</i> §	Benth.	Journ. Linn. Soc. (1867) 122	Legum.-Papil.		China, Japan.
<i>Pulmonaria officinalis</i>	Lin.	D. C. X. 92	Boragineae	Febr.-March	Europe, Caucasus.
<i>Punica Granatum</i> h	Lin.	D. C. III. 3, B. M. 1832	Lythrarieae	May-Sept.	Orient, Medit. region.
" <i>nana</i> h	L.n.	D. C. III. 4, B. M. 634	"	May-Sept.	Carib. Islds, South Am.
<i>Puya gigas</i> 2	E. André	Rev. Hort. (1881) 314	Bromeliaceae		New Granada.
<i>Pyrethrum Tchihatchewii</i> 2	Boiss.	Rev. Hort. (1868) 380	Compositae	March-June	Asia minor ?
<i>Pyrus communis</i> h	Lin.	D. C. II. 633	Rosaceae	March-Apr.	Eur., N. As., Himal.
" <i>elaeagnifolius</i> h	Pall.	D. C. II. 634	"		South Eur., Caucasus.
" <i>japonica</i> h	Thunbg.	D. C. II. 638, B. M. 692	"		Japan.
" <i>Sorbus</i> h	Gaertn.	D. C. II. 637	"	May-June	Europe, North Africa.
<i>Quercus coccifera</i> h	Lin.	D. C. XVI. 2. 52	Cupuliferae	Apr.-May	Mediterr. region.
" <i>Ilex</i> h	Lin.	D. C. XVI. 2. 38	"	Apr.-May	South. Eur., North Afr.
" <i>pedunculata</i> h	Ehrh.	D. C. XVI. 2. 4	"	Apr.-May	Europe, Asia.
" <i>sessiliflora</i> h	Sm.	D. C. XVI. 2. 6	"	Apr.-May	Europe, Asia.
" var. <i>pubescens</i> h	Willd.	D. C. XVI. 2. 10	"	Apr.-May	South Eur., West. Asia.
" <i>Suber</i> h	Lin.	D. C. XVI. 2. 40	"	Apr.-May	Spain, Algeria.
<i>Quillaya Saponaria</i> h	Poir.	D. C. II. 547	Rosaceae	Apr.-May	Chile.
<i>Quisqualis indica</i> h	Lin.	D. C. III. 23, B. M. 20 33	Combretaceae	July-Aug.	Java.
<i>Ramondia pyrenaica</i> 2	Rich.	D. C. IX. 273, B. M. 236	Gesneraceae		Pyrenees.
<i>Ranunculus arvensis</i> ○	Lin.	D. C. I. 41	Ranunculaceae	Apr.-June	Eur., N. Afr., Siberia.
" <i>asiaticus</i> 2	Lin.	D. C. I. 29	"	Febr.-Apr.	Asia.
" <i>cortusaefolius</i> 2	Willd.	D. C. I. 29, B. M. 4625	"	April-May	Teneriffe.
" <i>millefoliatus</i> 2	Soland.	D. C. I. 27, B. M. 3009	"		Tunis, Greece, Italy.
" <i>muricatus</i> ○	Lin.	D. C. I. 42	"	Apr.-July	Europe, N. Africa.
" <i>parviflorus</i> ○	Lin.	D. C. I. 42	"	Apr.-June	South Europe.
<i>Raphiolepis japonica</i> h	Sieb. Zucc.	B. M. 5510	Rosaceae		Japan.
" <i>indica</i> h	Lindl.	D. C. II. 630, B. M. 1726	"	Sept.-June	India, China.
" var. <i>phaeostemom</i> h	Lindl.	D. C. II. 630	"	Sept.-June	China.
" var. <i>rubra</i> h	Lindl.	D. C. II. 630	"		China.
" <i>ovata</i> h	Briot	Rev. Hort. (1870-71) 348	"		Japan.
<i>Ravenala madagascariensis</i> h	F. Gmel.	Nichols. Dict. of Gard.	Scitamineae		Madagascar.
<i>Reinwardtia tetragyna</i> h	Planch.	B. M. 7136	Lineae		India.
<i>Remusatia vivipara</i> 2	Schott	Kunth III. 36	Aroideae		Nepal, Malabar.
<i>Reseda odorata</i> ○	Lin.	D. C. XVI. 2. 565, B. M. 29	Resedaceae	Oct.-June	Algeria, Egypt.
" <i>Phyteuma</i> ○	Lin.	D. C. XVI. 2. 563	"	May-Aug.	Mediterr. region.
<i>Reevesia thyrsoidea</i> h	Lindl.	B. M. 4199	Sterculiaceae		China.
<i>Rhamnus Alaternus</i> h	Lin.	D. C. II. 23	Rhamneae	Jan.-Apr.	South. Europe.
" <i>crenulatus</i> h	Ait.	D. C. II. 25	"		Teneriffe.
" <i>Erythroxylon</i> h	Pall.	D. C. II. 25	"		Siberia.
" <i>pumilus</i> h	Lin.	D. C. II. 25	"		Europe.
" <i>saxatilis</i> h	Lin.	D. C. II. 24	"		South Europe.
<i>Rhapis flabelliformis</i> h	l'Hérit.	Kunth II. 251, B. M. 1371	Palmae	Aug.-Sept.	Japan, China.
<i>Rhaphidophyllum Hystrix</i> h	Dr. & Wendl.	Kunth III. 249	"		Florida.
<i>Rheum Emodi</i> 2	Wall.	B. M. 3508	Polygoneae		Thibet.
" <i>Ribes</i> 2	Gronov.	D. C. XIV. 35	"		Syria, Persia.
<i>Rhipsalis crispata</i> h	Pfeiff.	Enum. Diagn. Cact. 130	Cacteae		?
" <i>mesembryanthemoides</i> h	Haw.	B. M. 3078	"		South America.
" <i>salicornioides</i> h	Haw.	B. M. 2461	"		Brazil.
<i>Rhododendron arboreum</i> h	Sm.	D. C. VII. 720, B. M. 3290	Ericaceae	April.	Himalayas.
" <i>ferrugineum</i> h	Lin.	D. C. VII. 724	"		Alps of Europe.
" <i>ponticum</i> h	Lin.	D. C. VII. 721, B. M. 650	"	Apr.-May	Asia minor.
<i>Rhodotypus kerioides</i> h	Sieb. Zucc.	B. M. 5805	Rosaceae		Japan.
<i>Rhus Cotinus</i> h	Lin.	D. C. II. 67	Anacardiaceae	May-June	South Europe.
" <i>incisa</i> h	Lin.	D. C. II. 72	"	June-Aug.	Cape.
" <i>laurina</i> h	Nutt.	Torr. & Gray, Fl. N. Am. I. 219	"		California.
" <i>lucida</i> h	Lin.	D. C. II. 69, Jacq. H. Sch. 347	"	March-Apr.	Cape.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Rhus succedanea</i> h	Lin.	D. C. II. 68	Anacardiaceae	May-June	Japan, China, Himal.
" <i>tomentosa</i> h	Lin.	D. C. II. 72	"	May-June	Cape.
" <i>Toxicodendron</i> h . . .	Lin.	D. C. II. 69, B. M. 1806	"		North America.
" <i>trifoliata</i> h	Willd.	D. C. II. 70	"	Oct.-Jan.	Cape.
" <i>semialata</i> h	Murr.	D. C. II. 67	"		East India, Cochin.
" <i>venenata</i> h	D. C.	D. C. II. 68	"		North America.
" <i>verniciifera</i> h	D. C.	D. C. II. 68	"		Japan.
" <i>viminalis</i> h	Vahl	D. C. II. 70, Jacq. H. Sch. 344	"	Sept.-Nov.	Cape.
<i>Rhynchosia phaseoloides</i> h §	D. C.	D. C. II. 385	Legum.-Papil.		New Granada.
" <i>pubescens</i> h § . . .	D. C.	D. C. II. 386	"	June-Nov.	Abyssinia.
<i>Ribes rubrum</i> h	Lin.	D. C. III. 481	Saxifragaceae	April-May	Europe.
" <i>sanguineum</i> h . . .	Pursh.	D. C. III. 482, B. M. 3335	"		Columbia River.
" <i>saxatile</i> h	Pall.	D. C. III. 479	"		Siberia.
<i>Robinia hispida</i> h	Lin.	D. C. II. 262, B. M. 311	Legum.-Papil.		Virginia, N. Carolina.
<i>Richardia africana</i> 2 . . .	Kth.	Kth. III. 58, B. M. 822	Aroideae	June-July	Cape.
" <i>albo-maculata</i> 2 . .	Hook.	B. M. 5140	"		Natal.
<i>Ricinus communis</i> h . . .	Lin.	D. C. XV. 2.1017, B. M. 2209	Euphorbiaceae	Apr.-Sept.	E. India, West Indies.
<i>Rivina aurantiaca</i> h . . .	Warscew.	Schenk, Ind. Sem. Werceb.	Phytolaccaceae	Sept.-Apr.	S. America.
" <i>laevis</i> h	Noeca	D. C. XIII. 2. 11	"		Cuba.
" <i>tinctoria</i> h	Hamilt.	D. C. XIII. 2. 14	"		Caracas.
<i>Rochea falcata</i> h	D. C.	D. C. III. 393, B. M. 2035	Crassulaceae	July-Oct.	Cape.
<i>Rogiera cordata</i> h	Planch.	Pl. Hartweg. 85	Rubiaceae	Febr.-March	Guatemala.
" <i>latifolia</i> h	Decne.	G. Chron. XII. 235	"		South America.
" <i>Roezli</i> h	Planch.	G. Chron. XII. 235	"		South America.
<i>Rohdea japonica</i> 2	Roth	Kth. V. 321, B. M. 898	Liliaceae		Japan,
<i>Romneya Coulteri</i> h . . .	Harv.	Lond. Journ. Bot. (1875) 74	Papaveraceae	May-June	California.
<i>Romulea bulbocodioides</i> 2	Eckl.	B. M. 1392	Irideae		Cape.
<i>Roupala Pohlil</i> h	Meissn.				
" <i>var. multijuga</i> h . .	Meissn.	D. C. XIV. 433, B. M. 6095	Proteaceae	June-July	Brazil.
<i>Rosa acicularis</i> h	Lindl.	D. C. II. 611	Rosaceae		Alps, Jura.
" <i>alpina</i> h	Lin.	D. C. II. 611	"		European Alps.
" <i>arvensis</i> h	Huds.	D. C. II. 597	"		Europe.
" <i>Banksiae</i> h	R. Br.	D. C. II. 601	"	Apr.-May	China.
" <i>var. fl. pl. luteo</i> h . .			"	Apr.-May	
" <i>var. fl. pl. albo</i> h . .		B. M. 1954	"	Oct.-May	
" <i>Beggeriana</i> h	Schrenk	Christ, Le genre Rose	"		Turkestan.
" <i>berberidifolia</i> h . . .	Pall.	D. C. II. 602, B. M. 7096	"	March-Apr.	Persia, Turkestan.
" <i>bracteata</i> h	Wendl.	D. C. II. 602, B. M. 1377	"	Apr.-June	China.
" <i>canina</i> h	Lin.	D. C. II. 613	"	Apr.-June	Europe.
" <i>carolina</i> h	Lin.	D. C. II. 605	"	Apr.	Carolina, Virginia.
" <i>centifolia</i> h	Lin.	D. C. II. 619	"	Apr.-June	Caucasus region.
" <i>var. muscosa</i> h	Ait.	D. C. II. 619, B. M. 69	"	Apr.-June	Garden origin.
" <i>collina</i> h	Jacq.	D. C. II. 614	"		France, Germany.
" <i>dahurica</i> h	Pall.	D. C. II. 606	"		Dahuria, Mongolia.
" <i>Fortuneana</i> h X . . .	Lindl.	B. M. 4679	"	March-May	China.
" <i>gigantea</i> h	Collett.		"		Burma.
" <i>graveolens</i> h	Grenier	Godr. Fl. de France	"		Europe.
" <i>indica</i> h	Lin.	D. C. II. 600	"	Oct.-June	China, East India.
" <i>var. Noisettiana</i> h . .	Ser.	D. C. II. 600	"	Oct.-June	
" <i>var. Borboniana</i> h . .	Desp.	Ro. gall. 106	"	Nov.-May	
" <i>Leschenaultiana</i> h . .	Red. Thor.	Wight. Jc. Pl. Ind. pl. 38	"		India.
" <i>lucida</i> h	Ehrh.	D. C. II. 602	"		North America.
" <i>Lyelli</i> h	Lindl.	D. C. II. 601	"		Nepal.
" <i>microphylla</i> h	Roxb.	D. C. II. 602, B. M. 3490	"	Apr.-June	China.
" <i>var. carnea plena</i> . .			"		
" <i>microcarpa</i> h	Lindl.	D. C. II. 601	"		China.
" <i>moschata</i> h	Ait. Mill.	D. C. II. 598, B. M. 4030	"		Madeira, North Africa.
" <i>multiflora</i> h	Thbg.	D. C. II. 598, B. M. 7119	"		China, Japan.
" <i>pimpinellifolia</i> h . . .	Lin.	D. C. II. 608	"		Europe.
" <i>Rapini</i> h	Boiss.	et Bal., Diagn. Sér. II. VI. 72	"	Apr.-June	Phrygia.
" <i>rubella</i> h	Smith	D. C. II. 612	"		Europe, Asia minor.
" <i>rugosa</i> h	Thunbg.	D. C. II. 607	"	May	Japan.
" <i>sempervirens</i> h	Lin.	D. C. II. 597	"	May-June	South Europe.
" <i>sinica</i> h	Ait.	D. C. II. 600, B. M. 2847	"	Apr.-June	China.
" <i>sulphurea</i> h	Ait.	D. C. II. 608	"	Apr.-May	India.

	Author.	Reference.	Family.	Time of flowering.	Native country.
Rosa tomentosa h	Smith	D. C. II. 617	Rosaceae	July-Aug.	Europe.
" turbinata h	Ait.	D. D. II. 603	"		Europe.
" Woodsii h	Lindl.	D. C. II. 604	"		North America.
Roscoeia purpurea 2	I. E. Sm.	B. M. 4630	Scitamineae	August	Bengal.
Rosmarinus officinalis h	Lin.	D. C. XII. 360	Labiatae	All the year	Mediterr. region.
Royena lucida h	Lin.	D. C. VIII. 211	Ebenaceae	May-June	Cape.
" pubescens h	Willd.	D. C. VIII. 314	"	Aug.-Sept.	Cape.
Rubia tinctorum 2	Lin.	D. C. IV. 589	Rubiaceae	Apr.-June	Orient, South Eur.
Rubus arcticus 2	Lin.	D. C. II. 565, B. M. 132	Rosaceae		Siberia, Canada.
" australis h	Forst.	D. C. II. 556	"		New Zealand.
" caesius h	Lin.	D. C. II. 558	"		Europe.
" laciniatus h	Willd.	D. C. II. 558	"		?
" phoenicolasius h	Maxim.	B. M. 6479	"		Japan.
" rosaefolius h	Smith	D. C. II. 556, B. M. 1783, 6970	"	May-June	Mauritius.
" rugosus h	Sm.	D. C. II. 567	"	Apr.-May	South America.
Rudbeckia laciniata 2	Lin.	D. C. V. 555	Compositae		N. Am., N. Europe.
Ruellia ciliosa 2	Pursh.	D. C. XI. 154, B. M. 1400	Acanthaceae		Brazil.
" formosa h	Andr.	Pursh, Fl. Am. Sept. II. 420	"		North America.
" Herbstii h	Hook.	B. M. 5156	"	February	Brazil.
Rulingia corylifolia h	R. Grah.	B. M. 3182, Benth. I. 240	Sterculiaceae		West Australia.
" pannosa h	R. Br.	Benth. I. 238, B. M. 2191	"		Queensl., N. S. W., Vict.
Ruscus aculeatus 2	Lin.	Kunth V. 274	Liliaceae	March-Apr.	South Europe.
" androgynus h	Lin.	Kunth V. 277, B. M. 3029	"	April.	Canary Islds.
" Hypophyllum 2	Lin.	Kunth V. 275, B. M. 2049	"		South Europe.
Russelia juncea h	Zuccar.	D. C. X. 332	Scrophularineae	Sept.-June	Mexico.
Ruta angustifolia 2	Pers.	D. C. I. 710, B. M. 2311	Rutaceae	Mar.-June	Italy, Asia minor.
" montana 2	Mill.	D. C. I. 710	"	June-Aug.	Mediterr. reg., Cauc.
Sabal Adansonii h	Guerns.	Kth. III. 246, B. M. 1435	Palmae	July-Aug.	Carolina.
" Blackburnianum h	Glazebr.	Kunth III. 246	"		Cuba, Antilles.
" Palmetto h	Lodd.	Kunth III. 247	"		S. Carolina, Florida.
Saccharum officinarum 2	Lin.	Kunth, Agrostogr. 474	Gramineae		East India.
Sagittaria montevidensis 2	Cham.	Kunth III. 157, B. M. 6755	Alismaceae	June-Nov.	Montevideo.
" sagittifolia 2	Lin.	Kunth III. 156	"	June-Aug.	Europe, North Am.
Salix babylonica h	Lin.	D. C. XVI. 2. 212	Salicineae		Persia, Western Asia.
" Myrsinites 2	Lin.	D. C. XVI. 2. 289	"		Eur., Sib., N. Am.
" reticulata 2 h	Lin.	D. C. XVI. 2. 301	"		Eur., N. Asia, N. Am.
Salvia Aethiopis 2	Lin.	D. C. XII. 283	Labiatae		South Eur., Orient.
" albocoerulea h	Lindl.	Nichols., Dict. of gard.	"	May	Mexico.
" argentea 2	Lin.	D. C. XII. 273, Jacq. H. Sch. 6	"	May-June	Mediterr. region.
" aurea h	Lin.	D. C. XII. 273, B. M. 182	"	Apr.-June	Cape.
" Beckeri	Trautv.	Act. Hort. Petrop. (1875)	"	May-June	Caucasus.
" cacaliaefolia 2	D. C.	D. C. XII. 348, B. M. 5274	"	All the year	Mexico, Peru.
" canariensis h	Lin.	D. C. XII. 275	"	Oct.-May	Canary Islands.
" Candelabrum h	Boiss.	D. C. XII. 263, B. M. 5017	"	May-June	South. Spain.
" coccinea 2	Lin.	D. C. XII. 348	"	Oct.-May	Georgia, Florida, Cuba.
" discolor h	H. B. K	D. C. XII. 338, B. M. 6772	"	All the year	Peru.
" farinosa 2	Gal.	D. C. XII. 341	"	May-July	Mexico.
" fruticulosa h	Benth.	Lab. Gen. et Sp. 721	"	Oct.-Febr.	Mexico.
" gesneraeflora h	Lindl.	and Paxt. Fl. Gard. (1851-52)	"	Febr.-Apr.	New Granada.
" glutinosa 2	Lin.	D. C. XII. 276	"	July-Sept.	Europe, Central Asia.
" Grahami h	Benth.	D. C. XII. 335, Lodd. 1798	"	Sept.-June	Mexico.
" graveolens h	Vahl	D. C. XII. 279	"		Syria.
" Greggii h	Gray	B. M. 6812	"	Sept.-Dec.	Mexico.
" Heerii h	Rgl.	Ref. bot. 205	"	Jan.-May	Peru.
" horminoides 2	Pour.	D. C. XII. 294	"	June-Aug.	South Europe.
" janthina 2	O. & D.	D. C. XII. 699	"	Oct.-May	Mexico.
" interrupta h	Schousb.	D. C. XII. 266, B. M. 5860	"	May-July	Northern Africa.
" involucrata 2	Cav.	D. C. XII. 333, B. M. 2872	"	Dec.-May	Mexico.
" leonuiroides h	Glox.	D. C. XII. 327, B. M. 376	"	Oct.-May	Mexico.
" leucantha 2	Cav.	D. C. XII. 421, B. M. 4318	"	Oct.-March	Mexico.
" mexicana h	Lin.	D. C. XII. 337, B. M. 1728	"	Oct.-March	Mexico.
" paniculata h	Lin.	D. C. XII. 275, B. M. 6790	"	Sept.-May	South Africa.
" patens 2	Cav.	B. M. 3808, D. C. XII. 348	"	July-Sept.	Mexico.

	Author.	Reference.	Family.	Time of flowering.	Native country.
Salvia Sessai h	Benth.	D. C. XII. 332	Labiatae	Dec.-Febr.	New Spain.
" purpurascens 2	Marts. Gal.	D. C. XII. 335	"	Jan.-July	Mexico.
" purpurea 2	Cav.	D. C. XII. 341, Jacq. H. Sc. 253	"	"	Mexico.
" Reginae h ?	"	"	"	Jan.-Febr.	Mexico ?.
" Roemeriana 2	Scheele	B. M. 4939	"	Apr.-July	Texas, Mexico.
" Sclarea h	Lin.	D. C. XII. 281, B. M. 2320	"	July-Aug.	South Europe.
" semiatrata h	Zucc.	D. C. XII. 316	"	Oct.-July	Mexico.
" splendens 2	Sellow	D. C. XII. 330, Lodd. 1089	"	All the year	Brazil.
" verticillata 2	Lin.	D. C. XII. 357	"	"	Europe, Orient.
Sambucus caerulea h	Rafin.	Torr. et Gray, Fl. N. Am. II. 13	Caprifoliaceae	July-Aug.	California.
" racemosa h	Lin.	D. C. IV. 323	"	"	Europe, Siberia.
Samolus Valerandi ②	Lin.	D. C. VIII. 73	Primulaceae	May-June	Europe, N. Afr., Persia.
Sanchezia nobilis h	Hook.	B. M. 5594	Acanthaceae	"	Peru.
Sansevieria zeylanica 2	Willd.	Kunth V. 18	Haemadoraceae	"	Ceylon.
Santolina Chamaeyparissus h	Lin.	D. C. VI. 35	Compositae	June-Aug.	South Europe.
Sapindus marginatus h	Willd.	D. C. I. 607	Sapindaceae	"	Georgia.
" Saponaria h	Lin.	D. C. I. 607	"	"	Caribbee Islds.
Sarcocaulon Burmannii	Sweet	Harv. Fl. Cap. I. 256	Geraniaceae	"	South Africa.
Satureja alternipilosa 2	C. Koch	Linnaea (1848) 668	Labiatae	"	Caucasus region.
" montana h	Lin.	D. C. XII. 209	"	"	South. Eur., Cauc. reg.
Sauromatum guttatum 2	Schott	B. M. 4465	Aroideae	"	East. India.
Saussurea alpina 2	D. C.	D. C. VI. 535	Compositae	"	Eur., Siberia, N. Am.
Saxifraga carpatica 2	Rchb.	Fl. germ. excurs., 552	Saxifragaceae	"	Transsylvania.
" cotyledon 2	Lin.	D. C. IV. 18	"	"	European Alps.
" cochlearis 2	Rchbch.	Ardoine Fl. Alpes mar.	"	June-July	Sea Alps.
" crassifolia 2	Lin.	D. C. IV. 37, B. M. 196	"	Jan.-Apr.	Northern Asia.
" Aizoon 2	Jacq.	D. C. IV. 19	"	"	Alps, Pyrenees.
" cuneifolia 2	Lin.	D. C. IV. 41	"	June-July	Alps.
" lingulata 2	Bell.	D. C. IV. 19	"	"	South Europe.
" longifolia 2	La Peyr.	D. C. IV. 19	"	"	Pyrenees.
" mutata 2	Lin.	D. C. IV. 20	"	"	South Europe.
" orientalis ②	Jacq.	D. C. IV. 43	"	June-July	Orient.
" Rocheliana 2	Sternb.	D. C. IV. 22	"	"	Banatus.
" rotundifolia 2	Lin.	D. C. IV. 43	"	July-Aug.	Europe.
" sarmentosa 2	Lin.	D. C. IV. 43	"	"	China, Japan.
Scabiosa caucasica 2	Bieb.	D. C. IV. 654	Dipsaceae	July-Sept.	Caucasus region.
" cretica h	Lin.	D. C. IV. 654	"	May-June	Crete, Sicily.
" graminifolia 2	Lin.	D. C. IV. 654	"	"	South Europe.
" maritima 2	Lin.	D. C. IV. 657	"	Apr.-Nov.	South. France, Italy.
" pyrenaica 2	All.	D. C. IV. 659	"	Aug.-Sept.	South Europe.
Schinus Molle h	Lin.	D. C. II. 74, B. M. 3339	Anacardiaceae	June-Dec.	Brazil, Peru.
" terebinthifolius h	Raddi	D. C. II. 74	"	Sept.-Oct.	Brazil.
Schizostylis coccinea 2	Backh.	B. M. 5422	Irideae	"	South Africa.
Schubertia grandiflora 2	Mart.	D. C. VIII. 534	Asclepiadeae	"	Brazil.
Schotia latifolia h	Jacq.	D. C. II. 508	Legum.-Caesalp.	"	Cape.
Sciadopitys verticillata h	Sieb.-Zucc.	D. C. XVI. 2. 435	Coniferae	"	Japan.
Scilla amoena 2	Lin.	Kth. IV. 317, B. M. 341	Liliaceae	March-Apr.	Central & South. Eur.
" autumnalis 2	Lin.	Kunth IV. 315, B. M. 919	"	"	East. & South. Eur.
" Cupaniana 2	Guss.	Kunth IV. 319	"	"	Sicily.
" hyacinthoides 2	Lin.	Kunth IV. 316, B. M. 1140	"	March-Apr.	Southern Europe.
" lusitanica 2	Lin.	Kunth IV. 322, B. M. 1999	"	"	Portugal, Spain.
" maritima 2	Lin.	Kunth IV. 332, B. M. 918	"	Aug.-Sept.	Mediterr. shores.
" nutans 2	Sm.	Kunth IV. 327	"	March-Apr.	Western Europe.
" peruviana 2	Lin.	Kunth IV. 318, B. M. 749	"	May	Portugal.
" sibirica 2	Andr.	Kunth IV. 318	"	April.	Russia, Caucasus.
Scorpiurus subvillosa ②	Lin.	D. C. II. 308	Legum.-Papil.	May-June	South Europe.
Scolopendrium officinarum 2	Sw.	Hook. Syn. Filicum 246	Filices	"	Eur., Japan, N. Am.
Scrophularia scabiosaefolia h	Benth.	D. C. X. 311	Scrophularineae	"	Him. reg., Afghan.
Scutellaria albida 2	Lin.	D. C. XII. 420	Labiatae	June	S. E. Eur., Orient.
" cordifolia	Benth.	D. C. XII. 415, B. M. 4290	"	Aug.-Jan.	Mexico.
Seaforthia elegans h	R. Br.	Kunth III. 189, B. M. 4961	Palmae	"	Queensland.
Sedum acre 2	Lin.	D. C. III. 407	Crassulaceae	June-July	Europe.
" album 2	Lin.	D. C. III. 406	"	May-June	Europe.
" Aizoon 2	Lin.	D. C. III. 402	"	"	Siberia.
" Anacampseros 2	Lin.	D. C. III. 403, B. M. 118	"	July-Aug.	Europe.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Sedum anopetalum</i> 2 . . .	D. C.	D. C. III. 408	Crassulaceae	May-Aug.	South. France, Italy.
" <i>dasyphyllum</i> 2 . . .	Lin.	D. C. III. 406	"	May-July	Europe.
" <i>dendroideum</i> h . . .	Sessé	D. C. III. 409	"		Mexico.
" <i>hispanicum</i> 2 . . .	Lin.	D. C. III. 406	"	June	Spain, Switzerland.
" <i>nicaeense</i> 2 . . .	All.	D. C. III. 408	"	June-July	Southern Europe.
" <i>reflexum</i> 2 . . .	Lin.	D. C. III. 408	"		Europe.
" <i>roseum</i> 2 . . .	Scop.	D. C. III. 401	"		Europe.
" <i>sarmentosum</i> 2 . . .	Bunge	Mém. Sav. Etr. Pét. 1835	"		China.
<i>Selaginella denticulata</i> 2 .	Koch	Ard., Fl. d. Alpes marit.	Lycopodiaceae		Mediterr. region.
<i>Sempervivum arachno-</i> <i>ideum</i> 2 . . .	Lin.	D. C. III. 413, B. M. 68	Crassulaceae	June-Aug.	Pyrenees, Alps.
" <i>assimile</i> 2 . . .	Schott	Nich., Dict. of gardening	"		Transsylvania.
" <i>aureum</i> 2 . . .	C. Sm.	B. M. 4087	"		Teneriffe.
" <i>calcareum</i> 2 . . .	Jord.	Ard., Fl. d. Alpes marit.	"		Maritime Alps.
" <i>Funkii</i> 2 . . .	F. Braun	ex Koch in Flora (1832) 4	"		Southern Europe.
" <i>montanum</i> 2 . . .	Lin.	D. C. III. 413	"		Pyrenees Alps.
" <i>soboliferum</i> 2 . . .	Fleischer	D. C. III. 413	"		Southern Europe.
" <i>tectorum</i> 2 . . .	Lin.	D. C. III. 413	"		Europe, Orient.
" <i>Wulfenii</i> 2 . . .	Hoppe	Wagner, Fl. v. Deutschld.	"		Australia.
see also <i>Aeonium</i> .					
<i>Senecio angulatus</i> h § . .	Lin. fil.	D. C. VI. 404, Harv. Fl. Cap. III. 404	Compositae	Oct.-Apr.	Cape.
" <i>deltoideus</i> h § . . .	Less.	D. C. VI. 404, Harv. Fl. Cap. III. 403	"	Aug.-March	Cape,
" <i>Doronicum</i> 2 . . .	Lin.	D. C. VI. 357	"		Europe.
" <i>gibbosus</i> 2 . . .	D. C.	D. C. VI. 355	"		Sicily, Calabria.
" <i>grandifolius</i> h . . .	Less.	Linnaea V. (1830) 162	"		Mexico.
" <i>Hanburyanus</i> . . .	Dinter.		"	Jan.-March	Cape ?
" <i>longifolius</i> h . . .	Lin.	D. C. VI. 400	"		Cape.
" <i>macroglossus</i> h . . .	D. C.	D. C. VI. 404	"	Febr.-March	Cape.
" <i>macrophyllus</i> 2 . .	Bieb.	D. C. VI. 352	"	July	Caucasus.
" <i>mikanioides</i> 2 . . .	Otto	D. C. VI. 404, Harv. Fl. Cap. III. 402	"	Jan.-Apr.	Cape.
" <i>Héritieri</i> h . . .	D. C.	D. C. VI. 409, B. M. 53	"		Teneriffe.
" <i>niveus</i> 2 . . .	Less.	D. C. VI. 390	"	Apr.-May	Cape.
" <i>oxyriaefolius</i> 2 . . .	D. C.	D. C. VI. 405	"	May-July	South Africa.
" <i>Petasites</i> . . .	D. C.	D. C. VI. 431	"	Febr.-May	South America.
" <i>praealtus</i> 2 . . .	Bertol.	D. C. VI. 351	"	July-Oct.	North. Italy.
" <i>praecox</i> h . . .	D. C.	D. C. VI. 431, B. M. 4803	"	May	Mexico.
" <i>pulcher</i> 2 . . .	Hook.	B. M. 5959	"	June-July	Uruguay.
" <i>scaposus</i> 2 . . .	D. C.	Harv. Fl. Cap. III. 406	"		Cape.
" var. <i>caulescens</i> 2 .		B. M. 4011	"		Cape.
" <i>cruentus</i> 2 . . .	D. C.	D. C. VI. 411	"	Dec.-March	Teneriffe.
<i>Sequoia gigantea</i> h . . .	Torr.	B. M. 4777, D. C. XVI. 2. 437	Coniferae		California.
" <i>sempervirens</i> h . . .	Endl.	D. C. XVI. 2. 436	"	March-Apr.	California.
<i>Serapias cordigera</i> 2 . . .	Lin.	Barla, Orchid. de Nice	Orchideae	May-July	South. Eur., N. Afr.
" <i>longipetala</i> 2 . . .	Poll.	Barla, Orchid. de Nice	"	May-July	Italy, Istria, Dalmatia.
<i>Serratula tinctoria</i> 2 . . .	Lin.	D. C. VI. 667	Compositae		Europe.
<i>Seseli Libanotis</i> 2 . . .	Koch	D. C. IV. 150	Umbelliferae		Europe, Temper. Asia.
<i>Sherardia arvensis</i> ⊙ . . .	Lin.	D. C. IV. 581	Rubiaceae	May-Aug.	Europe.
<i>Sida Napaea</i> 2 . . .	Cav.	D. C. I. 466, B. M. 2913	Malvaceae	July-Aug.	North America.
" <i>mollis</i> 2 . . .	Ortega	D. C. I. 470, B. M. 2759	"	May-July	Peru.
<i>Sidalcea candida</i> 2 . . .	A. Gray	Mem. Am. Acad. N. S. (1849)	"		North America.
<i>Sideritis canariensis</i> h . . .	Lin.	D. C. XII. 438	Labiatae		Teneriffe, Madeira.
" <i>candicans</i> h . . .	Ait.	D. C. XII. 437	"	July-Aug.	Madeira, Teneriffe.
" <i>candidissima</i> h . . .	Hort. Orotav.		"		Teneriffe.
" <i>macrostachya</i> h . . .	Poir.	D. C. XII. 437	"	July-Aug.	Canary Islds.
" <i>romana</i> ⊙ . . .	Lin.	D. C. XII. 445	"	May-July	Mediterr. region.
<i>Silene acaulis</i> 2 . . .	Lin.	D. C. I. 367, B. M. 1081	Caryophylleae	July-Aug.	Alps.
" <i>alpestris</i> 2 . . .	Jacq.	D. C. I. 375	"		East. Europe.
" <i>inflata</i> 2 . . .	Sm.	D. C. I. 368	"	May-Sept.	Europe.
" <i>italica</i> 2 . . .	Pers.	D. C. I. 381	"	May-June	Italy, France.
" <i>Otites</i> 2 . . .	Pers.	D. C. I. 369	"	July	Europe, Orient.
" <i>pendula</i> ⊙ . . .	Lin.	D. C. I. 375, B. M. 114	"	June-Aug.	Sicily.
" <i>Saxifraga</i> 2 . . .	Lin.	D. C. I. 377	"	June-Sept.	Alps.
" <i>vallesia</i> 2 . . .	Lin.	D. C. I. 381	"		Europe.
<i>Silybum Marianum</i> ⊙ . . .	Gaertn.	D. C. VI. 616	Compositae	Apr.-July	South. Eur., W. Asia.
<i>Siphocampylus bicolor</i> 2 .	D. Don	D. C. VII. 383	Campanulaceae	Nov.-May	Central Mexico.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Siphocampylus macrostemon</i>	DC. f.	D. C. VII. 403	Campanulaceae		Brazil.
<i>Sisyrinchium graminifolium</i> 2	Lindl.	Nichols. Dict. of gard.	Irideae	Apr.-May	Chile.
" <i>grandiflorum</i> 2 . . .	Dougl.	Lindl. Bot. Reg. 1364	"		California.
" <i>californicum</i> 2 . . .	Spr.	B. M. 983	"		California.
" <i>iridifolium</i> 2 . . .	H. B. K.	B. M. 2312	"	Apr.-May	Brazil to Chile.
" <i>striatum</i> 2 . . .	Sm.	B. M. 701, Lodd. 1870	"	Apr.-May	Chile, Argentina.
<i>Skimmia japonica</i> h . . .	Thunbg.	B. M. 4719	Rutaceae		Japan.
<i>Smilax aspera</i> h § . . .	Lin.	Kunth V. 214	Liliaceae	Sept.-Nov.	Mediterr. region.
" <i>Bona-nox</i> h § . . .	Lin.	Kunth V. 210	"		Carolina, Georgia.
" <i>officinalis</i> h § . . .	H. B. K.	Kunth V. 228	"	Aug.-Sept.	New Granada.
<i>Solanum acanthocarpum</i> .	Poir.	Rev. Hort. Poit. (1867)	Solanaceae	May	Cochinchina.
" <i>acanthodes</i> h . . .	Hook.	B. M. 6283	"	Aug.-Nov.	Brazil ?
" <i>amazonicum</i> h . . .	Ker.	D. C. XIII. 1. 335, B. M. 1801	"	Oct.-March	Mexico.
" <i>atropurpureum</i> . . .	Schrank	Ref. bot. 207	"	Nov.-Dec.	Southern Brazil.
" <i>betaceum</i> h . . .	Cav.	D. C. XIII. 1. 385, 393	"	Apr.-May	Chile.
" <i>Cervantesii</i> h . . .	Lag.	D. C. XIII. 1. 103	"	Febr.-March	Mexico.
" <i>ciliatum</i> h . . .	Lam.	D. C. XIII. 1. 241	"	June-Aug.	Brazil.
" <i>crispum</i> h . . .	Rz. Pav.	D. C. XIII. 1. 91	"	May-June	Peru, Chiloë Islds.
" <i>diphyllum</i> h . . .	Lin.	D. C. XIII. 1. 144	"	July-Aug.	Mexico, Guyana.
" <i>Dulcamara</i> 2 . . .	Lin.	D. C. XIII. 1. 78	"	May-Aug.	Europe.
" <i>giganteum</i> h . . .	Jacq.	D. C. XIII. 1. 258, B. M. 1921	"	Apr.-Oct.	Cape.
" <i>glaucum</i> h . . .	Dun.	D. C. XIII. 1. 100	"		Brazil.
" <i>glutinosum</i> h . . .	Dun.	D. C. XIII. 1. 342	"		Mexico.
" <i>jasminoides</i> h § . . .	Paxt.	D. C. XIII. 1. 82	"	Oct.-May	Brazil.
" <i>laciniatum</i> h . . .	Ait.	D. C. XIII. 1. 69, B. M. 349	"	Apr.-Oct.	New Zealand.
" <i>lanceolatum</i> h . . .	Cav.	D. C. XIII. 1. 343, B. M. 2178	"	Apr.-Nov.	Mexico.
" <i>Maglia</i> 2 . . .	Molin.	D. C. XIII. 1. 353, B. M. 6756	"	July-Oct.	Chile.
" <i>marginatum</i> h . . .	Lin. f.	D. C. XIII. 1. 370, B. M. 1928	"	Oct.-Febr.	Abyssinia, Palaestine.
" <i>Melongena</i> ○ . . .	Lin.	D. C. XIII. 1. 355	"		India.
" <i>miniaturum</i> ○ . . .	Bernh.	D. C. XIII. 1. 56	"	Apr.-Oct.	Europe, India.
" <i>Mors Elephas</i> ○ . . .	Damm.		"	Oct.-Nov.	Central Africa.
" <i>pseudocapsicum</i> h . . .	Lin.	D. C. XIII. 1. 152	"	May-Aug.	Madeira.
" <i>robustum</i> h . . .	Wendl.	D. C. XIII. 1. 257	"	Aug.-Oct.	Brazil.
" <i>rostratum</i> ○ . . .	l'Hérit.	D. C. XIII. 1. 328	"	June-Oct.	Mexico.
" <i>sodomaeum</i> h . . .	Lin.	D. C. XIII. 1. 366	"	May-Aug.	Port., Spain, N. Afr.
" <i>torvum</i> h . . .	Swartz	D. C. XIII. 1. 260	"	March-June	India, Java.
" <i>triquetrum</i> h . . .	Cav.	D. C. XIII. 1. 153	"	Aug.-Oct.	Mexico.
" <i>verbascifolium</i> h . . .	Lin.	D. C. XIII. 1. 114	"		S. America, India.
" <i>Warscewiczii</i> h . . .	Hort.	Rev. Horticole (1865)	"	Aug.-Oct.	?
<i>Soldanella alpina</i> 2 . . .	Lin.	D. C. VIII. 58, B. M. 49	Primulaceae		Alps, Pyrenees.
<i>Sollya heterophylla</i> h § .	Lindl.	B. M. 3523, Lodd. 1975	Pittosporeae	Apr.-Oct.	West Australia.
<i>Sonchus oleraceus</i> 2 . . .	Lin.	D. C. VII. 185	Compositae	All the year	Europe.
<i>Sophora japonica</i> h . . .	Lin.	D. C. II. 95	Legum.-Papil.		Japan, China.
" <i>secundiflora</i> h . . .	Lag.	D. C. II. 96	"	March-June	Mexico.
" <i>tomentosa</i> h . . .	Lin.	D. C. II. 95, B. M. 3390	"		Caribbee Islds, India.
<i>Sparaxis bulbifera</i> 2 . . .	Ker.	B. M. 545	Irideae	Febr.-Apr.	South Africa.
" <i>grandiflora</i> 2 . . .	Ker.	B. M. 779, 541	"	Febr.-Apr.	South Africa.
" <i>tricolor</i> 2 . . .	Ker.	B. M. 1482, 381	"	Febr.-Apr.	South Africa.
<i>Sparmannia africana</i> h . .	Lin.	D. C. I. 503, B. M. 516	Tiliaceae	Nov.-June	Cape.
" var. fl. pl.			"	Nov.-June	
<i>Spartium junceum</i> h . . .	Lin.	D. C. II. 145, B. M. 85	Legum.-Papil.	May-June	South. Europe.
<i>Specularia falcata</i> ○ . . .	D. C.	D. C. VII. 489	Campanulaceae	May-June	Mediterr. region.
<i>Sphaeralcea umbellata</i> h .	Spach	D. C. I. 435, Lodd. 222	Malvaceae	Dec.-Apr.	La Plata.
<i>Spigelia splendens</i> 2 . . .	H. Wendl	B. M. 5268	Loganiaceae		Mexico ?
<i>Spiraea callosa</i> h . . .	Thunbg.	D. C. II. 544, B. M. 5164	Rosaceae	Apr.-May	Japan.
" <i>cantoniensis</i> h . . .	Lour.	D. C. II. 543	"	Febr.-Apr.	China.
" syn. <i>Reevesiana</i> . .	Lindl.		"		
" <i>Filipendula</i> 2 . . .	Lin.	D. C. II. 546	"	June-July	Europe.
" <i>opulifolia</i> h . . .	Lin.	D. C. II. 542	"		Canada, Carolina.
" <i>sorbifolia</i> h . . .	Lin.	D. C. II. 545	"		Siberia.
<i>Spiranthes autumnalis</i> 2 .	Rich.	Barla, Orchid. de Nice	Orchideae	Oct.-Nov.	Europe.
<i>Stachys italica</i> 2 . . .	Mill.	D. C. XII. 464	Labiatae	June-Aug.	Mediterr. region.
" <i>recta</i> 2 . . .	Lin.	D. C. XII. 484	"	July-Sept.	Germ., Italy, Spain.
<i>Stachytarpheta mutabilis</i> h	Vahl	D. C. XI. 565, B. M. 976	Acanthaceae	Sept.	South America.
<i>Stachelina dubia</i> h . . .	Lin.	D. C. VI. 544	Compositae	July-Aug.	South. Europe.

	Author.	Reference.	Family.	Time of flowering.	Native country.
Stapelia Asterias 2	Mass.	D. C. VIII. 653, Mass. St. 14	Asclepiadeae		
" bufonia 2	Jacq.	D. C. VIII. 660	"		
" ciliolata 2	Todaro	Ind. Sem. H. Pan. 1861	"		
" conspurcata 2	Willd.	D. C. VIII. 660	"		
" glauca 2	Jacq.	D. C. VIII. 657	"		
" geminata 2	Mass.	D. C. VIII. 661, B. M. 1326	"		
" grandiflora 2	Mass.	D. C. VIII. 652, Mass. St. 11	"		Cape.
" fuscata 2	Jacq.	D. C. VIII. 657	"		
" planiflora 2	Jacq.	D. C. VIII. 659	"		
" pulchella 2	Mass.	D. C. VIII. 655, Mass. St. 36	"		
" revoluta 2	Mass.	B. M. 724, D. C. VIII. 657	"		
" Sisypbus 2	Damm.	Catalog 1895	"		
" Sororia 2	Mass.	D. C. VIII. 652	"		
Staphylea pinnata h	Lin.	D. C. II. 3	Sapindaceae		Southern Europe.
Statice articulata 2	Loisel.	D. C. XII. 654	Plumbagineae		Corsica.
" Gmelini 2	Willd.	D. C. XII. 645	"		Eastern Eur., Siberia.
" globulariefolia 2	Desf.	D. C. XII. 651	"		Sard., N. Afr., S. Fran.
" latifolia 2	Sm.	D. C. XII. 660	"		S. E. Europe.
" pubescens 2	D. C.	D. C. XII. 655	"		Mediterr. region.
" serotina 2	Rchbch.	D. C. XII. 645	"		Eur., N. Afr. N. Am.
" speciosa 2	Lin.	D. C. XII. 634, B. M. 656	"	July-Sept.	South. Russia.
" rosea h	Sm.	D. C. XII. 667, B. M. 4055	"	May-July	South Africa.
" sinuata 2	Lin.	D. C. XII. 635, B. M. 71	"		Mediterr. region.
" pectinata 2	Ait.	D. C. XII. 639	"		Canary Islds.
Stauntonia latifolia h . §	Willd.	Cat. 4950	Berberideae	March-Apr.	India.
Stenocarpus Cunning-					
hamii h	R. Br.	D. C. XIV. 451, B. M. 4263	Proteaceae		West Australia.
Sterculia acerifolia h	A. Cunn.	Bentham, Fl. Austr. I. 229	Sterculiaceae	June-July	N. S. Wales.
" diversifolia h	G. Don	" " I. 229	"	June-July	Queensland.
" var. occidentalis h		Bentham, Fl. Austr. I. 229	"		West Australia.
" foetida h	Lin.	D. C. I. 483	"		East India.
" lurida h	F. M.	" " I. 228	"		N. S. Wales.
" platanifolia h	Lin. f.	" " I. 229	"		N. Austral., Queensl.
" rupestris h	Benth.	" " I. 230	"		Queensland.
Sternbergia lutea 2	Ker-Gawl.	Kunth V. 701, B. M. 290	Amaryllideae	Aug.-Sept.	South. Eur., Asia.
Stigmaphyllon ciliatum h §	Juss.	St. Hil. Fl. Bras. MÉR. III. 49	Malpighiaceae	July-Oct.	Brazil.
Stillingia sebifera h	Michx.	D. C. XV. 2. 1162, 1210	Euphorbiaceae		Japan, China.
Stranvaesia glaucescens h	Lindl.	Bot. Reg. 1945	Rosaceae	June-July	India.
Strelitzia Augusta h	Thunbg.	B. M. 4176	Scitamineae		South Africa.
" Reginae 2	Ait.	B. M. 119, Lodd. 1535	"	June-July	Cape.
" var. ovata 2	Ait.		"		Cape.
Streptocarpus Rexii 2	Lindl.	D. C. IX. 290, B. M. 3005	Gesneraceae	June-Oct.	South Africa.
Streptosolen Jamesoni h	D. C.	D. C. X. 197, B. M. 4605	Solanaceae	All the year	New Granada.
Styrax officinalis h	Lin.	D. C. VIII. 260, Lodd. 928	Styraceae	May-June	Palestine, S. Europe.
Sutherlandia frutescens h	R. Br.	D. C. II. 273, B. M. 181	Legum.-Papil.	Febr.-June	Cape.
Swainsona Greyana h	Lindl.	B. M. 4416	"	Apr.-June	Queensl. N. S. Wales.
Symphoricarpos puniceus h	Steud.	Nomenclator	Caprifoliaceae		North America.
" racemosus h	Michx.	D. C. IV. 339, B. M. 221	"	May-June	Canada.
Symphytum bulbosum 2	Schimp.	D. C. X. 38	Boragineae	Apr.-June	Europe.
" tuberosum 2	Lin.	D. C. X. 38	"	May-June	Europe.
Syringa Josikaea h	Jacq.	D. C. VIII. 283, B. M. 3278	Oleaceae		Hungary.
" vulgaris h	Lin.	D. C. VIII. 282, B. M. 183	"	May-June	Transsylvania.
Tacsonia eximia			Passifloreae	Aug.-Sept.	
" exoniensis h §	Hort.	Veitch in Gardn. Chron. (1872)	"		Garden origin.
" manicata h §	Juss.	D. C. III. 334, B. M. 6129	"	Dec.-June	Peru.
" mollissima h §	H. B. K.	D. C. III. 334, B. M. 4187	"		New Granada.
" van Volxemii h §	Lam.	B. M. 5571	"		New Granada.
Talauma pumila h	Blum.				
see Magnolia pumila					
Tamarix gallica h	Lin.	D. C. III. 96	Tamariscineae		South. France, Italy.
Taxodium mucronatum h	Ten.	D. C. XVI. 2. 441	Coniferae		Mexico.
Tecoma capensis h §	G. Don	D. C. IX. 223, Lodd. 1672	Bignoniaceae	Aug.-Febr.	Cape, Brazil.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Tecoma grandiflora</i> h § .	Delaun.	D. C. IX. 223, B. M. 1398	Bignoniaceae		Japan, China.
„ <i>radicans</i> h §	Juss.	D. C. IX. 223, B. M. 485	„		North America.
„ <i>Ricasoliana</i> h §	Tanfani	Ricasoli, Giard. d'Acclim.	„	Aug.-Sept.	Southern Africa.
„ <i>stans</i> h	Juss.	D. C. IX. 224, B. M. 3191	„	May-Oct.	Trinidad, Martinique.
<i>Telephium Imperati</i> 2 . .	Lin.	D. C. III. 366	Ficoideae	May-June	Medit. reg., Orient.
<i>Templetonia retusa</i> h . . .	R. Br.	D. C. II. 118, B. M. 2334	Legum.-Papil.	Febr.-Apr.	West Australia.
<i>Terminalia australis</i> h . .	St. Hil.	in Fl. Bras. mér. II. 240	Combretaceae		Brazil.
<i>Ternstroemia japonica</i> h .	Thunbg.	D. C. I. 524	Ternstroemiaceae		Japan.
syn. <i>Cleyera japonica</i> h					
<i>Testudinaria Elephantipes</i> h	Lindl.	Kunth V. 440, B. M. 1347	Dioscoreaceae	Aug.-Sept.	South Africa.
<i>Tetragonolobus purpureus</i> .	Mönch	D. C. II. 215, B. M. 151	Legum.-Papil.	June-Aug.	South. Europe.
<i>Tetranthera japonica</i> h . .	Spr.	D. C. XVI. 1. 181	Laurineae		Japan.
<i>Teucrium flavum</i> h	Lin.	D. C. XII. 588	Labiatae	June-July	South. Eur., N. Afr.
„ <i>fruticans</i> h	Lin.	D. C. XII. 575	„	All the year	South. Eur., N. Afr.
„ <i>hircanicum</i> 2	Lin.	B. M. 2013, D. C. XII. 582	„	June-July	Persia.
„ <i>lusitanicum</i> 2	Lam.	D. C. XII. 585	„	June-Aug.	Southern Europe.
„ <i>Marum</i> 2	Lin.	D. C. XII. 589	„	June-Aug.	Mediterr. region.
„ <i>montanum</i> 2	Lin.	D. C. XII. 593	„	May-Aug.	South. Europe.
„ <i>orientale</i> 2	Lin.	D. C. XII. 577, B. M. 1279	„		Asia minor.
„ <i>Polium</i> 2	Lin.	D. C. XII. 592	„	July-Aug.	Mediterr. region.
„ <i>vicentinum</i> 2	Rony	in La Natural (1882)	„		Portugal.
<i>Thalia dealbata</i> 2	Fraser	B. M. 1690	Scitamineae	June-Aug.	South. Carolina.
<i>Thea chinensis</i> h	Sims		Ternstroemiaceae		
„ var. <i>viridis</i> h	Lin.	D. C. I. 530, B. M. 3148	„	Sept.	China.
„ var. <i>Bohea</i> h	Lin.	D. C. I. 530, B. M. 998	„		
<i>Theligonum Cynocrambe</i> (○)	Lin.	D. C. XVII. 33	Urticaceae	March-Sept.	S. Eur., N. Afr., E. In.
<i>Theophrasta imperialis</i> h .	Linden	B. M. 6823	Myrsineae		Brazil.
<i>Thermopsis montana</i> 2 . .	Nutt.	Torr. & Gr., Fl. N. Am. I. 388	Legum.-Papil.		North America.
<i>Thesium divaricatum</i> 2 . .	Jan.	D. C. XIV. 642	Santalaceae	July-Oct.	Mediterr. region.
<i>Thevetia neriifolia</i> h	Juss.	D. C. VIII. 344	Apocynaceae	Aug.-Sept.	Cuba, Jamaica.
<i>Thlaspi alpestre</i> 2	Lin.	D. C. I. 176	Cruciferae		Europe.
<i>Todea rivularis</i> h	Sieb.	Hook. Syn., Filicum 427	Filices		N. Zeal., Austral., S. Afr.
<i>Thomasia purpurea</i> h . . .	I. Gay	Benth. Fl. Austr. I. 253, B. M. 1755	Sterculiaceae		West Australia.
„ <i>solanacea</i> h	I. Gay	Benth. Fl. Austr. I. 251, B. M. 1486	„		West Australia.
<i>Tommasinia verticillaris</i> 2	Bert.	D. C. IV. 181	Umbelliferae	June-July	North. Italy.
<i>Thuya gigantea</i> h	Nutt.	D. C. XVI. 2. 457	Coniferae		California.
„ <i>orientalis</i> h	Lin.	D. C. XVI. 2. 461	„		North. China, Japan.
<i>Thunbergia alata</i> 2 § . . .	Boj.	D. C. XI. 58, B. M. 2591	Acanthaceae	June-Dec.	Zanzibar.
„ <i>grandiflora</i> h §	Roxb.	D. C. XI. 54, B. M. 2366	„		East India.
<i>Thymbra spicata</i> h	Lin.	D. C. XII. 240	Labiatae	May-July	Greece, Asia minor.
<i>Thymus vulgaris</i> h	Lin.	D. C. XII. 199	„	July-Oct.	South. Eur., Siberia.
<i>Tigridia Pavonia</i> 2	Pers.	Lodd. 1424, B. M. 532	Irideae		Mexico.
<i>Tillandsia dianthoidea</i> 2 .	Rossi	Cat. Pl. Hort. Madoet. 79	Bromeliaceae		Brazil.
„ <i>usneoides</i> 2	Lin.	B. M. 6309	„		Trop. America.
„ <i>xiphioides</i> 2	Ker.	B. M. 5562	„	June-Aug.	Buenos Ayres.
<i>Torreya nucifera</i> h	Sieb. Zucc.	D. C. XVI. 2. 505	Coniferae		Japan.
<i>Toxicophlaea spectabilis</i> h	Sonder	B. M. 6359	Apocynaceae		South Africa.
<i>Trachelium coeruleum</i> 2 . .	Lin.	D. C. VII. 491	Campanulaceae	May-June	Spain, Italy, N. Afr.
<i>Trachelospermum jasminoides</i> h §	Lem.	B. M. 4737	Apocynaceae		China.
<i>Trachycarpus excelsus</i> h . .	H. Wendl.	Kunth III. 250	Palmae	June-July	China, Japan.
„ <i>Fortunei</i> h	H. Wendl.	B. M. 5221	„		China.
„ <i>Martianus</i> h	H. Wendl.	Kunth III. 250	„		Nepal.
<i>Tradescantia Crassula</i> 2 . .	Lk. Otto	B. M. 2935	Commelinaceae		Brazil.
<i>Trichonema speciosum</i> 2 . .	Ker-Gawl.	B. M. 1476	Irideae		Cape.
<i>Trichosanthes colubrina</i> (○)	Jacq.	D. C. III. 314, B. M. 722	Cucurbitaceae	Aug.-Sept.	China.
<i>Trifolium angustifolium</i> (○)	Lin.	D. C. II. 189	Legum.-Papil.	June-Aug.	South. Eur., N. Afr.
„ <i>fragiferum</i> (○)	Lin.	D. C. II. 202	„	June-Aug.	Central & S. Europe.
„ <i>Lupinaster</i> 2	Lin.	D. C. II. 204	„		Siberia.
„ <i>pannonicum</i> 2	Lin.	D. C. II. 193	„		South-East Europe.
„ <i>scabrum</i> (○)	Lin.	D. C. II. 192	„		Southern Europe.
„ <i>stellatum</i> (○)	Lin.	D. C. II. 197	„	Apr.-June	Southern Europe.
<i>Tristania conferta</i> h . . .	R. Br.	D. C. III. 210	Myrtaceae	Aug.	Queensl., N. S. Wales.
<i>Triteleia uniflora</i> 2	Lindl.	B. M. 3327	Liliaceae		Buenos Ayres.
<i>Trithrinax brasiliensis</i> h .	Mart.	Hist. Nat. Palm. II. 150	Palmae		Brazil.
<i>Tritoma Uvaria</i> 2	Ker-Gawl.	Kunth. V. 551, B. M. 758	Liliaceae	Aug.-Sept.	Cape.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Tritonia crocata</i> 2	Ker-Gawl.	B. M. 551, 184	Irideae		South Africa.
" <i>fenestrata</i> 2	Ker-Gawl.	B. M. 704	"		South Africa.
<i>Tropaeolum majus</i> ①	Lin.	D. C. I. 683, B. M. 23	Geraniaceae	Febr.-May	Peru.
" <i>minus</i> ①	Lin.	D. C. I. 683, B. M. 98	"	Febr.-May	Peru.
" <i>pentaphyllum</i> 2 §	Lam.	D. C. I. 684, B. M. 3190	"	Apr.-June	Buenos Ayres.
" <i>tricolorum</i> 2 §	Sweet	B. M. 3169	"	Febr.-July	Chile.
<i>Tulbaghia violacea</i> 2	Haw.	Kunth IV. 485, B. M. 3555	Liliaceae	May-Sept.	Cape.
<i>Tulipa carinata</i> 2	Damm.	Verz. v. Zwiabeln etc. (1895)	"		?
" <i>Clusiana</i> 2	Vent.	Kunth IV. 223, B. M. 1390	"	March-Apr.	Spain, Italy, S. France.
" <i>Dammanniana</i> 2	Rgl.	Damm. Verz. v. Zwiab. etc.	"		?
" <i>Didieri</i> 2	Jord.	B. M. 6639	"		Savoy, Italy.
" <i>Gesneriana</i> 2	Lin.	Kunth IV. 221, B. M. 1135	"	Febr.-March	Caucasus, Asia min.
" <i>Greigii</i> 2	Rgl.	B. M. 6177	"	March	Turkestan.
" <i>macrospela</i> 2	Damm.	Verz. v. Zwiabeln etc. (1895)	"		?
" <i>Oculus-solis</i> 2	St. Am.	Kunth IV. 222	"	Febr.-March	Greece, Italy, S. Fran.
" <i>praecox</i> 2	Ten.	Kunth IV. 223	"	March-Apr.	Italy, Persia.
" <i>sylvestris</i> 2	Lin.	Kunth IV. 224, B. M. 1202	"	March-Apr.	Europe.
<i>Tunica Saxifraga</i> 2	Scop.	D. C. I. 354	Caryophylleae	All the year	Europe, Caucasus.
<i>Tussilago Farfara</i> 2	Lin.	D. C. V. 208	Compositae	Febr.-Apr.	Europe, N. Asia.
<i>Tweedia coerulea</i> h	Don	D. C. VIII. 585, B. M. 3630	Asclepiadeae	June-July	Buenos Ayres.
<i>Ulex europaeus</i> h	Lin.	D. C. II. 144	Legum.-Papil.	Febr.-Apr.	W. & S. Europe.
" <i>parviflorus</i> h	Pourr.	Mém Acad. Toul. (1788) 334	"	Febr.-Apr.	West. Europe.
<i>Ulmus campestris</i> h	Lin.	D. C. XVII. 156	Urticaceae	Febr.-Apr.	Europe, Asia minor.
" <i>var. suberosa</i> h	Ehrh.	D. C. XVII. 157	"		Europe.
<i>Umbilicus pendulinus</i> 2	D. C.	D. C. III. 400	Crassulaceae	May-July	W. & S. Europe.
<i>Urceolina pendula</i> 2	Lindl.	B. M. 5464	Amaryllideae		Peru.
<i>Urospermum Dalechampii</i> 2	Desf.	D. C. VII. 116, B. M. 1623	Compositae	May-June	Italy, Spain, S. France.
" <i>picroides</i> ①	Desf.	D. C. VII. 116	"	March-May	South. Eur., Madeira.
<i>Valeriana Phu</i> 2	Lin.	D. C. IV. 637	Valerianeae		Europe, Caucasus.
<i>Valerianella coronata</i> ①	D. C.	D. C. IV. 628	"	Apr.-June	Mediterr. region.
<i>Vasconcellosia hastata</i> h	Caruel	Nuov. Giorn. Bot. Ital. 1876	Passifloreae	Oct.	Brazil.
<i>Vella Pseudocytisus</i> h	Lin.	D. C. I. 223	Cruciferae	March-Apr.	Spain.
<i>Veltheimia viridifolia</i> 2	Jacq.	Kunth IV. 281, Jacq. H. Sch. 78	Liliaceae	July	Cape.
<i>Venidium calendulaceum</i> ①	Lin.	D. C. V. 493	Compositae	March-Aug.	Cape.
<i>Verbascum Boerhavii</i> ①	Lin.	D. C. X. 231	Scrophularineae	July-Aug.	South. Europe.
" <i>longifolium</i> ①	Tenore	D. C. X. 228	"		Southern Italy.
" <i>phoeniceum</i> ① 2	Lin.	D. C. X. 242	"	June-Aug.	S. Europe, Centr. Asia.
" <i>sinuatum</i> ① 2	Lin.	D. C. X. 234	"	June-Oct.	Mediterr. region.
<i>Verbena hispida</i> 2	Rz. Pav.	D. C. XI. 542	Verbenaceae	June-Aug.	Bolivia, Peru, Chile.
" <i>officinalis</i> 2	Lin.	D. C. XI. 547	"	May-Sept.	Eur., Asia, Afr., Am.
" <i>tenera</i> 2	Spr.	D. C. XI. 552	"	July	Brazil.
<i>Veronica Andersonii</i> h	Lindl.	& Paxt., Flower Garden II. 3	Scrophularineae	All the year	Garden hybrid.
" <i>Cymbalaria</i> ①	Bertol.	D. C. X. 488	"	January	Italy, Spain, Algeria.
" <i>diosmaefolia</i> h	R. Cunn.	B. M. sub 3461, Hook. N.-Zeal. Fl.	"		New Zealand.
" <i>Girdwoodiana</i> h			"		
" <i>Hulkeana</i> h	F. M.	B. M. 5484	"		
" <i>Lyallii</i> h	Hook.	B. M. 6456	"		
" <i>salicifolia</i> h	Forst.	D. C. X. 459	"		
" <i>speciosa</i> h	Cunn.	D. C. X. 459, B. M. 4059	"	All the year	New Zealand.
" <i>Traversii</i> h	Hook.	N.-Zeal. Fl., B. M. 6390,	"	Aug.-Apr.	
" <i>vernica</i> h	Hook.	Handb. N.-Zeal. Flora 208	"		
<i>Viburnum Sandankwa</i> h	Hassk.	B. M. 6172	Caprifoliaceae	Jan.-Aug.	China.
" <i>Tinus</i> h	Lin.	D. C. IV. 324, B. M. 38	"	Jan.-Aug.	Italy.
<i>Vicia sicula</i> ①	Guss.	D. C. II. 379	Legum.-Papil.	Apr.-May	Algeria.
<i>Villaresia grandiflora</i> h	Fisch.	Rgl. Gartenfl. (1857) 1	Olacineae		Brazil.
<i>Vinca media</i> 2	Lk. Hoffm.	D. C. VIII. 384	Apocynaceae	All the year	Port., Spain, Marocco.
" <i>minor</i> 2	Lin.	D. C. VIII. 383	"	March-June	Europe, Caucasus.
" <i>rosea</i> h	Lin.	D. C. VIII. 382	"	Oct.-Jan.	Trop. Am., Cape, India.
<i>Viola cornuta</i> 2	Lin.	D. C. I. 301	Violarieae		South. Europe.
" <i>gracilis</i> 2	Sibth. Sm.	Fl. Graec. Prodr. I. 146	"		Greece.

	Author.	Reference.	Family.	Time of flowering.	Native country.
<i>Viola Jooi</i> 2	Janca	Oester. Bot. Wochen. (1857)	Violarieae	Sept.-Oct.	Transsylvania.
„ <i>macedonica</i> 2	Boiss. et	Heldr. Diagn. Sér. II. I. 56	„	May-June	Macedonia.
„ <i>odorata</i> 2	Lin.	D. C. I. 296	„	March-Apr.	Europe, Centr. Asia.
„ <i>pinnata</i> 2	Lin.	D. C. I. 292	„	June-July	Europe, M. Asia.
„ <i>reniformis</i> 2	R. Br.	D. C. I. 305	„	June-Sept.	Australia.
„ <i>tricolor</i> 2	Lin.	D. C. I. 303	„		Eur., N. Asia, N. Am.
<i>Virgilia aurea</i> h	Lam.	Wight Illustr. Ind. Bot. I. 81	Legum.-Papil.	Oct.-Jan.	Abyssinia, Cape.
<i>Visnea Mocanera</i> h	Lin. fil.	D. C. XVII. 298	Ternstroemiaceae	Apr.-May	Azores & Canary Islds.
<i>Vitex Agnus castus</i> h . . .	Lin.	D. C. XI. 684	Verbenaceae	Aug.-Oct.	Mediterr. reg.
<i>Vitis antarctica</i> h	Benth.	Fl. Austr. I. 447	Ampelideae		Australia.
„ <i>Labrusca</i> h	Lin.	D. C. I. 634, Jacq. H. Sch. 426	„	May-June	North America
„ <i>mexicana</i> h §	Hemsl.	Biol. Centr. Am. Bot. I. 203	„		Mexico.
„ <i>nepalensis</i> h	Royle	Ill. Bot. Himal. 149	„		Himalaya region.
„ <i>oblonga</i> h	Benth.	Fl. Austr. I. 447	„		Australia.
„ <i>vinifera</i> h	Lin.	D. C. I. 633	„	May	Northern Asia.
<i>Vittadinia triloba</i> 2	D. C.	D. C. V. 281	Compositae	All the year	Queensl., N. S. Wales.
<i>Wahlenbergia tenuifolia</i> 2	A. D. C.	D. C. VII. 449	Campanulaceae		Hungary, Dalmatia.
<i>Weigelia amabilis</i> h	Planch.	B. M. 4893	Caprifoliaceae	March-Apr.	China, Japan.
<i>Wellingtonia gigantea</i> . . .	Lindl.		Coniferae		North America.
see <i>Sequoia gigantea</i>					
<i>Westringia rosmariniformis</i> 2	Sm.	Benth. Fl. Austr. V. 128	Labiatae	Apr.-Dec.	N. S. Wales.
<i>Wigandia caracasana</i> h . .	H. B. K.	D. C. X. 182, B. M. 4575	Hydrophyllaceae	Febr.-Apr.	Venezuela.
„ <i>urens</i> h	H. B. K.	Nov. Gen. et Spec. III. 127	„		Mexico.
<i>Withania aristata</i> h	Pauq.	D. C. XIII. 1. 456	Solanaceae	Aug.-Sept.	Canary Islds.
„ <i>somnifera</i> h	D. C.	D. C. XIII. 453	„	March-Apr.	India.
<i>Washingtonia Sonorae</i> h . .			Palmae		
<i>Wistaria chinensis</i> h	D. C.	B. M. 2083	Legum.-Papil.	Apr.-May	China.
<i>Xanthogalum purpurascens</i> 2	Avé-Lall.	Ind. Sem. Hort. Petrop. 1842	Umbelliferae		Persia.
<i>Xanthoceras sorbilolia</i> h . .	Bunge	B. M. 6923	Sapindaceae		North China.
<i>Xanthorrhoea arborea</i> h . .	R. Br.	Prodr. 288	Juncaceae		Australia.
„ <i>Preissii</i> h	Endl.	Lehm. Pl. Preissianae II. 39	„		Australia.
<i>Xantoxylon alatum</i> h	Bunge	D. C. I. 727	Rutaceae	Dec.-Jan.	Nepal.
„ <i>Bungei</i> h	Pl.	Ann.Sc.Nat. Sér. V.v. (1856)	„		South Africa.
<i>Xerotes longifolia</i> 2	R. Br.	Prodromus 261	Juncaceae		Australia.
<i>Yucca aloifolia</i> h	Lin.	Bak. Al. and Yucc. 221	Liliaceae		Mexico.
„ var. <i>variegata</i> h			„		
„ <i>angustifolia</i> h	Pursh	„ „ 226, B. M. 2236	„		Arkan., Louis., Texas.
„ <i>baccata</i> h	Torr.	„ „ 229	„		Color., Calif., Mexico.
„ <i>canaliculata</i> h	Hook.	„ „ 225, B. M. 5201	„		Texas, Mexico.
„ <i>Desmetiana</i> h	Baker	„ „ 222	„		Mexico.
„ <i>elata</i> h	Engelm.	Detail III. of Yucca	„		South. United States.
„ <i>filamentosa</i> h	Lin.	Bak. Al. and Yucc. 227	„		Maryland, Florida.
„ var. <i>glaucescens</i> h	Haw.	„ „ 228	„		
„ <i>gloriosa</i> h	Lin.	„ „ 225, B. M. 1260	„		North Carolina, Flor.
„ <i>guatemalensis</i> h	Baker	„ „ 222	„	Nov.-Jan.	Mexico, Guatemala.
„ <i>macrocarpa</i> h	Engelm.	Kew Bull. 1892, 8	„		Arizona.
„ <i>Peacockii</i> h	Baker	Kew Bull. 1892, 8	„		Mexico.
„ <i>Whipplei</i> h	Torr.	Bak. Al., and Yucc. 230	„	March	California, Arizona.
<i>Zamia horrida</i> h	Jacq.	B. M. 5371	Cycadeae		South Africa.
„ <i>intermedia</i> h			„		
„ <i>Ottonis</i> h	Miq.	Nichols. Dict. of gardening	„		Cuba.
„ <i>spiralis</i> h	Salisb.	D. C. XVI. 2. 535	„		N. S. Wales.
<i>Zauschneria californica</i> 2	Presl.	B. M. 4493	Onagrarieae	Sept. Nov.	California.
<i>Zephyranthes candida</i> 2 . .	Herb.	Lodd. 1419, B. M. 2107	Amaryllideae	Oct.-Dec.	Buenos Ayres.
<i>Zingiber officinale</i> 2	Roxb.	Nichols. Dict. of gard.	Scitamineae		India.
<i>Zizyphus sativa</i> h	Desf.	D. C. II. 19	Rhamneae	June	Syria, North Africa.

Index of the authors.

Ait.	Aiton, William	Chaix	Chaix, Dom.	Fenzi	Fenzi, O.
All.	Allioni, Carlo	Cham.	Chamisso, Adalbert von	Fenzl	Fenzl, Eduard
Anders.	Anderson	Chois.	Choisy, Jacq. Denis	Fisch.	Fischer von Waldheim
André	André, E.	Cogn.	Cogniaux, Alfred	F. et M.	Fischer & Meyer
Ardoino	Ardoino, Honoré	Collet	Collet, Robert	Forbes	
Arduino	Arduino, Luigi	Colla	Colla, Alois	Fleischer	
Arn.	Arnott, George Walker	Console	Console, Michelangelo	Foerster	
Avé-Lall.	Avé-Lallemand	Correa	Correa de Serra, J.	Forsk.	Forskâl, Peter
		Coss.	Cosson, Ernest	Forst.	Forster, George
Backh.	Backhouse, James	Crantz	Crantz, H. I. N.	Fortune	Fortune, Robert
Bad.	Badaro	A. Cunn.	Cunningham, Allan	Franch.	Franchet
Bailey		R. Cunn.	Cunningham, Robert	Fras.	Fraser, Joseph
Bak.	Baker, J. G.	Curt.	Curtis, William	Fr. & Sav.	Franchet & Savatier
Balb.	Balbis, Giov. Batt.	Cyr.	Cyrillo, Dominico	F. M.	Ferdinand von Müller
Banks	Banks, Joseph de				
Barr.	Barrelier, Jacq.	D. C.	de Candolle, Aug. Pyramus	Gaertn.	Gaertner, Joseph
Beauv.	Beauvais, Palisot de	A.DC.=DC. f.	deCandolle, filius, Alphonse	Gal.	Galeotti, H. W.
Beddome		Decne.	Decaisne, M. Jos.	Gardner	Gardner, George
Bell		Decne.&Planch.	Decaisne & Planchon	Gaudich.	Gaudichaud-Beaupré, Ch.
Benth.	Bentham, George	Dehnh.	Dehnhardt, Friedr.	C. Gay	Gay, Claude
Berg		Delar.	Delarbre, Abbé	Gill. & Hook	Gillies & Hooker
Bernh.	Bernhardi, Joh. Jac.	Delile	Delile-Raffeneau, Alire	Glacabr.	Glacbrook
Berth.	Berthelot, Sabin	Deleuil	Deleuil, I. B. A.	Glox.	Gloxin, Benjamin Peter
Bertol.	Bertoloni, Antonio	Dennst.	Dennstedt, Aug. Wilhelm	J. F. Gmel.	Gmelin, Joh. Friedrich
Biebst.	Bieberstein, Marschall von	Desf.	Desfontaines, René	Gord.	Gordon, George
Bigel.	Bigelow, Jacob	De Smet	De Smet, L.	Gouan	Gouan, Antoine
Blume	Blume, Karl Ludwig	Desp.	Desportes, N.	R. Grah.	Graham, Robert
Boiss.	Boissier, Edmund	Desr.	Desrousseaux, Louis	A. Gray.	Asa Gray
Boiv.	Boivin	Desv.	Desvaux, Nicolas, A.	Gren.& Godr.	Grenier & Godron
Bojer	Bojer, W.	Dicks.	Dickson	Griseb.	Grisebach, Aug. Heinr.
Bolle	Bolle, Karl	Dietr.	Dietrich, Adolf	Gronov.	Gronovius, I. F.
Bolus	Bolus, Harry	Dombey	Dombey, Joseph.	Guern.	Guernsent
Bonpl.	Bonpland, Aimé	G. Don	Don, George	Guss.	Gussone, Giovanni
Brandis	Brandis, Dietrich	D. Don	Don, David		
A. Br.	Braun, Alexander	Dougl.	Douglas, David	Hance	Hance, Henry Fletcher
R. Br.	Brown, Robert	Dr. & Wendl.	Drude & Wendland	Hartw.	Hartweg, I.
F. Br.	Braun, F.	Dryand.	Dryander, Jonas	Harv.	Harvey, William Henry
Briot		Duby	Duby, I. E.	Hassk.	Hasskarl, Jul. Carl
Brign.	Brignoli a Brunhoff, Joh. de	Dum. Cours.	Dumont de Courset	Haw.	Haworth, Adrien, Hardy
Brot.	Brotero, Felix	Dun.	Dunal, Michel Felix	H. B. K.	Alexander von Humboldt
Britton	Britton, Nath. Lord	Durazzo	Durazzo, I.		Aimé Bonpland
Brouss.	Brousset Jean Louis Victor	Durieu	Durieu de Maisonneuve		Sigismund Kunth
Brügg.	Brügger, Chr., G.			Heider	
B.-Ham.	Buchanan-Hamilton, F.	Eckl.	Ecklon, Carl Friedrich	Herb.	Herbert, Wilhelm
Bunge	Bunge, A. von	Eckl. & Zeyh.	Ecklon & Zeyher	L'Hérit.	L'Héritier de Brutelle
Burch.	Burchell, William Fulham	E. & Z.		Heuff.	Heuffler, Ludwig von
Burm. f.	Burmann, Nicolaus Lorenz	Ehrh.	Ehrhardt, Friedrich	Hochst.	Hochstetter, Christ, Friedr.
		Ellis	Ellis, John	Hoffm.	Hoffmann, George Franz
Camb.	Cambessèdes, Jacques	Endl.	Endlicher, Stephan	Hook.	Hooker, William Jackson
Carr.	Carrière, M. E. A.	Engelm.	Engelmann, Louis	Hook. f.	Hooker, fil., Joseph Dalton
Cass.	Cassini, A. H. G. de	E. & B.	Engelmann & Bigelow	Hook.Arn.	Hooker & Arnott
Caruel	Caruel, Teodoro	Eschw.	Eschweiler, F. G.	Hook. Th.	Hooker & Thomson
Cav.	Cavanilles, Ant. Jose			Hopf.	Hopfer
Cerv.		Falc.	Falconer, H.	Hoppe	Hoppe, David Heinrich

Hornem. Hornemann, J. W.
Houllet
v. Houtte
Hort. Hortorum
hort. berol. hortus berolinensis
hort. bog. hortus bogoriensis
hort. kew. hortus kewensis
hort. paris. hortus parisiensis

Jac. Jacobi G. A. von
Jacq. Jacquin, Nicol. Joseph von
Jan. Janka, Victor
Jord. Jordan, Alexis
Juss. Jussieu, Ant. Laurent de
A. Juss. Jussieu, Adrien de

Kar. Kir. Karelin & Kirilow
Karw. Karwinsky, Wilhelm von
Kaulf. Kaulfuss, Georg Friedrich
King King, George
Klatt Klatt, Friedr. Wilh.
Klotzsch Klotzsch, Joh. Friedrich
Kit. Kitaibel, Paul
Knight Knight, Thomas Andr.
C. Koch Koch, Carl
Koenig
Kth. Kunth, Sigismund
Kth. & Bouché Kunth, S. & Bouché, C.
G. Kunze Kunze, Gustav
S. Kurz Kurz, Sulpice

Labill. Labillardière, Jacques Julien de
Lab. Labouret, I.
Lag. Lagasca, Mariano
Lam. De la Marck, F. B. P.
Lap. de Lapeyrouse, Picot.
Laroche De la Roche, François
Laxm. Laxmann, Erich
Ledeb. Ledebour, Carl Friedr. von
Lehm. Lehmann, Joh. G. Chr.
Lem. Lemaire, Ch. Ant.
Lepech. Lepechin, Ivan
Less. Lessing, Christian Friedr.
Lex. Lexarza, Juan
Lin. Linné, Carl Ritter von
b. 14. V. 1707 † 10. I. 1778
Lin f. Linné fil., Carl von
Lindl. Lindley, John
Linden Linden, Jean Jules
Lk Link, Heinrich Friedrich
Lk. & O. Link & Otto
Lois. Loiseleur Deslongchamps.
Loud. Loudon, Joh. Claud.
Lour. Loureiro, Ioao de
Lowe Lowe, Rich. Thomas

Mackey Mackey, James Tawnsend
Manetti Manetti, Giuseppe
Mart. Martius, Carl. Fr. Phil. von
Mart. & G. Martius M. & Galeotti H.
Mass. Masson, Francis
Maxim. Maximovicz, C. I.
E. Mayer Mayer, Ernst
Mchx. Michaux, François André
Med. Medicus, Friedr. Kasimir
Meissn. Meissner, Carl Friedrich
C. A. Mey. Meyer, Carl Anton
Miquel Miquel, Fried. Ant. Wilh.

Miers Miers, John
Mikan Mikan, Joh. Christ.
Mill. Miller, Philipp
Mnch. Moench, Conrad
Moç. Moçino, Jean
Moç. & Sessé Moçino & Sessé
Molin. Molina, Ignacio
Moq. Moquin-Tandon, A.
Moris Moris, Jos. Hyacinth
Morr. Morren, Charles
E. Morr. Morren, Edward
Munro Munro, William
Muehl. Muehlenberg, Henry
Müll. Arg. Müller-Argoviensis, J.
Murr. Murray, Joh. Adr.

Nees Nees von Esenbeck
Christ. Gott.
Naud. Naudin, Charles
N E. Br. Brown, Nich. Edw.
Neilr. Neilreich, August
Nissen
Nocca Nocca, Domenico
Nutt. Nuttall, Thomas

Oliv. Oliver, Daniel
Olivier Olivier, Guillaume Antoine
Ortega Ortega, Casimir Gomez de
Otto Otto, Chr. Fr.
O. & D. Otto & Dietrich

Panč. Pančič, Joseph
Panch.
Planch. & L. Planchon & Linden
Pappe Pappe, C. W. L.
Parm. Parmantier, Joh.
Paxt. Paxton, Joseph
Penny Penny, George
Perry Perry, W. G.
Pers. Persoon, Christ. Henry
Pfeiff Pfeiffer, Ludwig
Phil. Philippi, R. A.
Pirota Pirota, Romualdo
Planch. Planchon, I. E.
Poir. Poirét, I. L. M.
Poll. Pollini, Cyro
Pomel Pomel, A.
Preiss Preiss, L.
Presl. Presl, Joh. Swatopluk
Pursh Pursh, Friedrich
Pourr. Pourret, Pierre André
Puschkin Mussin-Puschkin
Putz. Putzeys

Raddi Raddi, Giuseppe
Raeusch. Raeuschel, Ernst Adolph
Rafin. Rafinesque-Schmalz, C.
Ram. Ramond, Louis François de
Rchbch. Reichenbach, Ludwig
Red. Thor. Redouté et Thory
Rgl. Regel, Eduard von
Rgl. & Rach » & Ludw. Rach
Rgl. & Winkler » & Const. Winkler
Retz. Retzius, Andreas Johann
Reut. Reuter, G. F.
A. Rich. Richard, Achille
L. C. Rich. Richard, Louis Claude
Risso Risso, Giovanni Antonio

Roezl Roezl, Peter
Rossi Rossi, Pietro
Roth Roth, Alb. Wilhelm
Roxb. Roxburgh, William
Royle Royle, John Forbes
R. & S. Roemer & Schultes
Rudge Rudge, Eduard
Rupr. Ruprecht, F. I.
Rz. & Pav. Ruiz & Pavon

Sab. Sabine, Joseph
Salisb. Salisbury, Rich. Ant.
S. D. Salm-Dyck, Jos. Fürst von
Savi Savi, Gaetano
Savign. Savigny, Julius Caesar
Schauer Schauer, Joh. Christ.
Scheidw. Scheidweiler, M. Joseph
Schiede Schiede, Wilh.
Schimp. Schimper
Sch. Bip. Schulz-Bipontinus, C. H.
Schlicht. Schlechtendahl, Dietr.
Lud. von
Schott Schott, Heinrich
Schousb. Schousboe, P. K. A.
Schrader, Heinr. Adolph
Schreb. Schreber, Joh. Christ.
Daniel von
Schrenk Schrenk, Alex. Gustav.
Schrk. Schrank, Franz Paula von
Schultes Schultes, Jos. Aug.
Schur Schur, Joh. Ferd.
Schwffth. Schweinfurth, Georg
Scott Scott, John
Sencke
Scop. Scopoli, Joh. Ant.
Ser. Seringe, Nicolas Charles
Sessé Sessé, Martin
Sibth. Sibthorp, John
Sieb. Siebold, Karl von
Sieber Sieber, Franz Wilh.
Sieb. & Zucc. Siebold & Zuccarini
Simk.
Sims Sims, John
Sm. Smith, James Edward
C. Sm. C. Smith
Sol. Solander, Daniel Conrad
Spach Spach, Eduard
Spr. Sprengel, Curt
Sprunn. Sprunner
Sternb. Sternberg, Kaspar von
Steud. Steudel, E. G.
Steven Steven, Chistian
St. Hilaire St.-Hil., A. F. C. P. Aug. de
Stocks
Swartz Swartz, Olaf
Sw. Sweet, Robert
Symes
Tanfani
Targ. Tozz. Targ.-Tozzetti, Ottavione
Tausch. Tausch, Ignaz Friedr.
Ten. Tenore, Michele
Thouin Thouin, André
Thnbg. Thunberg, Carl Peter
Tod. Todaro, Augustino
Torr. Torrey, John
Tratt. Trattinick, Leopold
Trautv. Trautvetter, E. R. von
Turcz. Turczaninow, Nicolaus

Vahl	Vahl, Martin	Walsh		Wight	Wight, Robert.
Vatke	Vatke, W.	Walp.	Walpers, Wilh. Gerhard	Willd	Willdenow, Carl L. von
Velley	Velley, Thom.	Walter	Walter, Thomas	Wittm.	Wittmack, Ludwig
Vent.	Ventenat, Stephan Peter	C. Wats.	Watson, H. C.	W. & K.	Waldstein & Kitaibel
Vill.	Villars, Daniel	S. Wats.	Watson, Sereno	Wulf.	Wulfen, Franz, Xaver von
Vis.	Visiani, Robert von	Webb	Webb, John		
		Webb & Berth.	Webb & Berthelot	Zeyh.	Zeyher, Carl
Wahlenbg.	Wahlenberg, Göran	Weber		Zuccar.	Zuccarini, Jos. Gerhard von
Waldst.	Waldstein, Graf Fr. Adam von	Wendl.	Wendland, Joh. Cristoph.		
Wall.	Wallich, Nathanael	W. Hill			

Explanation

of the sign used in the Catalogue.

⊙ = Annual plants	h = Low shrubs and small succulent plants
⊙⊙ = Biennial plants	h̄ = Trees, shrubs and large succulent plants
⌘ = Perennial plants	§ = Climbing plants
×	= Of garden origin

Addenda.

	Author.	Reference.	Family.	Time of flowering.	Native country.
Abobra tenuifolia 2	Naud.	in Rev. Hortic. (1862) 111	Cucurbitaceae	July-Sept.	Brazil.
Abutilon indicum h	Sweet	R. Wight, Ic. pl. or. I. 205	Malvaceae	May-Aug.	Tropical countries.
Acacia subcaerulea h	Lindl.	Benth. Fl. Austr. II. 369	Legum.-Mimos.	Jan.-March	West Australia.
Achras Sapota h	Lin.	B.M.3111,3112,D.C.VIII.174	Sapotaceae		Jamaica, Venezuela.
Adonis vernalis 2	Lin.	D. C. I. 24, B. M. 134	Ranunculaceae		Europe, Siberia.
Aeonium Saundersii 2	Bolle	Bonplandia (1859), 241	Crassulaceae		Canary Islds.
Aesculus arguta h	Buckl.	in Proc. Acad. Phil. (1860) 443	Sapindaceae		North America.
Agave excelsa	Jacobi	Bak. Amaryllid. 182	Amaryllideae	June-Sept.	Mexico.
Amphicome Emodi 2	Royle	B. M. 4890, D. C. IX. 237	Bignoniaceae	March	Himalaya.
Antigonon leptopus h § . . .	Hook. & Arn.	B. M. 5816, D. C. XIV. 1. 184	Polygoneae		Tropical America.
Antirrhinum siculum 2	Mill.	D. C. X. 291	Scrophularineae	May-Oct.	Sicily, Spain, Greece.
Arabis Allionii 2	D. C.	D. C. I. 144	Cruciferae		Piedemont.
" coerulea 2	Wulf.	D. C. I. 147	"		Europ. Alps.
" Drummondii 2	A. Gray	Proc. Am. Acad. VI. 187	"		North America.
" Turezaninowii 2	Ledeb.	Fl. rossica I. 123	"	March	Siberia.
Arctotis aspera 2	Lin.	Harv. & Sond. III. 453, Jacq. H. Sch. 169	Compositae	Jan.-April	South Africa.
Arenaria graminifolia 2 . . .	Schrad.	D. C. I. 401	Caryophylleae		Caucasus, Siberia.
" montana 2	Lin.	D. C. I. 410	"		W. France, Spain.
Arum Dioscoridis 2	Sibth. & Sm.	Kth. III. 24	Aroideae		Greece, Asia minor.
Atriplex portulacoides h . . .	Lin.	D. C. XIII. 2. 112	Chenopodiaceae	Aug.-Sept.	Med. reg., Cape, N. Am.
Azara serrata h	Rz. et Pav.	D. C. I. 262	Bixineae		Chile.
Ballota acetabulosa 2	Benth.	D. C. XII. 517	Labiatae	June-Sept.	Greece.
Begonia ricinifolia 2	A. Dietr.	Allg. Gartenz. (1847) 282	Begoniaceae		Garden origin.
B. heracleifolia X peponif.					
Biarum Sprunerii 2	Boiss.	Diagn. Sér. I. XIII. 5	Aroideae		Greece.
Billardiera scandens h § . . .	Sm.	Benth. I. 123	Pittosporae		Australia.
Bomarea Salsilla 2	Mirb.	B. M. 3344	Amaryllideae		Chile.
Bryonopsis laciniosa 2	Naudin	Oliver, Fl. Trop. Afr. II. 556	Cucurbitaceae	July-Sept.	India, Austr., Afr.
Buddleia Colvillei h §	Hook. f.	B. M. 7449	Loganiaceae		Himalaya.
" variabilis h §	Hemsl.		"		
Bumelia lycioides h	Willd.	D. C. V. 189 sub B. ambigua	Sapotaceae		North America.
Callistemon pinifolius h	Sweet	B. M. 3989, Benth. III. 122	Myrtaceae		N. S. Wales.
Calpurnia lasiogyne h	E. Mey.	Harv. & Sond. Fl. Cap. II. 267	Legum.-Papil.	Nov.-Jan.	Natal, Abyssinia.
Canavalia ensiformis 2	D. C.	D. C. II. 404, B. M. 4027 Wight, Ic. pl. Ind. or. III. 753	Leguminosae	June-Aug.	East India.
Cedrela Toona h	Roxb.	Wight, Ic. pl. Ind. or. I. 161	Meliaceae		Malaya, Australia.
Cephalotaxus drupacea h . . .	Sieb. Zucc	B. M. 4499	Coniferae		Japan.
Ceratozamia mexicana h	Brogn.	D. C. XVI. 2. 546	Cycadeae		Mexico.
Cereus acifer h	Otto	S. Dyck. Cact. Hort. Dyck. ed. II. 189	Cacteae		Origin unknown.
" alacriportanus h	hort. mon.	Pfeiff. Enum. Diagn. Cact. 87	"		Brazil.
" caespitosus	Engelm.	B. M. 6669	"		New Mexico, Texas.
Cocculus Thunbergii h §	D. C.	D. C. I. 98	Menispermaceae		Japan.
Colchicum Bivonae 2	Guss.	Kunth IV. 139	Liliaceae		South Europe.
" persicum 2	Baker	Journ. Linn. Soc. (1879) 430	"		Persia.
" Tenorii 2	Parl.	Flora Ital. III. 176	"		Italy.
Coreopsis lanceolata 2	Lin.	B. M. 2451	Compositae		North America.
Correa alba h	Andr.	Renth. I. 354	Rutaceae	Nov.-Febr.	Vict., Tasm. S. Austr.
Cotyledon coccinea 2	Cav.	B. M. 2572	Crassulaceae	Febr.-April	Mexico.
Crassula Septas 2	Thunbg.	Harv. & Sond. Fl. Cap. II. 358, B. M. 1472	"		Cape.
Crinum pedunculatum 2	R. Br.	Bak. Amaryllid. 77	Amaryllideae		Austr., N. Guin., N. Cal.
Cucumis metuliferus 2	E. Mey.	Harv. & Sond. Fl. Cap. II. 495	Cucurbitaceae	June-Sept.	South Africa.
Cynomorium coccineum 2	Lin.	D. C. XVII 123	Balanophoreae		Sard., Sic., Canar. I., Palaest.

	Author.	Reference.	Family.	Time of flowering.	Native country.
Delphinium sulphureum 2 .	Boiss. & Haus.	B. M. 7049	Ranunculaceae		Syria.
Dendrocalamus membranaceus h	Munro	Trans. Linn. Soc. (1868) 149	Gramineae		Burma.
Diotostemon Hookeri 2 .	S. Dyck	O. & D. All. Gartenz. 1854	Crassulaceae		Mexico.
Dodonaea microzyga h . .	F. M.	Ann. Rep. Melb. Bot. Gard. (1863) 12	Sapindaceae		Australia.
Dolichos Lablab (C)	Lin.	D. C. II. 401, Wight Ic. 203	Legum.-Papil.	July-Sept.	Trop. countries.
Draba olympica 2	Sibth.	D. C. I. 167	Cruciferae		Olymp, Orient.
Dracaena Hookeriana h . .	C. Koch	Wochenschr. (1861) 394	Liliaceae		South Africa.
Drimia altissima 2	Hook.	B. M. 5522	"		South Africa.
Echinocactus Williamsii . .	Lem.	B. M. 4296	Cacteae		West. N. America.
" Wislizeni	Engelm.	Wisliz. Tour N. Mexico 96	"		West. N. America.
Echites lutea h §	Vell.	D. C. VIII. 467	Apocynaceae		Brazil.
Eryngium agavifolium 2 .	Griseb.	Goett. Abhandl. (1874) 155	Umbelliferae	Nov.-April	Argentina.
Eupatorium micranthum h	Less.	Ref. bot. tab. 155	Compositae		Mexico.
syn. Eup. Weinmannianum	Rgl.				
Euphorbia grandidens h .	Haw.	D. C. XV. 2. 82	Euphorbiaceae		Cape.
Ferraria undulata 2	Lin.	B. M. 144	Irideae		South Africa.
Ferula Narthex 2	Boiss.	Fl. orient. II. 994	Umbelliferae		Tibet, Baltisthan.
Ficus quercifolia h	Roxb.	Wight, Ic. pl. Ind. or. II. 646	Urticaceae		Burma, Malaya.
Fritillaria Imperialis 2 . .	Lin.	B. M. 194	Liliaceae		Persia, Himalaya
Griselinia littoralis h	Raoul	Hook., N. Zeal. Fl. 105	Cornaceae		New Zealand.
Hebenstreitia comosa 2 .	Hochst.	D. C. XII. 5	Selagineae	March-May	Cape, Natal.
Helenium autumnale 2 . .	Lin.	B. M. 2994, D. C. V. 666	Compositae	Sept.-Oct.	N. America.
Helianthemum laevipes h .	Willd.	B. M. 1782, D. C. I. 275	Cistineae	May-June	South Europe.
Iris tingitana 2	Baker	B. M. 6775	Irideae	Febr.-March	Marocco.
" unguicularis 2	Poir.	B. M. 5773	"	Dec.-March	North Africa.
Iochroma coccinea x lanceolata			Solanaceae		Nat. hybr. from Ment.
Kalanchoë Welwitschii 2 .	Britten	Oliver Fl. Afr. trop. II. 394	Crassulaceae		Trop. Africa.
Lagenaria vulgaris (C) . . .	Ser.	Oliver, Fl. Tr. Afr. II. 529	Cucurbitaceae	June-Sept.	All trop. countries.
Lantana involucrata h . .	Lin.	D. C. XI. 603	Verbenaceae		Tropical America.
Leucojum aestivum 2 . . .	Lin.	B. M. 1210	Bmaryllideae	Febr.-March	Europe, Orient.
Liatris graminifolia 2 . . .	Pursh	D. C. V. 130	Compositae		Carolina.
Lilium giganteum 2	Wall.	B. M. 4673	Liliaceae		Nepal.
Livistona inermis h	R. Br.	Kunth III. 241	Palmae		Tropical Australia.
Lomatophyllum macrum h	S. Dyck	Kunth IV. 549	Liliaceae	Jan.-March	Mauritius.
Lotus australis 2	Andr.	Benth. II. 188, B. M. 1365, Lodd. 1063	Legum.-Papil.	June-Aug.	Australia.
Luffa aegyptiaca (C)	Mill.	Oliver, Fl. Tr. Afr. II. 530, Wight, Ic. 499	Cucurbitaceae	July-Sept.	All trop. countries.
Mammillaria amoena	Hopfr.	S. Dyck Cact. Hort. Dyck ed. II. 12, 99	Cacteae		Origin unknown.
" arizonica	Engelm.	S. Wats, Pl. Wheeler., 9	"		West. N. America.
" bocasana	Poselg.	Otto & D. All. Gart. (1853) 94	"		Texas.
" Bockii	Foerst.	O. & D. All. Gart. (1847) 50	"		Mexico.
" clava	Pfeiff.	B. M. 4358	"		Mexico.
" crinita	D C.	Mém. Mus. Par. (1828) 112	"		Mexico.
" decipiens	Scheidw.	Bull. Acad. Brux. (1838) 496	"		Mexico.
" Heyderi	Muehlen.	O. & D. All. Gart. (1848) 20	"		Mexico.
Mandragora autumnalis 2	Bertol.	D. C. XIII. 1. 467	Solanaceae		Sard., Sic., Greece, Port.
Manettia luteo-rubra h § .	Benth.	Linnaea (1850) 445	Rubiaceae		Brazil.
Mitraria coccinia h	Cav.	B. M. 4462	Gesneraceae		Chiloë Isld.
Muscari commutatum 2 . . .	Guss.	Kunth IV. 311	Liliaceae		Sicily.
" Heldreichii 2	Boiss.	Diagn. Ser. II. IV. 109	"		Greece.

	Author.	Reference.	Family.	Time of flowering.	Native country.
Narcissus aureus 2	Lois.	Bak. Amaryll. 9, Moggr. Contrib. t. 22	Amaryllideae	Febr.-March	From Port. to Japan
„ Bulbocodium 2	Lin.	B. M. 88	„	Febr.-March	Mediterran. reg., Port.
„ italicus 2	Ker-Gawl.	B. M. 1188	„	Febr.-March	Italy.
Nolina Bigelowii h	S. Wats.	Baker, Aloin. & Yucc. 235	Liliaceae		Texas, Arizona.
Olea cuspidata h	Wall.	D. C. VIII, 285	Oleaceae		East India.
Onychium japonicum 2 . . .	Kze.	Hook., Syn. Filic. 143	Filices		Jap., China, N. Ind., Java.
Ophiopogon japonicus 2 . .	Ker-Gawl.	B. M. 1063	Haemadoraceae		Japan.
Opuntia arborescens h . . .	Engelm.	Wisliz. Tour N. Mexico 90	Cactaeae		N. Mexico.
„ atacamensis 2	Phil.	Flora atacam. 24	„		Chile.
„ aurantiaca	Lindl.	Bot. Reg. 1606	„		Chile.
„ brasiliensis	Haw.	B. M. 3293	„		Brazil.
„ candelabiformis h . . .	Hort. monac.	Pfeiff. Enum. Diagn. Cact. 159	„		Mexico.
„ clavarioides	Hort. berol.	Pfeiff. Enum. Diagn. Cact. 173	„		Mexico.
„ Davisii	Engelm. & Big.	Pacif. Rail. Rep. IV. 49	„		N. America.
„ elata	Lk. & Otto	Verh. Ver. Befoerd. Gartenb. (1830) 434	„		Brazil.
„ extensa	S. Dyck	Pfeiff. Enum. Diagn. Cact. 147	„		Origin unknown.
„ filipendula	Engelm.	Proc. Am. Acad. (1857) 294	„		Texas.
„ fulgida	Engelm.	Proc. Am. Acad. (1857) 306	„		Mexico.
„ glomerata	Haw.	Phil. Mag. (1830) 111	„		Argentina.
„ lanceolata	Haw.	Syn. Pl. succ. 192	„		S. America.
„ leonina	Haage	Hauptverz. 1896	„		Chile.
„ littoralis	Haage	Hauptverz. 1896	„		Origin unknown.
„ lurida	Haage	Hauptverz. 1896	„		Origin unknown.
„ maculacantha	C.F. Foerst.	Hamburg. Gartenz. (1861) 166	„		Argentina.
„ megacantha	S. Dyck	Hort. Dyck. 363	„		Mexico.
„ missouriensis	D. C.	III. 472, B. M. 7046	„		North America.
„ papyracantha	Phil.	Regel Gartenfl. (1872) 129	„		Chile.
„ Pes-corvi	Leconte	Chapm., Fl. S. U. St. 145	„		North America.
„ phaeacantha	Engelm.	Mem. Am. Acad. N. S. (1849) 51	„		N. Mexico.
„ puberula	Hort. Vindob.	Pfeiff. Enum. Diagn. Cact. 156	„		Mexico.
„ rutila h	Nutt.	Torr. & Gr., Fl. N. Am. I. 555	„		W. North America.
„ spinulifera	S. Dyck	Hort. Dyck. 364	„		Mexico.
Orchis hircina 2	Crantz	Barla, les Orchid. de Nice	Orchideae	May-June	South. Eur., N. Africa.
Ornithogalum caudatum . . .	Ait.	Ref. Bot. 262, B. M. 805	Liliaceae		Cape Colony.
„ collinum 2	Guss.	Kunth IV. 361	„		South Europe.
„ montanum 2	Ten.	Kunth IV. 360	„		S. Eur., Orient.
„ Visianicum 2	Tommas	Mem. Ist. Venet. (1876) 176	„		Dalmatia.
Ostrowskia magnifica 2 . .	Regel	B. M. 7472	Campanulaceae		Central Asia.
Oxalis asinina 2	Jacq.	D. C. I. 691	Geraniaceae		South Africa.
„ compressa 2	Lin.	D. C. I. 696	„		South Africa.
„ crenata 2	Jacq.	D. G. I. 691	„		Peru.
„ dentata 2	Jacq.	D. C. I. 696	„		South Africa.
„ flabellifolia 2	Jacq.	D. C. I. 702	„		South Africa.
„ hirta 2	Lin.	D. C. I. 693	„		South Africa.
„ lanata 2	Lin.	D. C. I. 700	„		South Africa.
„ livida 2	Jacq.	D. C. I. 696	„		South Africa.
„ pentaphylla 2	Sims	D. C. I. 703, B. M. 1549	„		Cape.
„ Pes Caprae 2	Lin.	Sp. Pl. 434	„		South Africa.
„ sericea 2	Lin. f.	D. C. I. 695	„		South Africa.
„ tenuifolia 2	Jacq.	D. C. I. 701	„		South Africa.
Physalis Francheti 2	Masters	Gardeners Chron.	Solanaceae		Japan.
Piper Titodascum h?		Haage Hauptverz. 1896	Piperaceae		
Pittosporum Buchanani h . .	Hook.	Fl. of N. Zeal. 725	Pittosporaceae		New Zealand.
„ rhombifolium h	A. Cunn.	Benth. I. 110	„		Queensland, N. S. Wales
Plantago xorulensis 2	H. B. K.	Nov. Gen. et Sp. II. 228	Plantagineae		Mexico.
Podophyllum Emodi 2	Wall.	Cat. nr. 814	Berberideae		Himalaya region.
Polygonum sachalinense h . .	F. Schm.	B. M. 6540	Polygoneae		Sachalin.
Psoralea pinnata h	Lin.	Harv. & Sond. Fl. Cap. II 144	Legum.-Papilion.	May-Aug.	Cape (Australia?)
Pyrus trilobata h	D. C.	D. C. X. 836	Rosaceae		Syria.

	Author.	Reference.	Family.	Time of flowering.	Native country.
Ramondia serbica 2l . . .	Panč.	D. C. Monogr. Phan. V. 168	Generaceae		Serbia.
Rumex hymenosepalus 2l .	Torr.	Bot. Mex. Bound. 177	Polygonaceae		W. North America.
Salvia Goudotii h	Benth.	D. C. XII 339, Ref. Bot. t. 229	Labiatae	Febr.-Apr.	New Granada.
„ pulchella h	D. C.	D. C. XII 334	„	Oct.-May	Mexico, Guatemala.
„ Regla h	Cav.	D. C. XII 333	„		Mexico.
Schotia brachypetala h . .	Sond.	Harv. & Sond. Fl. Cap. II 274	Legum.-Caesalp.		Port Natal.
Sedum album	Lin.				
var. athoum 2l	D. C.	D. C. III 407	Crassulaceae		Greece.
„ ebracteatum 2l . . .	Moc. & Sesse	Ref. bot. 221	„		Mexico.
„ erythraem 2l	Griseb.	Spicil. Fl. Rumel. I 326	„		Macedonia.
„ magellense 2l	Ten.	D. C. III 410	„		Italy, Greece, Asia min.
Sempervivum assimile 2l .	Schott	Oestr. Bot. Wochenbl. (1853) 19	„		Transylvania.
„ blandum 2l	Schott	Oestr. Bot. Wochenbl. (1853) 29	„		Transylvania.
„ ciliosum 2l	Panč.		„		Bulgaria.
„ cinerascens 2l	Panč.		„		Bulgaria.
„ kopaonikense 2l . . .	Panč.	Fl. Princ. Serbiae (1874). 314	„		Serbia.
„ leucanthum 2l	Panč.	Elem. Fl. Bulg. 30	„		Bulgaria.
Sericobonia ignea X . . .	Lind & Andr.		Acanthaceae		Garden origin.
Silene quadridentata 2l . .	Pers.	Syn. I 500	Caryophylleae		S. Europe.
Solanum Rantonnetii h . .	Carr.	l'Hortic. Franç. (1859) 197.	Solanaceae	Aug.-Oct.	Argentina.
„ Seaforthianum h . . .	Andr.	D. C. XII 1. 67, B. M. 1982, Lodd. 971	„		Barbados Isld.
„ sisymbriifolium	Lamck.	D. C. XIII 1. 326, B. M. 2568, 3954, 2828	„	July-Sept.	Mexico.
Statice fruticans h	Webb	D. C. XVII 636, B. M. 3776	Plumbagineae	May-Sept.	Canary Islds.
Strophanthus divergens h .	R. Grah.	D. C. VIII 417	Apocynaceae	August	China.
Symphyandra ossetica 2l .	D. C. f.	D. C. VII 495	Campanulaceae		Caucasus.
Symplocos japonica	D. C. f.	D. C. VIII 255, Siebold Fl. jap. t. 24.	Styraceae		China, Japan.
Tecoma valdiviana h § . .	Phil.	in Linnaea (1857-58) 14 B. M. 6 111, Bonplandia 1862	Bignoniaceae		Chile.
Teucrium regium 2l	Schreb.	D. C. XII 588	Labiatae		Spain.
Thladiantha dubia	Bunge	B. M. 5469	Cucurbitaceae		China.
Thunbergia laurifolia h §	Lindl.	B. M. 4998	Acanthaceae		Malaya.
Todea rivularis h	Sieb.	Hook. Syn. Filic. 427	Filices		N. Zeal., Temp. Austr., S. Africa.
Tristania laurina h	R. Br.	Benth. Fl. Austr. III 264	Myrtaceae		Queensl., N. S. W., Vict.
Veronica elliptica h	Forst.	Hook. N. Zeal. Fl. 209, B. M. 242	Scrophularineae		New Zealand.

Additional references and corrections.

Page 5 under Abutil. ven, add: B. M. 4463.
 " " " Acacia Farnesiana, add: Wight, Ic. 300.
 " " instead of Acacia homatopylla, read: A. homalophylla.
 " 6 " " " obtusata, read: obtusata.
 " " under Acanthus spinosus, add: B. M. 1808.
 " " instead of Achania Malvaviscus, B. M. 2305, Jamaica, read:
 Ach. mollis Ait. B. M. 2074, Mexico.
 " " under Aeonium glutinosum, add: B. M. 1963.
 " 7 " Agave attenuata, add: B. M. 5333.
 " " instead of Agave Franzosini, read: A. Franzosinii.
 " " under Agave horrida, add: Ref. bot. 307.
 " " instead of Agave Maximowiczii, read: Maximowiczii.
 " " under " micracantha, add: Ref. bot. 327.
 " " " Scolymus, add: Ref. bot. 328.
 " 8 " " Verschaffeltii, add: Ref. bot. 306.
 " " instead of Agerat. coelest. etc., read: A. conyzoides, Lin., B.
 M. 2524, Trop. Am, Afr., Ind.
 " " under Akebia quin., add: Sieb. Fl. jap. 77.
 " 9 under Amorpha elata, inst. of Bouche Linnaca, read: Bouché
 Linnaea.
 " " instead of Anagallis arv. var. cocrulea, read: A. arv. coerulea.
 " " under Anemone japonica, add: Sieb. Fl. jap. 5.
 " " " Arabis rosea, add: B. M. 3246.
 " " " " verna, add: B. M. 3331.
 " " " Arctotis spec. see in foregoing list under Arct. aspera.
 " 11 under Arisar. vulg. inst. of Targ. Tazz. read: Targ. Tozz.
 " " instead of Arthropod. panic., read: A. cirrhatum R. Br.,
 " " under Arundin. falc. inst. of Linaca read: Linnaea
 " " " Aselep. consang. " " " " " "
 " 12 " Asplen. Trichom. inst. Arduino read: Ardoino.
 " " inst. of Astrag. purpurens, read: purpureus.
 " " " " " sesameus, read: sesameus.
 " " under Astrap. Wall., add: B. M. 2503.
 " " inst. of Athamantha, read: Athamanta.
 " " " " Aubriet. erub. Grieseb., read: Aubr. erub. Griseb.
 " " " " Banhsia, read: Banksia.
 " 13 under Beg. semperfl. add: B. M. 2920.
 " " inst. of Bellis rotundif. Boiss. & Reut. read: B. coerulescens
 Coss. & Bal.
 " " under Bellis sylv. add: B. M. 2511.
 " " " Billard. cym. inst. of Benth. I. 119, read: Bill. cym.
 Benth. I. 124.
 " 14 under Bletia hyacinth., add: B. M. 1492.
 " " instead of Bougainv. Sonderiana, read: Bougainvill. glabra var.
 Sanderiana.
 " " under Cadia purp. inst. of Legum.-Papilion. read: Legum.-Caesalp.
 " 15 " Caesalp. sepiaria, add: Wight Ic. I. 37.
 " " " Calothamnus quadrif. add: B. M. 1506.
 " " " Camellia jap. add: Sieb. Fl. jap. 82.
 " " " " Sasanqua, add: Sieb. Fl. jap. 85.
 " " " Campanula punct., add: B. M. 1723.
 " " " Carissa grandifl., add: Ref. bot. 300.
 " 17 inst. of Chionodoxa sardoa, read: Ch. Lucilae Boiss. B. M.
 6433, Asia minor.
 " " " " Chironia exigua, read: Ch. linoides Lin. D. C. IX 41,
 B. M. 511.
 " 18 under Cistus cyprius, add: B. M. 112.
 " " " " ladanif. inst. of D. C. I. 265, B. M. 112, read:
 D. C. I. 266, Sw. 1 & 84.
 " " " Citrus jap. add: Sieb. Fl. jap. 15.
 " 19 " Corylopsis spic., add: Sieb. Fl. jap. 19.
 " 20 " Cotyl. lur., add: B. M. 3570.

Page 20 under Cotyl. Pachyphytum, add: B. M. 4951.
 " " inst. of Crassula multicava, read: C. quadrifida Bak. Ref. bot. 298.
 " " under Cryptom. jap., add: Sieb. Fl. jap. 124.
 " 22 inst. of Daphne ind. Lin., read: D. odora Thunhg. D. C. XIV.
 537, B. M. 1587, Japan.
 " " under Dioscor. pentaph., add: Wight, Ic. 814.
 " " inst. of Diplop. sp., read: Aster fruticosus Lin. D. C. V. 276
 B. M. 2718, Cape Col.
 " 24 under Eriobotrya jap., add: Wight, Ic. 226.
 " 26 inst. of Eugen. robusta, read: Metrosideros tomentosa A. Cunn.,
 Hook. Fl. N. Zeal. 72.
 " " under Eustrephus latifol., add: B. M. 1245.
 " 27 under Farfug. gr., add: Sieb. Fl. jap. 35.
 " " " Ficus macroph., add: Wight Ic. 673.
 " " " Forsythia susp., add: Sieb. Fl. jap. 3.
 " " " Fragaria ind., add: Wight, Ic. 989.
 " 28 " Genista scop. var. Andraeana, add as Author: Dippel.
 " 30 " Grewia oppositif. add: Wight, Ic. 82.
 " 31 inst. of Heptapleurum recemosum, read: H. racemosum, and
 add: Wight, Ic. 1015.
 " " under Hermannia conglom., add: Ref. bot. 217.
 " " inst. of Hibiscus angul. Stend, read: H. ang. Steud.
 " 32 inst. of Huernia campamulata, read: H. campanulata.
 " 33 under Iasmin. grandifl., add: Wight, Ic. 1257.
 " " " " Sambac, add: Wight, Ic. 704.
 " " inst. of Iochr. fuchs. read: I. coccinea Scheidw. Fl. d. Serres
 (1857) t. 1261. Mexico.
 " 34 under Kadsura jap. inst. of E. C., read: D. C., and add: Sieb.
 Fl. jap. 17.
 " " " Kalanchoë rotundif. add: Ref. bot. 244.
 " 35 " Lathyrus niger, add: B. M. 2261.
 " 36 under Lonicera jap., add: Ref. bot. 224.
 " " " " semperv., add: B. M. 1753.
 " 37 " Magnolia grandifl., add: B. M. 1952.
 " 39 " Murraya exotica, add: Wight, Ic. 96.
 " 40 " Nymph. alba inst. of Nymphaeaceae, read: Nymphaeaceae.
 " " " Ornithogal. arab. add: B. M. 3179.
 " 43 " Paliurus aculeatus add: B. M. 1893.
 " " " Passerina hirs. add: B. M. 1949.
 " 45 " Piper Betle, add: B. M. 3132.
 " 47 " Psidium Cattleianum, add: B. M. 2501.
 " 48 " Raphiolepis jap., add: Sieb. Fl. jap. 85.
 " " inst. of Raphiol. ind. var. phaeostemon, read: phaeostemon
 " " under Raphiol. ovata, add: B. M. 5510.
 " " " Remusatia, add: Wight, Ic. 798, 900.
 " " inst. of Rhodotypus, read: Rhodotypos and add: Sieb. Fl. jap. 99.
 " 49 under Rhus succ., add: Wight, Ic. 560.
 " " " Rhynchosia phaeseol., add: B. M. 2284.
 " " " Rosa rugosa, add: Sieb. Fl. jap. 28.
 " 51 inst. of Salvia Sessai, read: S. Sessei.
 " " under Sciadopitys, add: Sieb. Fl. jap. 101.
 " 53 " Solanum sodom., add: Wight, Ic. 345.
 " 55 " Tetranthera jap., add: Sieb. Fl. jap. 87.
 " " " Thuya orientalis, add: Sieb. Fl. jap. 118.
 " 56 " Vicia sicula, add: B. M. 4943.
 " 57 Virgilia aurea to be cancelled, and found under Calpurnia in
 foregoing list.
 " " under Withania somnifera, add: Wight, Ic. 853. *
 " " " Wistaria chinensis, add: Sieb. Fl. jap. 44.
 " " " Yucca filam., add: Ref. bot. 324.
 " " " " guatemalensis, add: Ref. bot. 313.

To be cancelled are the following:

Androsace bryoides
 Anona muricata
 Anona squamosa
 Bixa Orellana
 Centaurea macrophylla
 Centaurea sp. californica
 Coffea arabica

Cupania uruguensis
 Cussonia triptera
 Gelsemium sempervirens
 Ichnocarpus frutescens
 Linnaea borealis
 Lotus balambensis
 Macrotomia echinoides

Magnolia Umbrella
 Monsonia Heritieri
 Myrosma cannaefolium
 Persoonia myrtilloides
 Pogostemon Heyneanus
 Roscoea purpurea
 Ruellia ciliata

Ruellia Herbstii
 Saccharum offic.
 Salvia fruticulosa
 Salvia purpurea
 Schubertia grandiflora
 Silene acaulis
 Spigelia splendens

Stachytarpheta mut.
 Sterculia foetida
 Tacsonia eximia
 Veronica Lyalli

X 07/0932

31.471.613 ✓

59 39/15

